Jackie Cahill
SWEATERS
to knit and crochet
up to size 44
NEEDLEWORK & GIFT SHOP
109 NORTH OAK STREET
PORT ANGELES, WASH
9404
Page 38
Vol. 94
$1.00
Bear Brand and FLEISHER Yarns

Style No. 9405 *(right)*

Sizes 32-34, 36-38, 40-42

Instructions are for size 32-34, changes for sizes 36-38 and 40-42 are in parentheses, *see measurement chart*, page 55.

MATERIALS: **BEAR BRAND or FLEISHER'S CREPE VELAINE,** 1 oz. skeins

Size 32-34	Size 36-38	Size 40-42
11 skeins	12 skeins	14 skeins

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 5—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles, Size 3.

GAUGE: Size 5 Needles—Stockinette St—13 sts = 2 inches **9 rows = 1 inch** To check gauge, see page 55.

MEASUREMENTS FOR BLOCKING:

To fit . . .	32-34 in. Bust	36-38 in. Bust	40-42 in. Bust
Width at bustline . . . inches	36	40	44
Width of back at underarm . . . inches	18	20	22
Width of sleeves at underarm . . . inches	13¾	14¾	15½

BACK—With size 3 needles, cast on 116 (130-142) sts. Work st. st—p 1 row, k 1 row—until 10 rows from beg. for facing, end with k row. K next row from wrong side for turning ridge. With size 5 needles, work st. st—k 1 row, p 1 row—until 11½ ins. above turning ridge, end with p row. Mark for underarm.

Armholes—Bind off 8 (10-11) sts at beg. of next 2 rows.

Dec. and Pattern Row 1—* K 1, inserting needle under horizontal thread before next st, k an extra st, pass previous k st over extra st *; repeat between *'s 4 times; skp, k to within 8 sts of end, k 2 tog.; repeat between *'s 5 times, k 1; 98 (108-118) sts.

P 1 row. Repeat last 2 rows 7 (9-11) times; 84 (90-96) sts. Omitting decs. each side, continue pat. at armhole edges until 5 (5½-6) ins. above underarm marker, end with k row.

Divide for Neck—P 27 (30-33) sts, sl to holder for left side of back, p 30, sl to separate holder for neck; p remaining 27 (30-33) sts for right side.

Right Side—Continuing pat. at armhole edge, dec. 1 st at neck edge every row 6 times; 21 (24-27) sts. Work even until 6½ (7-7½) ins. above marker, end at armhole edge.

Shoulder—Bind off 7 (8-9) sts at beg. of next row, finish row. Bind off 7 (8-9) sts at armhole edge every 2nd row twice more.

Left Side—From wrong side, sl 27 (30-33) sts from holder to size 5 needle. Join yarn at neck edge and complete to correspond to right side.

FRONT—Work same as back.

SLEEVES—With size 5 needles, cast on 74 (82-88) sts. P 1 row.

Pattern—Row 1—K 34 (38-41) sts, * k 1, inserting needle under horizontal thread before next st, k an extra st, pass previous k st over extra st *; repeat between *'s 4 times, k 35 (39-42) sts.

Row 2—P.

Repeat last 2 rows once. Continuing pat. at center as before, inc. 1 st each side of next row. Repeat inc. each side every 4th row 5 times; 86 (94-100) sts. Work even until 3½ ins. from beg., end with p row. Bind off 8 (10-11) sts at beg. of next 2 rows. Dec. 1 st each side of next row. Repeat dec. each side every 2nd row 6 (8-10) times. Bind off 2 sts at beg. of next 24 rows; 8 sts. P 1 row.

Next row—K 1, work pat. on next 5 sts as before, k 2.

Repeat last 2 rows until 4 (4¼-4½) ins. from end of sleeve cap for saddle shoulder, end with p row; sl sts to holder.

FRONT NECKBAND—From wrong side, with size 5 needles, take up 8 sts of right saddle shoulder, 30 sts of front, 8 sts of left saddle shoulder. From right side, k 8 sts, pick up and k 12 sts evenly spaced on side edge of neck, k 30, pick up and k 12 sts on other side edge of neck, k 8; 70 sts. P 1 row, k 1 row for 6 rows, end with k row.
With size 3 needles, k next row from wrong side for turning ridge. K 1 row, p 1 row for 6 rows for facing. Bind off.

BACK NECKBAND—From wrong side, with size 5 needles, take up 30 sts of back. From right side, beg. at right shoulder, pick up and k 12 sts on side edge of neck, k 30, pick up and k 12 sts on side edge of neck ending at left shoulder. Work to correspond to front neckband.

FINISHING—Sew seams. Sew saddle shoulder to front and back shoulder shaping. Sew in sleeves matching underarm seams. Turn facings at neck and lower edge to wrong side at turning ridge and hem. Work 1 row sc around sleeve edges. Block, see page 55.

Style No. 9407 *(left)*

Sizes 12, 14, 16

Instructions are for size 12, changes for sizes 14 and 16 are in parentheses, *see measurement chart*, page 55.

MATERIALS: **BEAR BRAND or FLEISHER'S CREPE VELAINE,** 1 oz. skeins

Size 12	Size 14	Size 16
12 skeins	12 skeins	13 skeins

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 6—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles, Size 4.
"Boye" Steel Hook, Size 1.

GAUGE: Size 6 Needles—6 sts = 1 inch **9 rows = 1 inch** To check gauge, see page 55.

MEASUREMENTS FOR BLOCKING:

To fit . . .	32 in. Bust	34 in. Bust	36 in. Bust
Width at bustline . . . inches	34	36	38
Width of back at underarm . . . inches	17	18	19
Width of sleeves at underarm . . . inches	12	12½	13

(Continued on Page 14)

Copyright MCMLXVI in U.S.A. and Canada, Bernhard Ulmann Company

Style No. 9428

Sizes 10, 12, 14, 16

Instructions are for size 10, changes for sizes 12, 14 and 16 are in parentheses, *see measurement chart*, page 55.

	Size 10	Size 12	Size 14	Size 16
MATERIALS: BEAR BRAND or FLEISHER'S WIN-SPORT†, 2 oz. skeins	6 skeins	6 skeins	7 skeins	7 skeins

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 4—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
"Boye" Steel Hook, Size 0.

GAUGE: Ribbed Pattern—8 sts = 1 inch 9 rows = 1 inch
Smocked Pattern—9 sts = 1 inch 9 rows = 1 inch

To check gauge, see page 55.

MEASUREMENTS FOR BLOCKING: To fit....	30 in. Bust	32 in. Bust	34 in. Bust	36 in. Bust
Width at bustline ..... inches	33	35	37	39
Width of back at underarm ..... inches	16½	17½	18½	19½
Width of sleeves at underarm ..... inches	11¾	12	12½	13

(Continued on Page 26)

Style No. 9409

Sizes 12-14, 16-18

Instructions are for size 12-14, changes for size 16-18 are in parentheses, *see measurement chart*, page 55.

	Size 12-14	Size 16-18
MATERIALS: BEAR BRAND or FLEISHER'S WIN-SPORT†, 2 oz. skeins **For choice of other yarns, see Group "AA", page 55.**	7 skeins	8 skeins

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 4—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles, Size 2.

GAUGE: Size 4 Needles—7 sts = 1 inch 9 rows = 1 inch

To check gauge, see page 55.

MEASUREMENTS FOR BLOCKING: To fit.....	32-34 in. Bust	36-38 in. Bust
Width at bustline, buttoned ..... inches	38	42
Width of back at underarm ..... inches	19½	20½
Width of sleeves at underarm ..... inches	14	15

(Continued on Page 14)

Style No. 9411

Size 14-16

Instructions are for size 14-16, *see measurement chart*, page 55.

MATERIALS: **BEAR BRAND or FLEISHER'S FOUR SEASONS YARN,** 2 oz. skeins, Color A, 11 skeins; Color B, 3 skeins
For choice of other yarns, see Group "H" page 54.
8 Yarn Bobbins.

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 10½—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles, Size 8.

GAUGE: Size 10½ Needles—7 sts = 2 inches **19 rows = 4 inches**

To check gauge, see page 55.

(Continued on Page 52)

Style No. 9416

Sizes 34-36, 38-40, 42-44

Instructions are for size 34-36, changes for sizes 38-40 and 42-44 are in parentheses, *see measurement chart*, page 55

MATERIALS: **BEAR BRAND or FLEISHER'S CREPE VELAINE,** 1 oz. skeins
For choice of other yarns, see Group "BB", page 55.

Size 34-36	Size 38-40	Size 42-44
16 skeins	18 skeins	20 skeins

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 4 and "Boye" Nylon Circular Needle, Size 4—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles, Size 3.

GAUGE: Size 4 Needles—Stockinette St— 7 sts = 1 inch **10 rows = 1 inch**
Pattern—13 sts = 2 inches **10 rows = 1 inch**

To check gauge, see page 55.

MEASUREMENTS FOR BLOCKING:

To fit . . .	34-36 in. Bust	38-40 in. Bust	42-44 in. Bust
At bustline, buttoned ..... inches	38	42	45½
Width of back at underarm ..... inches	18	20	22
Width of sleeves at underarm ..... inches	13½	14½	15½

(Continued on Page 50)

Style No. 9413

Style No. 9420

Style No. 9413

Sizes 12, 14, 16

Instructions are for size 12, changes for sizes 14 and 16 are in parentheses, *see measurement chart*, page 55.

	Size 12	Size 14	Size 16
MATERIALS: BEAR BRAND or FLEISHER'S SUPRA MOHAIR, A,	6 balls	7 balls	7 balls
and BEAR BRAND or FLEISHER'S "WOOL and SHETLAND WOOL," B, 2 oz. skeins	2 skeins	2 skeins	2 skeins

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 10—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles, Size 8.
"Boye" Hook, Size G (5).

GAUGE: Size 10 Needles—4 sts = 1 inch **6 rows = 1 inch** To check gauge, see page 55.

MEASUREMENTS FOR BLOCKING:

To fit....	32 in. Bust	34 in. Bust	36 in. Bust
At bustline ..... inches	34	36	38
Width of back at underarm ..... inches	17	18	19
Width of sleeves at underarm ..... inches	12	12½	13

BACK—With size 8 needles, and A, cast on 68 (72-76) sts. P 1 row, k 1 row for 10 rows for facing. With size 10 needles k 1 row, p 1 row for 11 rows. Break A. P row is right side of "A" stripe. Break yarn at end of each stripe, leaving end for sewing.

Pattern—"B" STRIPE—With B, k 1 row, p 1 row for 6 rows. Break B.

"A" STRIPE—With A, k 2 rows. P 1 row, k 1 row for 10 rows, end with k row. Break A. Repeat last 18 rows for pat. until about 15 ins. from beg., end on wrong side with 6th row of "B" stripe. Mark for underarm.

Armholes—Continuing pat., bind off 3 sts at beg. of next 2 rows. Dec. 1 st each side of next row. Repeat dec. each side every 2nd row 3 (4-5) times; 54 (56-58) sts. Work even until 7 (7-7¼) ins. above underarm marker, end on wrong side.

Shoulders—Bind off 3 (4-5) sts at beg. of next 2 rows; 4 sts at beg. of next 4 rows. Bind off 32 sts loosely.

FRONT—Work same as back.

SLEEVES—With size 8 needles and A, cast on 58 (60-62) sts. K 1 row, p 1 row for 11 rows, end with k row on wrong side. Break A. With size 10 needles, work pat. as for back, dec. 1 st each side of next row. Repeat dec. each side every 12th row 4 more times; 48 (50-52) sts. Work even until about 12 ins. from beg., end on wrong side with 6th row of a "B" stripe. Bind off 3 sts at beg. of next 2 rows. Dec. 1 st each side of next row. Repeat dec. each side every 2nd row 13 (12-13) times; every row 0 (2-2) times. Bind off 14 sts.

FINISHING — Sew seams, matching stripes. Sew in sleeves matching stripes on sleeve cap. Turn back 10 rows of facing at lower edge to wrong side and hem. From right side, work 2 rows sc loosely around neck edge. Block, see page 55.

Style No. 9420

Sizes 12, 14, 16

Instructions are for size 12, changes for sizes 14 and 16 are in parentheses, *see measurement chart*, page 55.

	Size 12	Size 14	Size 16
MATERIALS: BEAR BRAND or FLEISHER'S "WOOL and SHETLAND WOOL", 2 oz. skeins			
Color A —	5 skeins	5 skeins	5 skeins
Color B —	2 skeins	2 skeins	2 skeins
Color C —	1 skein	1 skein	1 skein

For choice of other yarns, see Group "5", page 54.

KNITTING NEEDLES: "Boye" Needles, 1 pair each Sizes 7 and 8—OR SIZES YOU REQUIRE TO OBTAIN GAUGE.

GAUGES: Size 7 Needles—Seed St—5 sts = 1 inch **8 rows = 1 inch**
Size 8 Needles—Stockinette St—5 sts = 1 inch **7 rows = 1 inch** To check gauge, see page 55.

MEASUREMENTS FOR BLOCKING:

To fit....	32 in. Bust	34 in. Bust	36 in. Bust
Width at bustline ..... inches	36½	39	40½
Width of back at underarm ..... inches	17½	18½	19½
Width of sleeves at underarm ..... inches	13	13½	14

BACK—With size 7 needles and B, cast on 87 (93-97) sts.

Row 1—wrong side—K 1, * p 1, k 1; repeat from * to end.
Repeat this row for seed st border until 8 rows from beg. Break B.
With size 8 needles and A, work st. st—p 1 row, k 1 row—until 13 ins. above border, end with p row. Mark for underarm.

Armholes—Bind off 4 sts at beg. of next 2 rows. Dec. 1 st each side of next row. Repeat dec. each side every 2nd row 5 (6-7) times; 67 (71-73) sts. Work even until 7¾ (8-8¼) ins. above underarm marker, end with k row.

Divide for Neck—P 27 (29-30) sts, sl to holder for left side of back, bind off 13 sts for neck, p to end; 27 (29-30) sts for right side.

Shoulder and Neck—Row 1—right side—Bind off 4 sts for shoulder, k to within 2 sts of end, skp.

Row 2—P 2 tog., p to end.
Repeat rows 1 and 2, 3 times. Bind off 3 (5-6) sts to complete shoulder.

Left Side—Beg. at armhole edge, sl 27 (29-30) sts to size 8 needle. Join A at neck edge and k 1 row.

(Continued on Page 41)

Style No. 9418

Sizes 12-14, 16-18

Instructions are for size 12-14, changes for size 16-18 are in parentheses, *see measurement chart*, page 55.

	Size 12-14	Size 16-18
MATERIALS: **BEAR BRAND or FLEISHER'S WIN-SPORT†**, 2 oz. skeins	8 skeins	8 skeins

For choice of other yarns, see Group "AA", page 55.

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 4—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles, Size 2.
"Boye" Hook, Size E (2).

GAUGE: Stockinette St—Size 4 Needles—7 sts = 1 inch **9 rows = 1 inch** To check gauge, see page 55.

MEASUREMENTS FOR BLOCKING: To fit.....	32-34 in. Bust	36-38 in. Bust
Width at bustline ..... inches	38	42
Width of back at underarm ..... inches	18¼	19¾
Width of each front, including border ..... inches	10½	11¾
Width of sleeve at underarm ..... inches	15½	17½

BACK—With size 2 needles, cast on 138 (154) sts.
Row 1—wrong side—P 2, * k 2, p 2; repeat from * to end.
Row 2—K 2, * p 2, k 2; repeat from * to end.
Repeat these 2 rows for ribbing until 20 rows from beg.
Cable Pattern—Row 1—wrong side—With size 4 needles, p 26 (34), k 2, * p 10, k 2; repeat from * 6 times, p 26 (34).
Row 2—K 26 (34), p 2, * k 10, p 2; repeat from * 6 times, k 26 (34).
Row 3—Same as row 1.
Row 4—First cable twist row—right side—K 26 (34), p 2, k 10, p 2, * sl next 5 sts to hook, hold at back, k 5, k 5 from hook—a cable twist—, p 2, k 10, p 2; repeat from * twice, k 26 (34).
Repeat rows 1 and 2, 3 times; repeat row 1 again.
Row 12—2nd cable twist row—K 26 (34), p 2, work cable twist on next 10 sts, p 2, * k 10, p 2, work twist on next 10 sts, p 2; repeat from * twice, k 26 (34).
Repeat rows 1 and 2 twice.
Repeat these 16 rows for pat. with 7 alternate cable ribs at center and st. st at each side until 12½ (11¼) ins. above ribbing, end with pat. row 16 (6) worked on right side. Extra length of raglan yoke compensates for difference in length to underarm. Mark for underarm.
Raglan Shaping—Continuing pat. at center, bind off 6 (9) sts at beg. of next 2 rows. Work 1 row even.
Dec. row—K 1, skp, work to within 3 sts of end, k 2 tog., k 1.
Repeat dec. row every 2nd row 18 (23) times; 88 sts for both sizes.
Next row—wrong side—P 2, k 1, work to within 3 sts of end, k 1, p 2.

(Continued on Page 43)

Style No. 9410

Sizes 34-36, 38-40, 42-44

Instructions are for size 34-36, changes for sizes 38-40 and 42-44 are in parentheses, *see measurement chart*, page 55.

	Size 34-36	Size 38-40	Size 42-44
MATERIALS: **BEAR BRAND or FLEISHER'S EVER-MATCH ULTRA-KNIT**, 1 oz. balls	15 balls	16 balls	17 balls

For choice of other yarns, see Group "S", page 54.
5 Plastic Rings ⅝ in. diameter for buttons.

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 8—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles, Size 5.
"Boye" Steel Hook, Size 2 for buttons.

GAUGE: Size 8 Needles—5 sts = 1 inch **7 rows = 1 inch** To check gauge, see page 55.

MEASUREMENTS FOR BLOCKING: To fit....	34-36 in. Bust	38-40 in. Bust	42-44 in. Bust
Width at bustline, buttoned ..... inches	38½	42½	47
Width of back at underarm ..... inches	18	20	22½
Width of sleeves at underarm ..... inches	15	16	17

BACK—With size 5 needles, cast on 91 (101-113) sts. Work st. st—p 1 row, k 1 row—for 8 rows for hem facing, end with k row. K 1 row from wrong side inserting needle in back of each st for turning ridge.
With size 8 needles, k 1 row, p 1 row and continue in st. st until 13 ins. above turning ridge, end on wrong side. Mark for underarm.
Armholes—Bind off 10 (13-16) sts at beg. of next 2 rows; 71 (75-81) sts. Work even until 7½ (8-8½) ins. above underarm marker, end with p row.
Shoulders—Bind off 8 (9-10) sts at beg. of next 4 rows; 8 sts at beg. of next 2 rows. Bind off 23 (23-25) sts for back of neck.
LEFT FRONT—With size 5 needles, cast on 48 (53-58) sts. Work 8 rows for hem facing as on back, end with k row; cast on 13 sts at end of last row; 61 (66-71) sts.
Next row—P 7, k 6, k to end inserting needle in back of each st for turning ridge.
Row 1—right side—With size 8 needles, k to within 7 sts of end, with yarn at back of work, sl next st as to p for turning st, k 6 for facing.
Row 2—P.
Repeat these 2 rows until same length as back to underarm marker, end with p row. Mark for underarm.
Armhole—Bind off 10 (13-16) sts, finish row. Continuing sl st as before, work even on 51 (53-55) sts until 5 (5½-6) ins. above underarm marker, end on wrong side.
Neck Shaping—Row 1—K 24 (26-28), * p 1, k 1; repeat from * 9 times, sl turning st, k 6.

(Continued on Page 47)

Style No. 9418

Style No. 9410



Style No. 9401

Sizes 12, 14, 16

Instructions are for size 12, changes for sizes 14 and 16 are in parentheses, *see measurement chart*, page 55.

MATERIALS: **BEAR BRAND DE LUXE KNITTING WORSTED** or **FLEISHER'S SUPERIOR KNITTING WORSTED**, 4 oz. skeins

Size 12	Size 14	Size 16
4 skeins	5 skeins	5 skeins

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 10½—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles, Size 8.

GAUGE: **Size 10½ Needles—4 sts = 1 inch** **11 rows = 2 inches** To check gauge, see page 55.

MEASUREMENTS FOR BLOCKING:

To fit....	32 in. Bust	34 in. Bust	36 in. Bust
Width at bustline ....inches	35	37	39
Width of back at underarm ....inches	17½	18½	19½
Width of sleeves at underarm ....inches	13½	14	14½

(Continued on Page 15)



Style No. 9427

Sizes 12-14, 16-18

Instructions are for size 12-14, changes for size 16-18 are in parentheses, *see measurement chart*, page 55.

MATERIALS: **BEAR BRAND** or **FLEISHER'S FOUR SEASONS YARN**, 2 oz. skeins

Size 12-14	Size 16-18
10 skeins	12 skeins

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 11—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles, Size 9.
"Boye" Hook, Size G (5).

GAUGE: **Size 11 Needles—13 sts = 4 inches** **17 rows = 4 inches** To check gauge, see page 55.

MEASUREMENTS FOR BLOCKING:

To fit.....	32-34 in. Bust	36-38 in. Bust
Width at bustline ....inches	38	42
Width of back at underarm ....inches	19	21
Width of sleeves at underarm ....inches	14	15

(Continued on Page 45)

Style No. 9407 *(Continued from Page 2)*

BACK—With size 4 needles, cast on 102 (108-114) sts. Work k 1, p 1 ribbing for 1½ ins., having an even number of rows, end with row worked on right side, increasing 1 st at end of last row; 103 (109-115) sts.

With size 6 needles, work st. st—p 1 row, k 1 row—until 12½ ins. above ribbing, end with k row. Mark for underarm.

Armholes—Bind off 6 (6-7) sts at beg. of next 2 rows. Dec. 1 st each side every 2nd row 6 (8-8) times; 79 (81-85) sts. Work 3 (1-1) rows even.

Divide for Back Opening—K 38 (39-41), skp, sl these 39 (40-42) sts to holder for right side; k 39 (40-42) sts for left side. Work even until 6¾ (7-7¼) ins. above marker, end with k row.

Left Shoulder—Row 1—Bind off 5 sts, work to end.

Row 2—Work even.

Repeat these 2 rows 3 times.

Row 9—Bind off 5 (6-7) sts, work to end; 14 (14-15) sts. Work 1 row even. Bind off purling.

Starting at armhole edge, sl sts of right side to size 6 needle. Join yarn at edge of opening. Work to correspond to left side until 14 (14-15) sts remain. Bind off purling.

FRONT—Work same as back until 5¾ ins. above underarm marker, end with p row. Run basting threads at each side of 7 center sts from top to 58 rows below and across 7 center sts below 57th row to mark for ruffle.

Divide for Neck—K 32 (33-34) sts, sl to holder for left side, bind off 15 (15-17) sts for neck, k to end. Dec. 1 st at neck edge every row 4 times; every 2nd row 3 times, shaping shoulder as for left side of back when armhole is same length.

Starting at armhole edge, sl sts of left side to size 6 needle. Join yarn at neck edge. Finish to correspond to right side.

SLEEVES—With size 6 needles, cast on 57 (57-60) sts. Working st. st, inc. 1 st each side every 4th row 6 (7-7) times; every 6th row twice; 73 (75-79) sts. Work even until 5 ins. from beg., end with k row. Bind off 6 (6-7) sts at beg. of next 2 rows. Dec. 1 st each side every 2nd row 6 (7-8) times; every 4th row 5 times; every 2nd row 3 times; every row 6 times. Bind off 21 sts purling.

Block, see page 55.

SLEEVE RUFFLE—With right side toward you, join in first st of cast-on row. With size 6 needle, pick up and k 1 st in each of 57 (57-61) cast-on sts.

Pattern—Row 1—wrong side—P 1, * k 3, p 1; repeat from * to end.

Row 2—K 1, * yo, p 3, yo, k 1; repeat from * to end.

Row 3—P 2, * k 3, p 3; repeat from *, end last repeat p 2.

Row 4—K 2, * yo, p 3, yo, k 3; repeat from *, end last repeat k 2.

Row 5—P 3, * k 3, p 5; repeat from *, end last repeat p 3.

Row 6—K 3, * yo, p 3, yo, k 5; repeat from *, end last repeat k 3.

Row 7—P 4, * k 3, p 7; repeat from *, end last repeat p 4.

Row 8—K 4, * yo, p 3, yo, k 7; repeat from *, end last repeat k 4; 169 (169-181) sts.

Bind off in pat.

FRONT RUFFLES—Beg. at front neck edge at basting on right side of center, with size 6 needle, pick up and k a st in side of first st below neck edge at right of basting, and in side of sts along line of basting in every 2nd row until there are 29 sts picked up in 57 rows, pick up and k 7 sts across 58th row along basting, cast on 1 st; 37 sts. Work same as sleeve ruffle; 109 sts. Beg. at 57th row at left basting, pick up and k 29 sts up to neck to correspond to right side, leaving 7 sts at center between ruffles. Work left ruffle; 85 sts. Weave ends of ruffles tog.

FINISHING—Sew seams.

CROCHET EDGE—Picot Row—Join yarn in first bound-off st at seam of sleeve ruffle. From right side, work 1 sc in first st, * ch 4, skip 2 sts, 1 sc in next st; repeat from *, end last repeat ch 4, sl st in first sc. Fasten off.

Join yarn at neck edge in first row of right ruffle. From right side, work 1 sc in every 2nd row to corner, ch 1, work picot row on edge, end 1 sc in st at left corner, ch 1, work sc on left end. Fasten off.

Join yarn on back neck edge at left corner of opening. From right side, work 1 row sc around neck edge, keeping work flat. Fasten off.

Join yarn on left edge of back opening at bottom of opening. From right side, work 1 sc in every 2nd row to neck, ch 1, continue sc around neck to left corner of opening, ch 1, 1 sc in every 2nd row on left edge. Fasten off. Sew in sleeves with sleeve seam at center underarm. Steam ruffles. Sew 6 in. slide fastener to edges of back opening. Sew 4 buttons on front between ruffles, as illustrated.

Style No. 9409 *(Continued from Page 5)*

BODY—With size 2 needles, cast on 290 (314) sts.

Row 1—wrong side—P 15, k 1, p 2, * k 2, p 2; repeat from * to within 16 sts of end, k 1, p 15.

Row 2—K 7, with yarn at back, sl 1 st as to k for turnings st of front hem, k 7, p 1, k 2, * p 2, k 2; repeat from * to within 16 sts of end, p 1, k 7, sl 1 st as to k, k 7. Repeat these 2 rows twice; repeat row 1 again, end at right front edge.

Buttonhole rows—K 2, * bind off 2 sts, sl last st worked to left needle, k 2 tog.—3 sts bound off for buttonhole *, k 1, sl 1 st, k 2, repeat between *'s for 2nd buttonhole, work to end. On next row, cast on 3 sts over each buttonhole.

Continue ribbing and hems for 20 rows more, end at right front edge. Repeat buttonhole rows.

Rib Pattern—Row 1—right side—With size 4 needles, k 7, sl 1, k 7, p 4, * k 4, p 4; repeat from * to within 15 sts of end, k 7, sl 1, k 7.

Row 2—P 15, k 4, * p 4, k 4; repeat from * to within 15 sts of end, p 15.

Repeat these 2 rows for pat. until 11½ (11) ins. above ribbing, repeating buttonholes every 3½ ins., having 30 rows between buttonhole rows, end at left front edge with row worked on right side. Mark for underarm.

Note: Extra length of armholes compensates for difference in length to underarm.

Dividing row—Work 75 (83) sts, sl to holder for left front, bind off 12 sts in pat. for left underarm, work 116 (124) sts for back, sl remaining 87 (95) sts to holder for right front and underarm.

BACK—Armholes—Row 1—P 2 tog., work to within 2 sts of end, p 2 tog.

Row 2—Work even.

Repeat rows 1 and 2 twice.

Row 7—K 2 tog., work to within 2 sts of end, skp.

Row 8—Work even.

Repeat rows 7 and 8, 3 times. Repeat rows 1 and 2, 4 times (once); 94 (108) sts. Work even until 8 (8½) ins. above marker, end with row worked on wrong side.

(Continued on Next Page)

Style No. 9409 *(Continued from Page 14)*

Divide for Neck—Work 40 (43) sts, sl to holder for right side, bind off 14 (22) sts for neck, work to end; 40 (43) sts.

Shoulder and Neck—Row 1—Bind off 5 sts, work to within 2 sts of end, k 2 tog.

Row 2—P 2 tog., work to end.

Repeat these 2 rows 4 times, decreasing at neck edge in pat. Bind off 5 (8) sts for shoulder. Beg. at armhole edge, sl sts of right side to size 4 needle. Join yarn at neck edge. Finish to correspond to left side.

RIGHT FRONT—Beg. at right front edge, sl 87 (95) sts to size 4 needle. Join yarn at underarm. Bind off 12 sts, work to end; 75 (83) sts.

Armhole—Row 1—Work to within 2 sts of end, p 2 tog. Decreasing as for left side of back, repeat dec. at armhole edge, **for size 12-14 only**, every 2nd row 10 times; 64 sts. **(For size 16-18 only**, every row 4 times; every 2nd row 11 times; 67 sts).

Repeating buttonholes, work even until 5½ (6) ins. above marker, end at front edge.

Neck and Shoulder—Work 34 sts, sl to holder for neck, work to end; 30 (33) sts. Work even, shaping shoulder as for left side of back when armhole is same length.

LEFT FRONT—Beg. at left front edge, sl 75 (83) sts to size 4 needle.

Armhole — Row 1 — P 2 tog., work to end.

Work to correspond to right front until same length to neck, end at armhole edge.

Neck and Shoulder—Work to within 34 sts of front edge, sl remaining 34 sts to holder for neck; 30 (33) sts. Finish to correspond to right front.

SLEEVES—With size 2 needles, cast on 74 (82) sts.

Row 1—wrong side—P 2, * k 2, p 2; repeat from * to end.

Continue ribbing for 3 ins., end with row worked on wrong side, having an odd number of rows and increasing 1 st each side of last row; 76 (84) sts.

Rib Pattern—Row 1—right side — With size 4 needles, k 4, * p 4, k 4; repeat from * to end.

Row 2—P 4, * k 4, p 4; repeat from * to end.

Repeat these 2 rows 3 times.

Inc. row—right side—Keeping pat., inc. 1 st in first and last sts.

Repeat inc. row every 8th row 10 times, working increased sts in pat.; 98 (106) sts. Work even until 13½ ins. above ribbing, end with row worked on right side. Bind off 7 sts at beg. of next 2 rows. Dec. 1 st each side every 2nd row 19 (21) times; every row 10 times, decreasing as for back armholes. Bind off 26 (30) sts.

Sew seams.

NECK RIBBING—Beg. at right front edge, sl first 33 sts to size 2 needle, place marker on needle for mitred corner, sl 34th st to needle; pick up and k 26 sts evenly spaced on side edge; 34 (42) sts on back neck edge, 26 sts on left side; sl 34 sts to free needle; p 1 st, place 2nd marker on needle, work to end; 154 (162) sts.

Row 1—wrong side—P 15, k 1, p 2, * k 2, p 2; repeat from * to within 16 sts of end slipping markers, k 1, p 15. Slip markers every row.

Row 2—dec. row—* Work to within 2 sts of marker, k 2 tog., sl marker, skp; repeat from * once, work to end; 150 (158) sts.

Row 3 — * Work to within 2 sts of marker, k 1, p 2, k 1; repeat from * once, work to end.

Row 4—Repeat row 2.

Row 5 — * Work to within 3 sts of marker, p 6; repeat from * once, work to end.

Row 6—Repeat row 2, working 7th set of buttonholes.

Row 7 — * Work to within 2 sts of marker, p 4; repeat from * once, work to end, completing buttonholes.

Row 8—Repeat row 2.

Repeat rows 1 and 2 once; 134 (142) sts. Bind off in pat.

FINISHING — Turn front hem facings along turning sts and hem to wrong side. Sew ends of front borders tog. Finish buttonholes in blanket st, working through both thicknesses. Sew in sleeves with sleeve seam at center of 12 sts bound off for underarm.

Block, see page 55.

Style No. 9401 *(Continued from Page 12)*

Note: Mark first row of each piece for wrong side of work.

BACK—With size 8 needles, cast on 71 (75-79) sts.

Pattern—Row 1—wrong side—P 1, * k 1, p 1; repeat from * to end.

Row 2—K in back loop of first st, * p 1, k in back loop of next st; repeat from * to end.

Row 3—P 1, * k in back loop of next st, p 1; repeat from * to end.

Repeat rows 2 and 3 for pat. Work until 1½ ins. from beg.

With size 10½ needles, continue pat. until 17 ins. from beg., end on right side. Mark for underarm.

Armholes—Bind off 4 sts at beg. of next 2 rows. Dec. 1 st each side every 2nd row 5 (6-7) times; 53 (55-57) sts. Work even until 7 (7¼-7½) ins. above marker, end on wrong side.

Shoulders—Bind off 4 sts at beg. of next 2 (4-4) rows; 3 (3-4) sts at beg. of next 4 (2-2) rows. Bind off 33 sts in ribbing for back neck.

FRONT—Work same as back until 5 (5¼-5½) ins. above marker, end on right side; 53 (55-57) sts.

Dividing row—Work 17 (18-19) sts, sl sts to holder for right half; bind off next 19 sts for neck; work to end; 17 (18-19) sts.

Left Half—Continue in pat. decreasing 1 st at neck edge every row 4 times; every 2nd row 3 times, shaping shoulder as for right shoulder of back when armhole is same length.

Right Half—Take up sts from holder, join yarn at neck edge. Complete to correspond to left half.

SLEEVES—With size 8 needles, cast on 39 (41-43) sts. Work pat. as for back until 2½ ins. from beg. With size 10½ needles, inc. 1 st each side on next row. With care to keep pat., repeat incs. every 10th row 7 times; 55 (57-59) sts. Work even until 16¾ ins. from beg., end on right side. Bind off 4 sts at beg. of next 2 rows. Dec. 1 st each side every 2nd row 10 (10-11) times. Bind off 2 sts at beg. of next 6 rows. Bind off 15 (17-17) sts.

COLLAR—With size 8 needles, cast on 105 sts. Work pat. as on back until 1½ ins. from beg. With size 10½ needles, continue pat. until 6 ins. from beg. Bind off loosely in ribbing.

FINISHING—Sew seams. Sew in sleeves with sleeve seam at center underarm. Sew ends of collar tog. Sew cast-on edge of collar to neck edge with seam of collar at left shoulder seam, sewing about 44 sts of collar to back neck edge; 27 sts of collar to 19 bound-off sts for front neck edge and remaining 17 sts at each side to shaped side neck edges.

Block, see page 55.

Style No. 9429

Sizes 10-12, 14-16, 18-20

Instructions are for size 10-12, changes for sizes 14-16 and 18-20 are in parentheses, *see measurement chart*, page 55.

	Size 10-12	Size 14-16	Size 18-20
MATERIALS: **BEAR BRAND or FLEISHER'S SUPRA MOHAIR**, A,	17 balls	19 balls	21 balls
and **BEAR BRAND or FLEISHER'S "WOOL and SHETLAND WOOL"**, B, 2 oz. skeins	2 skeins	2 skeins	2 skeins

CROCHET HOOKS: "Boye" Aluminum Hook, Size G—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
"Boye" Aluminum Hook, Size F.

GAUGE: Size G Hook—4 shells = 3 inches **8 rows = 3 inches** To check gauge, see page 55.

MEASUREMENTS OF GARMENT: To fit....	30-32 in. Bust	34-36 in. Bust	38-40 in. Bust
Width at bustline, buttoned ....inches	38½	41½	44½
Width of back at underarm ....inches	18	19½	21
Width of sleeve at underarm ....inches	13½	13½	15

Note: Mark first 2 rows for right side of all pieces.

BACK—With size G hook and A, ch 74 (80-86), drop A; draw B through last ch st.

Pattern—Row 1—right side—With B, work 1 sc in 3rd st from hook, * ch 3, skip 2 sts of ch, 1 sc in next st; repeat from * to end; loosen loop on hook and pass ball of yarn through it, tighten loop to fasten, drop B, do not break; 24 (26-28) ch 3 spaces.

Row 2—right side—With A, working from same side as last row, draw up a loop under first space, ch 3, work 3 dc in same space; * 4 dc in next ch 3 space; repeat from * across row, end 3 dc in last space, yo, draw up a loop in same space, yo and draw through 2 loops, drop A; draw B through last 2 loops to complete dc and change color; 24 (26-28) shells.

Row 3—wrong side—With B, ch 4, turn, skip 4 dc, 1 sc in space before next dc, * ch 3, skip 4 dc, 1 sc in space before next dc; repeat from * across row, end ch 3, skip 3 dc, 1 sc in top of ch 3, fasten off as before, drop B, do not break; 24 (26-28) spaces.

Row 4—wrong side—Same as row 2.

Row 5—right side—Same as row 3.

Row 6—right side—Same as row 2.

Repeat last 4 rows for pat. Work even in pat. until 37 rows—about 13½ ins. —from beg., end on right side with B row. Break B. Mark for underarm.

Armholes—Row 1—right side — With A, draw up a loop in first space, ch 1, work 2 sc in same space, 1 sc in next **sc**, ch 3, 2 dc in next space, 4 dc in next space; continue even in pat. to within 2 spaces of end, 2 dc in next space, 1 dc in next **sc**, working off last 2 loops with B.

Row 2—With B, ch 3, turn, skip 3 dc, work 1 sc in space before next dc, work pat. across, end ch 2, skip last 2 dc, work sl st in top of turning ch, fasten off B as before, do not break.

(Continued on Page 46)

Style No. 9419

Sizes 12-14, 16-18, 20-22

Instructions are for size 12-14, changes for sizes 16-18 and 20-22 are in parentheses, *see measurement chart*, page 55.

	Size 12-14	Size 16-18	Size 20-22
MATERIALS: **BUCILLA PARADISE**, 1 oz. skeins	15 skeins	16 skeins	18 skeins

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 5—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles, Size 3.
"Boye" Steel Hook, Size 1.

GAUGE: Size 5 Needles—6 sts = 1 inch **9 rows = 1 inch** To check gauge, see page 55.

MEASUREMENTS FOR BLOCKING: To fit...	32-34 in. Bust	36-38 in. Bust	40-42 in. Bust
Width at bustline, buttoned ....inches	38	42	46
Width of back at underarm ....inches	17	19	21
Width of sleeve at underarm ....inches	14	15	16

BACK—With size 3 needles, cast on 103 (115-127) sts.

Row 1—wrong side—K 1, * p 1, k 1; repeat from * to end.

Row 2—P 1, * k 1, p 1; repeat from * to end.

Repeat these 2 rows for ribbing for 2½ ins., end with row 2.

Pattern — Row 1 — wrong side — With size 5 needles, k 1, * p 5, k 1; repeat from * to end.

Row 2—P 1, * k 1, yo, sl 1 st, k 2 tog., pass sl st over the k 2 tog., yo, k 1, p 1; repeat from * to end.

Row 3—Same as row 1.

Row 4—P 1, * k 5, p 1; repeat from * to end.

Repeat these 4 rows for pat. until 10 ins. above ribbing, end with pat. row 3. Mark for underarm.

Armholes—Bind off 6 sts at beg. of next 2 rows, keeping pat.; 91 (103-115) sts.

First dec. row—right side—K 2 tog., yo, work as for pat. row 2 to within 2 sts of end, end last repeat, yo, skp; 89 (101-113) sts.

Row 2 and all rows worked on wrong side—Work even keeping pat. **2nd dec. row**—K 2 tog., k 3, * p 1, k 5; repeat from * to within 5 sts of end, k 3, skp.

(Continued on Page 37)



Style No. 9429

Style No. 9419

Style No. 9431

Sizes 10-12, 14-16

Instructions are for size 10-12, changes for size 14-16 are in parentheses, *see measurement chart*, page 55.

MATERIALS: **BEAR BRAND or FLEISHER'S WIN-SPORT†,** 2 oz. skeins

	Size 10-12	Size 14-16
Color A —	5 skeins	5 skeins
Color B —	2 skeins	2 skeins
Color C —	1 skein	1 skein

7 Plastic Rings, ⅝ in. diameter for buttons.
6 Bobbins.

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 5—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles, Size 3.
"Boye" Steel Hook, Size 2 for buttons.

GAUGE: **Size 5 Needles—13 sts = 2 inches** **17 rows = 2 inches** To check gauge, see page 55.

(Continued on Page 40)

Style No. 9424

Sizes 14, 16, 18

Instructions are for size 14, changes for sizes 16 and 18 are in parentheses, *see measurement chart*, page 55.

MATERIALS: **BEAR BRAND or FLEISHER'S FOUR SEASONS YARN,** A, 2 oz. skeins
and **BEAR BRAND or FLEISHER'S WIN-KNIT†,** B, 2 oz. skeins

	Size 14	Size 16	Size 18
	11 skeins	12 skeins	13 skeins
	1 skein	1 skein	1 skein

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 11—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles, Size 9.
"Boye" Aluminum Hook, Size G—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.

GAUGE: **Size 11 Needles—10 sts = 3 inches** **10 rows = 2 inches**
Size G Hook—4 hdc = 1 inch To check gauge, see page 55.

(Continued on Page 26)

Style No. 9426

Size 12-14

Instructions are for size 12-14, *see measurement chart*, page 55.

MATERIALS: **BEAR BRAND or FLEISHER'S EVER-MATCH SPORT AND SWEATER YARN,**
1 oz. skeins, 14 skeins.
6 Plastic Rings ⅝ in. diameter for buttons.

CROCHET HOOK: "Boye" Hook, Size F (4)—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.

GAUGE: **Full Motif = 3 inches across** **4 dc = 1 inch** **7 rows = 3 inches**
To check gauge, see page 55.

MEASUREMENTS FOR BLOCKING:
At bustline, buttoned 37 inches
Width of back at underarm 19 inches
Width of sleeve at underarm 13 inches

RIGHT AND LEFT FRONT—*Note:* Work all rounds or rows of motifs from right side.

MOTIF—Ch 6, join with sl st in first st to form ring.

Round 1—right side—Ch 1, work 14 sc in ring, join with sl st in first sc.

Round 2—Ch 4, work 1 dc in next sc, * ch 1, 1 dc in next sc; repeat from * 11 times, ch 1, join with sl st in 3rd st of ch 4; 14 ch 1 spaces.

Round 3—Ch 1, work 3 sc in each ch 1 space, join; 42 sc.

Round 4—Ch 3, work 1 dc in each of next 6 sc, * ch 2, 1 dc in each of next 7 sc; repeat from * 4 times, ch 2, join with sl st in top of ch 3. Fasten off.

Make 36 motifs.

HALF MOTIF—Ch 4, join with sl st in first ch st to form ring.

Row 1—right side—Ch 1, work 8 sc in ring, do **not** join. Fasten off.

Row 2—With loop on hook, work 1 dc in first sc, * ch 1, 1 dc in next sc; repeat from * 6 times; 7 ch 1 spaces. Fasten off.

Row 3—With loop on hook, work 3 sc in each ch 1 space; 21 sc.

Row 4—With loop on hook, work 1 dc in first sc, 1 dc in each of next 6 sc, * ch 2, 1 dc in each of next 7 sc; repeat from * once. Fasten off.

Make 14 half motifs.

FINISHING—Block full motifs to 3 ins. across, see page 55. Block half motifs.

For Right Front—Arrange motifs and half motifs as shown on chart, see page 49, having right side up and dc sections next to each other. From right side sew motifs tog. with an overhand st, sewing top of dc sections only tog., leaving ch 2 free at corners and keeping seams as elastic as crochet.

Finish left front to correspond, reversing arrangement of motifs.

BACK—Ch 78, work 1 dc in 4th st from hook, 1 dc in each remaining st of ch.

Row 2—wrong side—Ch 3, turn, 1 dc in 2nd and each remaining dc, 1 dc in top of turning ch; 76 dc—turning ch counts as 1 dc.

(Continued on Page 49)

Style No. 9403

Sizes 12, 14, 16

Instructions are for size 12, changes for sizes 14 and 16 are in parentheses, *see measurement chart*, page 55.

	Size 12	Size 14	Size 16
MATERIALS: **BEAR BRAND or FLEISHER'S SUPRA MOHAIR**	10 balls	11 balls	12 balls

For choice of other yarns, see Group "K", page 54.
7 Plastic Rings ½ in. diameter.

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 10—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles, Size 5.
"Boye" Hook, Size F (4).
"Boye" Steel Hook, Size 2 for Buttons.

GAUGE: **Size 10 Needles—4 sts = 1 inch** **5 rows = 1 inch** To check gauge, see page 55.

MEASUREMENTS OF GARMENT: To fit....	32 in. Bust	34 in. Bust	36 in. Bust
Width at bustline, buttoned ....inches	36½	38½	40½
Width of back at underarm ....inches	17½	18½	19½
Width of sleeves at underarm ....inches	12½	13	13½

BACK—With size 5 needles, cast on 63 (67-71) sts.

Row 1—wrong side—P 1, * k 1, p 1; repeat from * to end.

Row 2—K 1, * p 1, k 1; repeat from * to end.
Repeat these 2 rows until there are 27 rows from beg., end with row 1.

Inc. row—Work 10 (12-12) sts in ribbing, * inc. 1 st in next st, work 5 (5-6); repeat from * 7 times, work to end; 71 (75-79) sts P 1 row.

With size 10 needles, work st. st—k 1 row, p 1 row—until 8½ ins. above inc. row, end with k row. Mark for underarm.

Armholes—Bind off 3 (3-4) sts at beg. of next 2 rows. Dec. 1 st each side every 2nd row 6 (7-8) times; 53 (55-55) sts. Work even until armholes measure 7¼ (7½-7¾) ins. above marker, end with p row.

Shoulders—Bind off 6 sts at beg. of next 2 (4-4) rows; 5 sts at beg. of next 4 (2-2) rows; 21 sts. Place on holder for neck ribbing.

RIGHT FRONT—With size 5 needles, cast on 37 (39-41) sts. Work ribbing as on back for 5 rows, end at front edge.

Buttonhole rows—Work 2 sts, bind off 2 sts, work to end. Cast on 2 sts over buttonhole in next row. Work 18 rows. Repeat buttonhole in next 2 rows.

Inc. row—Work 10 sts, * inc. 1 st in next st, work 5; repeat from * 3 times, work to end; 41 (43-45) sts.

(Continued on Page 46)



Style No. 9426

Style No. 9403

Style No. 9400

Sizes 10-12, 14-16

Instructions are for size 10-12, changes for size 14-16 are in parentheses, *see measurement chart*, page 55.

MATERIALS: BEAR BRAND or FLEISHER'S WINSOM†, 2 oz. skeins

	Size 10-12	Size 14-16
Color A —	3 skeins	4 skeins
Color B —	1 skein	1 skein
Color C —	1 skein	1 skein

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 9—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.

GAUGE: 9 sts = 2 inches **6 rows = 1 inch** To check gauge, see page 55.

MEASUREMENTS FOR BLOCKING:

To fit.....	30-32 in. Bust	34-36 in. Bust
Width at bustline ..... inches	36	40
Width of back at underarm ..... inches	18	20
Width of sleeves at underarm ..... inches	13	14½

BACK—With A, cast on 82 (90) sts.

Rows 1, 3 and 5—wrong side—P 3, * k 4, p 4; repeat from *, end last repeat p 3.

Rows 2, 4 and 6—K 3, * p 4, k 4; repeat from *, end last repeat k 3.

Row 7—Same as row 1. Drop A.

Note: Carry yarn not in use loosely along edge.

Row 8—With B, k.

Note: K all sts on first row of each new color stripe.

Row 9—With B, same as row 1.

Row 10—With B, same as row 2.

Row 11—With B, same as row 1. Drop B.

Row 12—With C, k.

Row 13—With C, same as row 1.

Rows 14 and 15—With B, same as rows 12 and 13. Drop B.

Rows 16 and 17—With A, same as rows 12 and 13. Drop A.

Rows 18 and 19—With B, same as rows 12 and 13. Drop B.

Rows 20 and 21—With C, same as rows 12 and 13. Drop C.

Rows 22 through 25—With B, same as rows 8 through 11. Drop B.

Keeping to pat. as established, work 4 rows A; 4 rows B; 4 rows C; 4 rows B; 41 rows from beg. With A, work even in pat. for 38 rows—79 rows from beg., end on wrong side. Mark for underarm.

Armholes—Bind off 4 (5) sts at beg. of next 2 rows. With care to keep pat., dec. 1 st each side of next row. Dec. 1 st each side every 2nd row 5 (6) times more; 62 (66) sts. Work even until 30 (34) rows—about 5 (5½) ins. above underarm marker, end on wrong side.

Neck and Shoulder—Work 23 (25) sts, place on holder for right side, bind off 16 sts for neck, finish row; 23 (25) sts.

Left Side—With care to keep pat., keeping armhole edge even, dec. 1 st at neck edge every 2nd row 6 times, end on right side at armhole edge.

(Continued on Page 33)

Style No. 9415

Sizes 12-14, 16-18

Instructions are for size 12-14, changes for size 16-18 are in parentheses, *see measurement chart*, page 55.

MATERIALS: BEAR BRAND or FLEISHER'S "WOOL and SHETLAND WOOL," 2 oz. skeins

	Size 12-14	Size 16-18
Color A —	6 skeins	7 skeins
Color B —	2 skeins	2 skeins
Color C —	1 skein	1 skein
Color D —	1 skein	1 skein

For choice of other yarns, see Group "5", page 54.

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 8 and "Boye" Nylon Circular Needle, Size 8—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles, Size 5.

GAUGE: Size 8 Needles—5 sts = 1 inch **7 rows = 1 inch** To check gauge, see page 55.

MEASUREMENTS FOR BLOCKING:

To fit.....	32-34 in. Bust	36-38 in. Bust
At bustline, buttoned ..... inches	39½	44
Width of back at underarm ..... inches	19	21
Width of sleeve at underarm ..... inches	14	15

BACK—With size 5 needles and B, cast on 94 (104) sts. Work k 1, p 1 ribbing for 7 rows, increasing 1 st at end of last row of ribbing; 95 (105) sts. Break B. With size 8 needles and A, work st. st—k 1 row, p 1 row—until about 11 (10½) ins. above ribbing, end on wrong side. Mark for underarm.

Note: Difference in length to underarm is compensated for in depth of armholes.

Armholes—Bind off 4 (5) sts at beg. of next 2 rows; 87 (95) sts. **(For size 16-18 only**—Dec. 1 st each side of next row. Repeat dec. each side on 2nd row once; 91 sts. Work 1 row even).

For both sizes—Slip these 87 (91) sts to holder for yoke, Break A.

RIGHT FRONT—With size 5 needles and B, cast on 54 (60) sts. Work p 1, k 1 ribbing for 5 rows, end at front edge.

Buttonhole rows—Work 2 sts, bind off next 3 sts for buttonhole, work ribbing to end.

Next row—Inc. 1 st in first st, work ribbing to end, casting on 3 sts over bound-off sts to complete buttonhole.

Note: When changing colors, always pass next color to be used under last color used to prevent a hole.

(Continued on Page 44)

Style No. 9400

Style No. 9415

Style No. 9417

Sizes 12-14, 16-18

Instructions are for size 12-14, changes for size 16-18 are in parentheses, *see measurement chart*, page 55.

MATERIALS: **BEAR BRAND DE LUXE KNITTING WORSTED or FLEISHER'S SUPERIOR KNITTING WORSTED,** 4 oz. skeins

	Size 12-14	Size 16-18
Color A —	5 skeins	5 skeins
Color B —	1 skein	1 skein

For choice of other yarns, see Group "P", page 54.

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 8—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles, Size 6.

GAUGE: Size 8 Needles—Ribbed Pattern—19 sts = 4 inches **13 rows = 2 inches**
Stockinette St— 9 sts = 2 inches **13 rows = 2 inches**

To check gauge, see page 55.

MEASUREMENTS FOR BLOCKING:

To fit.....	32-34 in. Bust	36-38 in. Bust
Width at bustline, buttoned ..... inches	38½	43½
Width of back at underarm ..... inches	17	19
Width of sleeve at underarm ..... inches	14	15½

BACK—With size 6 needles and A, cast on 82 (90) sts.

Row 1—wrong side—K 2, * p 2, k 2; repeat from * to end.

Row 2—P 2, * k 2, p 2; repeat from * to end.

Repeat these 2 rows for 6 rows, end with row 2.

Ribbed Pattern—Row 1—wrong side—With size 8 needles, k 2, * p 6, k 2; repeat from * to end.

Row 2—P 2, * k 6, p 2; repeat from * to end.

Repeat row 1 again.

Cable Pattern—Row 1—twist row—right side—P 2, * sl next 3 sts to crochet hook, hold at back, k next 3 sts, k 3 sts from hook, p 2; repeat from * to end.

Repeat rows 1 and 2 of ribbed pat. for 7 rows. Repeat these 8 rows for cable pat. twice. Repeat twist row, completing cable border. Work ribbed pat. for 10 ins., end with pat. row 1 on wrong side. Mark for underarm.

Armholes—Bind off 4 (2) sts at beg. of next 2 rows. Dec. 1 st each side of next row. Repeat decs. every 2nd row 3 (5) times, keeping pat.; 66 (74) sts. Work even until 8 (8½) ins. above underarm marker, end on right side.

Divide for Neck — Work 24 sts, sl to holder for left side, work next 18 (26) sts, sl to holder for neck, work to end; 24 sts for right side.

Shoulder and Neck—Row 1—right side—Bind off 4 sts for shoulder, work to within 2 sts of end, skp.

Row 2—P 2 tog., work to end.

(Continued on Page 36)

Style No. 9402

Sizes 10-12, 14-16

Instructions are for size 10-12, changes for size 14-16 are in parentheses, *see measurement chart*, page 55.

MATERIALS: **BEAR BRAND or FLEISHER'S SOUFFLÉ,** A, **and BEAR BRAND or FLEISHER'S EVER-MATCH SPORT AND SWEATER,** B, 1 oz. skeins

	Size 10-12	Size 14-16
	8 balls	9 balls
	1 skein	1 skein

CROCHET HOOKS: "Boye" Hook, Size H (6)—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
"Boye" Steel Hook, Size 0.

GAUGE: Size H (6) Hook—9 sts—3 pats. = 2 inches **6 rows = 2 inches**

To check gauge, see page 55.

MEASUREMENTS OF GARMENT:

To fit.....30-32 in.	Bust	34-36 in. Bust
Width at bustline ..... inches	37	40
Width of back at underarm ..... inches	18½	20
Width of sleeves at underarm ..... inches	14½	15½

BACK—With size H (6) hook and A, ch 86 (92).

Row 1—right side—1 dc in 4th st of ch and in each st to end; 84 (90) sts, turning ch counts as 1 st.

Row 2—Ch 1, turn, 1 sc in first dc, ch 2, 1 sc in space between 3rd and 4th dc; * ch 2, skip 3 dc, 1 sc in space before next dc; repeat from *, end ch 2, skip 2 dc, 1 sc in top of turning ch.

Row 3—right side—Ch 3, turn, 2 dc in first space under ch 2; * 3 dc in next space under ch 2; repeat from *; end 2 dc in last space, 1 dc in last sc.

Repeat last 2 rows for pat. Work even until 43 rows from lower edge—about 14½ ins., end on right side. Mark for underarm.

Next row—Ch 1, turn, sl st over first 9 dc, 1 sc in space before next dc, ch 2, skip 3 dc, 1 sc in space before next dc; continue pat. to within 9 dc of end; 66 (72) sts—22 (24) pats.

Work even until 16 (18) rows above marker, end on right side.

Left Half of Back and Shoulder—Work over 6 (7) pats. only for 6 rows. Fasten off.

Right Half of Back and Shoulder—From wrong side, skip 30 dc—10 pats., with loop on hook, work 1 sc in space before next dc, work pat. to end; 6 (7) pats. Work 5 more rows of pat. Fasten off.

FRONT—Work same as back.

SLEEVES—With size H (6) hook and A, ch 56 (59). Work as for back until 14½ ins.—44 rows—from beg., end on wrong side; 18 (19) pats.

Inc. row—Ch 3, turn, work 3 dc in first space, continue pat., end 3 dc in last space, 1 dc in last sc.

(Continued on Page 27)



Style No. 9417

Style No. 9402

Style No. 9424 (Continued from Page 19)

MEASUREMENTS FOR BLOCKING:	To fit.... 34 in. Bust	36 in. Bust	38 in. Bust
Width at bustline ..... inches	37	39½	42
Width of back at underarm ..... inches	18½	19¾	21
Width of sleeves at underarm ..... inches	15	15	16

BACK—With size 9 needles and A, cast on 62 (66-70) sts.

Twisted Ribbing—Row 1—Insert needle in back loop of first st and k the st, p 1, * k 1 inserting needle in back loop of st, p 1; repeat from * to end.
Repeat row 1 for ribbing until 2½ ins. from beg.

Pattern—Row 1—right side—With size 11 needles, k 2, * p 2, k 2; repeat from * to end.

Row 2—P 2, * k 2, p 2; repeat from * to end.

Row 3—Same as row 2.

Row 4—Same as row 1. Repeat these 4 rows for pat.
Work even in pat. until 12 ins. above ribbing, end on wrong side with pat. row 4. Mark for underarm.

Raglan—Bind off 1 st at beg. of next 2 rows.

Row 3—dec. row—K 2, skp, work pat. to within 4 sts of end, k 2 tog., k 2.

Row 4—P 3, work pat. to within 3 sts of end, p 3.

Row 5—K 3, work pat. to within 3 sts of end, k 3.

Row 6—P 3, work pat. to within 3 sts of end, p 3.

Row 7—dec. row—Same as row 3.
Keeping 3 sts each side in st. st and remaining sts in pat., repeat dec. each side every 4th row 3 (3-1) times; then every 2nd row 12 (14-18) times; 26 sts. Work 1 row even. Bind off in pat.

FRONT—Work same as back to underarm, end on wrong side with pat. row 4. Mark for underarm.

Raglan and Neck—Row 1—Bind off 1 st, finish row.

Row 2—Bind off 1 st, work in pat. until 23 (25-27) sts on right needle, sl these sts to holder for right half; bind off next 14 sts in pat. for neck opening, finish row; 23 (25-27) sts for left half.

Left Half of Front—dec. row—K 2, skp, work pat. to end.
Keeping front edge even and working 3 sts at raglan edge in st. st as on back, repeat dec. at raglan edge every 4th row 4 (4-2) times; every 2nd row 8 (10-14) times, end on right side; 10 sts.

Neck—Row 1—Bind off 2 sts, finish row.

Row 2—K 2, skp, finish row, decreasing 1 st at end. Work 1 row even.

Row 4—K 2, skp, k 2 tog. P 1 row.

Row 6—K 1, sl 1, k 2 tog., pass sl st over k 2 tog.
P 1 row, turn. K 2 tog. Fasten off last st.

Right Half of Front—From wrong side, sl sts of right side from holder to size 11 needle. Beg. on right side, work pat. to within 4 sts of end, k 2 tog., k 2. Continue to correspond to left half until 10 sts remain, end on right side.

Neck—Row 1—Work to within 2 sts of end, bind off 2 sts; break yarn, turn.

Row 2—Join yarn and dec. 1 st at beg. of row, work pat. to within 4 sts of end, k 2 tog., k 2. Work 1 row even.

Row 4—Dec. 1 st, k 2 tog., k 2. Work 1 row even.

Row 6—K 2 tog. twice. P 1 row, turn. K 2 tog. Fasten off last st.

SLEEVE—With size 9 needles and A, cast on 30 (32-34) sts. Work twisted ribbing as on back for 2½ ins., increasing 4 (2-4) sts evenly spaced across row; 34 (34-38) sts.
With size 11 needles, work pat. as on back for 8 rows. Inc. 1 st each side of next row. With care to keep pat., repeat inc. each side every 8th row 7 times; 50 (50-54) sts. Work even until about 15 ins. above ribbing, end on wrong side with pat. row 4.

Raglan—Bind off 1 st at beg. of next 2 rows.

Row 3—dec. row—K 2, skp, work pat. to within 4 sts of end, k 2 tog., k 2.
Keeping 3 sts each side in st. st as on back, repeat dec. each side every 4th row 2 (4-2) times; every 2nd row 16 (14-18) times; 10 sts. Work 1 row even. Bind off in pat.

FINISHING—Sew underarm and sleeve seams. Sew raglan seams, joining sleeves to back and front. Block, see page 55.

CROCHET INSERT—With B, ch 18, work 1 hdc in 3rd st from hook, 1 hdc in each remaining st of ch; 16 sts.

Row 2—wrong side—Ch 2, turn, 1 hdc in each st.
Repeat last row until 21 (23-23) rows —about 7 (7¾-7¾) ins. from beg., end on right side. Fasten off.

COLLAR—Join B at front corner of right neck edge of pullover, from right side, work 9 sc on right neck edge to raglan seam; 9 sc across top of sleeve to next seam; 24 sc across back of neck; 9 sc across top of sleeve; 9 sc on left neck edge to corner, **join with sl st in first st of last row of insert.**

Row 2—Ch 2, turn, working from wrong side, work 1 hdc in each sc of row below, 1 hdc in each st of insert; 76 hdc. Do not join.
Working round and round, from wrong side, work 1 hdc in **2 back loops of each hdc,** leaving front loop free, until there are 10 hdc rounds—about 3 ins. above sc row, sl st in next st. Fasten off.

TABS—With A, ch 4, 1 sc in 2nd and each remaining st; 3 sc.

Row 2—Ch 1, turn, 1 sc in each sc.
Repeat row 2 until 16 rows in all. Fasten off. Make 2.
Sew lower and side edges of insert neatly to adjoining edges of front opening. Fold collar to right side. Sew on tabs as illustrated sewing 1 edge to first row of collar on wrong side, other edge to front as shown.

Style No. 9428 (Continued from Page 4)

Note: Ribbed Pattern is a multiple of 4 sts plus 1.
Smocked Pattern is a multiple of 4 sts plus 3.

BACK—Cast on 133 (141-149-157) sts.

Row 1—wrong side—P 1, * k 3, p 1; repeat from * to end.

Row 2—K 1, * p 3, k 1; repeat from * to end.
Repeat these 2 rows until 121 rows—about 13½ ins. from beg., end on wrong side. Mark for underarm.

SMOCKED PATTERN—Row 1—Bind off 5 sts at beg. of row, work pat. as follows: With 1 st on right needle, p 2, * sl next k st and 3 p sts to hook and hold at back of work, k next st, sl k st from hook to point of right needle, then sl same st to left needle, p 3 sts from hook, k next st, p 3; repeat from *, end last repeat k 1.

(Continued on Next Page)

Style No. 9428 (Continued from Page 26)

Row 2—Bind off 5 sts at beg. of row, finish row, knitting the k sts and purling the p sts.

Row 3—First dec. row—P 2 tog., p 1, * k 1, p 3; repeat from * to within 2 sts of end, p 2 tog.

Row 4 and all even numbered rows—K the k sts and p the p sts.

Row 5—2nd dec. row—P 2 tog., k 1, p 3; repeat from * of pat. row 1 to within 3 sts of end, k 1, p 2 tog.

Row 7—3rd dec. row—K 2 tog., * p 3, k 1; repeat from *, end k 2 tog. instead of k 1.

Row 9—4th dec. row—Sl first 4 sts to hook and hold at back, k next st, sl k st from hook to right needle, then sl this st to left needle, p 2 tog., p 1 from hook, k next st, p 3; repeat from * of row 1, end last repeat p 1, p 2 tog., k 1.

Row 11—5th dec. row—P 2 tog., p 1, * k 1, p 3; repeat from * to within 3 sts of end, p 1, p 2 tog.

Row 13—6th dec. row—P 2 tog., repeat from * of row 1 to within 2 sts of end, p 2 tog.; 111 (119-127-135) sts.

Row 15—P 1, * k 1, p 3; repeat from *, end k 1, p 1.

Row 17—P 1, k 1, p 3; repeat from * of row 1, end k 1, p 1.

Row 19—Same as row 15.

Row 21—P 1; repeat from * of row 1, end k 1, p 1.

Row 23—Same as row 15.

Row 25—P 1, k 1, p 3; repeat from * of row 1, end k 1, p 1.

Row 26—Same as row 4. Repeat last 8 rows for pat.
Work even until 58 (58-66-66) rows above underarm marker, end on wrong side with pat. row 26.

Divide for Neck—Work 39 (43-47-51) sts, place on holder for right half of back, bind off next 33 sts, finish row. Being careful to keep pat., dec. 1 st at neck edge every row 8 times, end on right side; 67 (67-75-75) rows above underarm marker.

Shoulder—Keeping pat., bind off 10 (12-14-16) sts at beg. of next row, dec. 1 st at end. Work 1 row even. Bind off 10 (11-12-13) sts at beg. of next row. Repeat last 2 rows once.
Take up 39 (43-47-51) sts of right half. Join yarn at neck edge, complete to correspond to left half.

FRONT—Work front same as back until 38 (38-46-46) rows above underarm marker, end on wrong side.

Divide for Neck—Work 40 (44-48-52) sts, place on holder for left half of front, bind off 31 sts for neck, finish row.
Continue pat., decreasing 1 st at neck edge every row 6 times; every 2nd row 4 times; 30 (34-38-42) sts. Work 14 rows even. Shape shoulder as on back. Take up 40 (44-48-52) sts of left half. Join yarn at neck edge, complete to correspond to right half.

SLEEVES—Cast on 89 (93-97-101) sts.

Row 1—wrong side—P 1, * k 3, p 1; repeat from * to end.

Row 2 and all even numbered rows—K the k sts and p the p sts.

Row 3—Same as row 1.

Row 4—First inc. row—Inc. 1 st in first st; repeat from * of pat. row 1 of back, end p 1, inc. 1 st in last st; 91 (95-99-103) sts.
Continue pat., increasing 1 st each side on 2nd row once; then every 4th row 7 (6-6-6) times; 107 (109-113-117) sts. Work even until 35 rows from beg., end on wrong side. Bind off 5 sts at beg. of next 2 rows. Dec. 1 st each side on next row; repeat decs. every 2nd row 12 (12-14-14) times. Bind off 2 (2-2-2) sts at beg. of next 8 (6-6-8) rows; 3 (3-3-3) sts at the beg. of next 10 (12-12-12) rows; 25 sts. Bind off.

FINISHING—Sew seams. Sew in sleeves with sleeve seam at center underarm. Block, see page 55.

CROCHET BORDER—Beg. at underarm seam, from right side, work 1 row sc around lower edge, keeping work flat and having a multiple of 4 sts plus 1, join with sl st in first sc.

Row 2—Ch 1, work 1 sc in first sc, * work 5 dc in same sc, skip 3 sc, 1 sc in next sc; repeat from *, end join with sl st in first sc. Fasten off.

SLEEVE BORDER—Work same as border on lower edge.

NECK BORDER—Work same as border on lower edge, having a multiple of 5 sc plus 1, skipping 4 sc on row 2 instead of 3 sc.
Steam borders lightly.

Style No. 9402 (Continued from Page 24)

Next row—Ch 1, turn, 1 sc in first dc, ch 2, 1 sc in space between 2nd and 3rd dc, ch 2, skip 2 dc, 1 sc in space before next dc, then work pat. to within 4 sts of end, ch 2, skip 2 dc, 1 sc in space before next dc, ch 2, 1 sc in top of turning ch; 20 (21) pats.
Repeat last 2 rows once; 22 (23) pats. Place a marker each side for underarm. Work 6 rows even. Fasten off.

FINISHING—Sew seams, sewing sleeve seams to underarm markers. Sew in sleeves with 6 rows worked even on top of sleeve to sts left off at underarm.

CROCHET EDGE—With size H (6) hook and A, from right side, work 1 sl st in side seam on lower edge of garment, * ch 2, skip 3 dc, 1 sl st in same space as sc of row 2; repeat from * around lower edge, join with sl st in first sl st. Fasten off.
Work same edging on lower edge of sleeves.

NECK BORDER—Round 1—With size H (6) hook and A, from right side, work 1 sc in right shoulder seam, * ch 2, skip 1 dc row, 1 sc in end of sc row *; repeat between *'s twice, ch 2, work as for pat. row 2 across front neck, end 1 sc in end st of sc row; repeat between *'s 6 times using shoulder seam as sc row, work across back and other side of neck edge to shoulder seam.

Do not join.

Round 2—From right side, 1 sc in space under ch 2, * ch 2, 1 sc in next space; repeat from * around.
Repeat round 2 until 5 rounds in all.
Final round—* Ch 2, 1 sl st in next space; repeat from * around. Fasten off. Soufflé requires no blocking, see page 55.

CORDS—With size 0 hook and 3 strands B, make ch 40 ins. long for neck cord; fasten off. Make ch 60 ins. long; fasten off.

TASSELS—Wind B: 16 times around 2-in. cardboard. Tie at one end with double strand of yarn. Cut other end. Trim ends even. Wind yarn twice around tassel ½ in. from tied end and fasten securely. Make 4.
Lace neck cord around neck edge through first row of neck border as illustrated. Sew a tassel to each end of cord. Lace 60 in. cord around pullover about 4 ins. above lower edge and through dc row as illustrated. Sew a tassel to each end of cord.

Style No. 9412

Style No. 9412

Sizes 32-34, 36-38, 40-42

Instructions are for size 32-34, changes for sizes 36-38 and 40-42 are in parentheses, *see measurement chart*, page 55.

	Size 32-34	Size 36-38	Size 40-42
MATERIALS: BEAR BRAND or FLEISHER'S SOUFFLÉ	8 balls	9 balls	10 balls

CROCHET HOOK: "Boye" Aluminum Hook, Size F—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.

GAUGE: 4 sts—2 clusters = 1 inch **7 rows = 3 inches** To check gauge, see page 55.

MEASUREMENTS OF GARMENT:

To fit....	32-34 in. Bust	36-38 in. Bust	40-42 in. Bust
Width at bustline, buttoned ....inches	38½	42½	46½
Width of back at underarm ....inches	18½	20½	22½
Width of sleeve at underarm ....inches	14	16	16

BACK—Ch 74 (82-90). Work 1 sc in 2nd and in each remaining st of ch; 73 (81-89) sts.

Pattern—Row 1—Ch 2, turn, skip first st, work 2 hdc in next st—a cluster, * skip 1 st, work 2 hdc in next st *; repeat between *'s across row, end 1 hdc in last st; 73 (81-89) sts, plus turning ch —36 (40-44) clusters, plus turning ch and 1 hdc.

Row 2—right side—Ch 2, turn, * skip 1 st, work 2 hdc in next st *; repeat between *'s across, end 1 hdc in last st. *Note:* Clusters should be directly above clusters in previous row.

Repeat row 2 for pat. Work even in pat. until 14 ins. from beg., end on wrong side.

Mark for underarm.

Armholes—Ch 1, turn, 1 sl st in each of first 2 (4-4) sts, ch 2, skip 1 st, 2 hdc in next st, continue pat. to within 3 (5-5) sts of end, 1 hdc in next st—2 (4-4) sts left off each side.

First dec. row—Ch 2, turn, skip first st, 1 hdc in 2nd st—a dec.—; work even in pat. to within 3 sts of end, skip 1 st, 1 hdc in next st—a dec.—, 1 hdc in last st.

2nd dec. row—Ch 2, turn, skip first st, yo, draw up a loop in each of next 2 sts, yo and draw through all loops on hook—a dec.—, 1 hdc in same st as last st; work even in pat. to within 4 sts of end, skip 1 st, 1 hdc in next st, yo, draw up a loop in same st as last st and in next st, yo and draw through all loops—a dec., 1 hdc in last st.

(Continued on Page 42)

Style No. 9408

Sizes 12-14, 16-18

Instructions are for size 12-14, changes for size 16-18 are in parentheses, *see measurement chart*, page 55.

	Size 12-14	Size 16-18
MATERIALS: BEAR BRAND or FLEISHER'S SOUFFLÉ	5 balls	6 balls

For choice of other yarns, see Group "S", page 54.

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 5—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
"Boye" Steel Hook, Size 0.

GAUGE: 5 sts = 1 inch **7 rows = 1 inch** To check gauge, see page 55.

MEASUREMENTS OF GARMENT:

To fit.....	32-34 in. Bust	36-38 in. Bust
Width at bustline ....inches	37	41
Width of back at underarm ....inches	18½	20½
Width of sleeve at underarm ....inches	13	14½

Pattern is a multiple of 8 sts plus 1.

BACK—Cast on 89 (97) sts.

Pattern—Row 1 and all odd numbered rows—P.

Row 2—K 1, * yo, k 2, sl 1 st, k 2 tog., pass sl st over k 2 tog., k 2, yo, k 1; repeat from * to end.

Row 4—K 2, * yo, k 1, sl 1 st, k 2 tog., pass sl st over k 2 tog., k 1, yo, k 3; repeat from *, end last repeat k 2.

Row 6—K 3, * yo, sl 1 st, k 2 tog., pass sl st over k 2 tog., yo, k 5; repeat from *, end last repeat k 3. Mark for border. Work even in st. st—p 1 row, k 1 row—until 8½ ins. above marker, end with p row. Inc. 1 st each side of next row and repeat incs. every 10th row 1 (2) times; 93 (103) sts. Work even until 14½ ins. above marker, end with k row. Mark for underarm.

Armholes—Bind off 10 (11) sts at beg. of next 2 rows; 73 (81) sts. Work lace pat., repeating the 6 rows of pat. until 7½ (8¼) ins. above underarm marker, end with pat. row 2.

(Continued on Page 36)

Style No. 9408

Style No. 9414

Sizes 32-34, 36-38, 40-42

Instructions are for size 32-34, changes for sizes 36-38 and 40-42 are in parentheses, *see measurement chart*, page 55.

	Size 32-34	Size 36-38	Size 40-42
MATERIALS: BUCILLA PARADISE, 1 oz. skeins	15 skeins	17 skeins	19 skeins

KNITTING NEEDLES: 1 pair "Boye" Aluminum Needles, Size 5—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Aluminum Needles, Size 3.

GAUGE: Size 5 Needles—Stockinette St—6 sts = 1 inch 9 rows = 1 inch To check gauge, see page 55.

MEASUREMENTS FOR BLOCKING: To fit...	32-34 in. Bust	36-38 in. Bust	40-42 in. Bust
Width at bustline, buttoned ....inches	38	42	46
Width of back at underarm ....inches	18	20	22
Width of sleeves at underarm ....inches	13½	14½	15½

BACK—With size 3 needles, cast on 110 (122-134) sts.

Ribbing—* K 1, p 1; repeat from * to end.
Repeat this row until there are 7 rows ribbing, decreasing 1 st at end of last row; 109 (121-133) sts.

Pattern—Row 1—right side—With size 5 needles, p 3, * yo, k 1, p 5; repeat from * 16 (18-20) times, yo, k 1, p 3.

Row 2—K 3, * p 2, k 5; repeat from * 16 (18-20) times; p 2, k 3; 127 (141-155) sts.

Row 3—P 3, * yo, k 2, p 5; repeat from * 16 (18-20) times, yo, k 2, p 3.

Row 4—K 3, * p 3, k 5; repeat from * 16 (18-20) times, p 3, k 3; 145 (161-177) sts.

Row 5—P 3, * yo, k 3, p 5; repeat from * 16 (18-20) times, yo, k 3, p 3.

Row 6—K 3, * p 4, k 5; repeat from * 16 (18-20) times, p 4, k 3; 163 (181-199) sts.

Row 7—P 3, * k 2, k 2 tog., p 5; repeat from * 16 (18-20) times, k 2, k 2 tog., p 3; 145 (161-177) sts.

Row 8—Same as row 4.

Row 9—P 3, * k 1, k 2 tog., p 5; repeat from *, end last repeat p 3 instead of p 5; 127 (141-155) sts.

Row 10—Same as row 2.

Row 11—P 3, * k 2 tog., p 5; repeat from *, end last repeat p 3 instead of p 5; 109 (121-133) sts.

Row 12—K 3, * p 1, k 5; repeat from *, end p 1, k 3.
Repeat last 12 rows once.
Work st. st—k 1 row, p 1 row for 78 (76-74) rows. Mark for underarm.

Armholes—Bind off 6 (7-9) sts at beg. of next 2 rows. Dec. 1 st each side on next row; repeat decs. every 2nd row 6 (9-11) times; 83 (87-91) sts. Work even until 70 (72-74) rows above underarm marker, end on wrong side.

(Continued on Page 48)

Style No. 9425

Sizes 12-14, 16-18

Instructions are for size 12-14, changes for size 16-18 are in parentheses, *see measurement chart*, page 55.

	Size 12-14	Size 16-18
MATERIALS: BEAR BRAND or FLEISHER'S "WOOL and SHETLAND WOOL", 2 oz. skeins	7 skeins	8 skeins

For choice of other yarns, see Group "S", page 54.

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 8—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
"Boye" Aluminum Hook, Size F.

GAUGE: 5 sts = 1 inch 7 rows = 1 inch To check gauge, see page 55.

MEASUREMENTS FOR BLOCKING: To fit.....	32-34 in. Bust	36-38 in. Bust
Width at bustline ....inches	37	41
Width of back at underarm ....inches	18	20
Width of sleeve at underarm ....inches	13½	14½

BACK—Cast on 90 (100) sts. P 1 row.

Next row—K 15 (20), * k 2 tog., k 2, yo, k 2, skp, k 1, yo, k 8; repeat from * 3 times, end last repeat k 15 (20) instead of k 8. Begin pat.

Pattern—Row 1 and all uneven numbered rows—P.

Row 2—K 14 (19), * k 2 tog., k 2, yo, k 1, yo, k 2, skp, k 8; repeat from * 3 times, end last repeat k 16 (21) instead of k 8.

Row 4—K 13 (18), * k 2 tog., k 2, yo, k 3, yo, k 2, skp, k 6; repeat from * 3 times, end last repeat k 15 (20) instead of k 6.

Row 6—K 12 (17), * k 2 tog., k 2, yo, k 5, yo, k 2, skp, k 4; repeat from * 3 times, end last repeat k 14 (19).

Row 8—K 17 (22), * k 2 tog., k 2, yo, k 1, yo, k 2, skp, k 8; repeat from * 3 times, end last repeat k 13 (18).

Row 10—K 16 (21), * k 2 tog., k 2, yo, k 3, yo, k 2, skp, k 6; repeat from * 3 times, end last repeat k 12 (17).

Row 12—K 15 (20), * k 2 tog., k 2, yo, k 5, yo, k 2, skp, k 4; repeat from * 3 times, end last repeat k 11 (16).
Repeat last 12 rows for pat.
Work even in pat. until 83 (79) rows from beg.—about 12 (11½) ins., end on wrong side with pat. row 9 (5).
Note: The difference in length to underarm will compensate for difference in length of armhole. Mark for underarm.

Armholes—Bind off 4 (5) sts; k until 12 (16) sts on needle, repeat from * of row 10, 4 times, k to end.

Next row—Bind off 4 (5) sts, p to end.
First dec. row—K 1, skp, k 8 (12); repeat from * of row 12, 4 times; k to within 3 sts of end, k 2 tog., k 1.
P 1 row.

(Continued on Page 51)

Style No. 9414

Style No. 9425

Style No. 9430

Sizes 12-14, 16-18

Instructions are for size 12-14, changes for size 16-18 are in parentheses, *see measurement chart*, page 55.

MATERIALS: **BEAR BRAND or FLEISHER'S WINSOM†**, 2 oz. skeins — Size 12-14: 5 skeins; Size 16-18: 6 skeins

For choice of other yarns, see Group "N", page 54.

7 Plastic Rings 5/8 in. diameter for buttons.

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 9—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles, Size 6.
"Boye" Steel Hook, Size 2 for buttons.

GAUGE: **Size 9 Needles—9 sts = 2 inches** **6 rows = 1 inch** To check gauge, see page 55.

MEASUREMENTS FOR BLOCKING:

To fit.....	32-34 in. Bust	36-38 in. Bust
Width at bustline, buttoned ..... inches	38	41½
Width of back at underarm ..... inches	18	20
Width of sleeve at underarm ..... inches	13	14

BACK—With size 6 needles, cast on 82 (90) sts. Work k 1, p 1 ribbing for 7 rows.

With size 9 needles, work st. st—k 1 row, p 1 row—until 74 (72) rows—about 12¼ (12) ins. above ribbing, end on wrong side with p row. Mark for underarm.

Note: Extra length from lower edge to underarm on size 12-14 is compensated for in depth of armhole.

Armholes—Bind off 3 (4) sts at beg. of next 2 rows.

First dec. row—K 1, skp, k to within 3 sts of end, k 2 tog., k 1.
P 1 row, k 1 row, p 1 row.

2nd dec. row—Same as first dec. row. Repeat dec. each side in same way every 4th row 5 (6) times; 62 (66) sts. Work even until 42 (44) rows—about 7 (7¼) ins.—above underarm marker, end with p row.

Shoulders—Bind off 8 (9) sts at beg. of next 4 rows; 8 (8) sts at beg. of next 2 rows. Sl remaining 14 sts to holder for back neck.

LEFT FRONT—With size 6 needles, cast on 54 (58) sts.

Ribbing—Row 1—wrong side—P 13, k 1, * p 1, k 1; repeat from * to end.

Row 2—* P 1, k 1; repeat from * to within 14 sts of end; p 1, k 6, with yarn at back, sl 1 as to p for turning st, k 6 for facing.
Repeat these 2 rows until there are 7 rows from beg., end on wrong side.

Row 1 — right side — With size 9 needles, k to within 14 sts of end; p 1, k 6, sl turning st as before, k 6.

Row 2—P 13, k 1; p to end.
Repeat last 2 rows for pat. Work until 74 (72) rows above ribbing, end on wrong side. Mark for underarm.

Armhole—Bind off 3 (4) sts, finish as for row 1. Work 1 row even.

First dec. row—K 1, skp, finish as before.

(Continued on Next Page)

Style No. 9430 (Continued from Page 32)

Work 3 rows even.

2nd dec. row—Same as first dec. row. Repeat dec. at armhole edge every 4th row 5 (6) times; 44 (46) sts. Work even until 38 (40) rows above underarm marker, end on wrong side.

Neck—K to within 20 sts of end, k 2 tog., sl remaining 18 sts to holder for neck.
Dec. 1 st at neck every row 3 times, end at armhole edge—42 (44) rows above underarm marker; 22 (24) sts.

Shoulder—Row 1—Bind off 7 (8) sts, k across, dec. 1 st at end.
P 1 row.

Row 3—Bind off 7 (7), k across, dec. 1 st at end.
P 1 row. Bind off remaining sts.

RIGHT FRONT—With size 6 needles, cast on 54 (58) sts.

Ribbing—Row 1—wrong side—* K 1, p 1; repeat from * to within 14 sts of end; k 1, p 13.

Row 2—K 6 for facing, sl 1 for turning st, k 6, p 1; * k 1, p 1; repeat from * to end.

Row 3—Same as row 1.

Row 4—buttonhole row—K 2, * bind off 2 sts for buttonhole, k until 2 sts from buttonhole *, sl turning st, k 2, repeat between *'s once, p 1; finish as for row 2.

Row 5—Work as for row 1, casting on 2 sts over each buttonhole.
Repeat rows 2 and 1 once.

Row 1 — right side — With size 9 needles, k 6, sl 1, k 6, p 1; k to end.

Row 2—P to within 14 sts of end; k 1, p 13.
Repeat last 2 rows until 16 rows above ribbing—18 rows above first set of buttonholes—, end on wrong side. Make 2nd set of buttonholes on next 2 rows, then repeating buttonholes every 19th and 20th row, work until 75 (73) rows above ribbing, end on right side. Mark for underarm.

Armhole—Bind off 3 (4) sts, finish row.

First dec. row—Work to within 3 sts of end, **binding off for buttonholes on size 12-14 only**, k 2 tog., k 1.
Repeat dec. at armhole edge every 4th row 6 (7) times; 44 (46) sts. Work even until 37 (39) rows above underarm marker—14 rows above 6th set of buttonholes, end on wrong side.

Neck—Work 18 sts and place on holder for neck; k 2 tog., k to end.
Dec. 1 st at neck edge every row 4 times, end at armhole edge.

Shoulder—Row 1—Bind off 7 (8) sts, p to end.

Row 2—K 2 tog., k to end.

Row 3—Bind off 7 (7) sts, p to end.
K 1 row. Bind off remaining sts.

RIGHT SLEEVE—With size 6 needles, cast on 38 (40) sts. Work k 1, p 1 ribbing for 7 rows, increasing 6 sts evenly spaced across row; 44 (46) sts.
With size 9 needles, work st. st—k 1 row, p 1 row—for 8 (4) rows. Inc. 1 st each side of next row. Repeat inc. each side every 8th row 6 (7) times; 58 (62) sts. Work even until 72 rows—about 12 ins.—above ribbing, end with p row. Bind off 3 (4) sts at beg. of next 2 rows.

Dec. row—K 1, skp, k to within 3 sts of end, k 2 tog., k 1.
Repeat dec. each side every 2nd row 19 (20) times; 12 sts. P 1 row. Mark for end of sleeve cap. Work 22 (26) rows—about 4 (4½) ins.—even for saddle shoulder, end with p row.

Neck Shaping—Row 1—Bind off 6 sts, k to end. P 1 row.

Row 3—K 2 tog., k to end.
Dec. 1 st at same edge every row until 2 sts remain. Work 2 sts tog. Fasten off last st.

LEFT SLEEVE—Same as right sleeve until 23 (27) rows above marker for end of sleeve cap, end with k row.

Neck Shaping—Row 1—Bind off 6 sts, p to end.

Row 2—K, decreasing 1 st at **end**. Dec. 1 st at same edge every row until 2 sts remain. Work 2 sts tog. Fasten off last st.

FINISHING—Sew underarm and sleeve seams. Sew in sleeves matching underarm seams; sew saddle shoulder to shoulder edges, sewing shorter edge of saddle shoulder to front shoulder edge and longer edge to back shoulder edge.

NECK RIBBING—From wrong side, sl 18 sts of left front and 14 sts of back to size 6 needle; from right side, sl 18 sts of right front to free size 6 needle, join yarn and with same needle, from right side, pick up and k 9 sts on right neck edge; 11 sts on neck shaping of saddle shoulder; k 14 sts of back, pick up and k 11 sts on neck shaping of saddle shoulder; 8 sts on left neck edge; work left front sts as follows: k 4, p 1, k 6, sl 1, k 6; 89 sts.

Row 1—P 13, k 1, * p 1, k 1; repeat from * to within 13 sts of end, p 13.

Row 2—K 6, sl 1, k 6; p 1, * k 1, p 1; repeat from * to within 13 sts of end, k 6, sl 1, k 6.
Repeat row 1 once. Continuing in same way, work 7th set of buttonholes in next 2 rows.
Work 2 rows even. Bind off, knitting k sts and purling p sts.
Turn front facings to wrong side at turning st and hem. Sew open ends of fronts and facings tog. at neck and lower edge. Finish buttonholes in blanket st working through both thicknesses. Block, see page 55.

BUTTONS—With loop on hook, work 18 sc in ring, join with sl st in first sc; fasten off, leaving 12-in. end. Thread end in tapestry needle and from wrong side, draw through back loop of each sc and gather up tightly. Sew securely; fasten off, leaving end to sew on buttons. Make 7 buttons and sew on left front opposite buttonholes.

Style No. 9400 (Continued from Page 22)

Bind off 5 (6) sts at beg. of next row for shoulder. Dec. 1 st at beg. of next row at neck edge. Bind off 5 (6) sts at beg. of next row. Work 1 row even. Bind off remaining 6 sts.

Right Side—Sl 23 (25) sts from holder to needle. From wrong side, join yarn at neck edge. Complete to correspond to left side, reversing shaping.

NECKBAND—From right side, beg. at right shoulder, with A, pick up and k 49 sts evenly spaced along neck edge to left shoulder. P 1 row, k 1 row for 7 rows. Bind off as to k.

FRONT—Work same as back.

SLEEVES—With A, cast on 42 (50) sts. Work same as for back for 5 rows, end on wrong side. Inc. 1 st each side of next row. Working stripes same as for back, with care to keep pat., inc. 1 st each side every 6th row 3 times more; every 4th row 4 times; 58 (66) sts. With A, work even for 4 rows—45 rows from beg., end on wrong side. Bind off 4 (5) sts at beg. of next 2 rows; 50 (56) sts. Dec. 1 st each side of next row; 48 (54) sts. Repeat dec. each side every 2nd row 6 (7) times more; 36 (40) sts. Work 1 row even. Bind off 2 sts at beg. of next 4 (6) rows. Bind off 28 sts.

FINISHING — Matching stripes, sew shoulder and neckband, side and sleeve seams. Sew in sleeves matching underarm seams. Allow neckband to roll over to right side as illustrated. Block, see page 55.

Style No. 9422

Sizes 14 and 16

Instructions are for size 14, changes for size 16 are in parentheses, *see measurement chart*, page 55.

	Size 14	Size 16
MATERIALS: BEAR BRAND or FLEISHER'S WINSOM†, 2 oz. skeins	7 skeins	7 skeins

CROCHET HOOK: For Size 14—"Boye" Aluminum Hook, Size F—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.

GAUGE: Size F Hook—1 diamond pattern = 4¾ inches 2 rows = 1 inch

For Size 16—"Boye" Aluminum Hook, Size G—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.

GAUGE: Size G Hook—1 diamond pattern = 5 inches 9 rows = 5 inches

To check gauge, see page 55.

MEASUREMENTS FOR BLOCKING:

To fit.....	34 in. Bust	36 in. Bust
Width at bustline ..... inches	38	40
Width of back at underarm ..... inches	19	20
Width of sleeve at underarm ..... inches	13¾	14½

BACK—With size F (G) hook, ch 74, work 1 sc in 2nd and in each remaining st of ch; 73 sc.

Pattern—Row 1—Ch 3, turn, work 2 dc in first sc, † * ch 1, skip 1 sc, work 1 dc in next sc *; repeat between *'s 7 times more, ch 1, skip 1 sc, work 4 dc—a shell—in next sc; repeat from † across row, end **3 dc** instead of 4 dc in last sc.

Row 2—right side—Ch 4, turn, skip first 3 dc, † work 4 dc in space under next ch 1; then ch 1, skip 1 dc and 1 ch, work 1 dc in next dc, * ch 1, skip 1 ch, work 1 dc in next dc *; repeat between *'s 4 times, ch 1, skip 1 ch and 1 dc, work 4 dc in next ch 1 space as before, ch 1, skip 4 dc; repeat from † across row, end work 4 dc in ch 1 space, ch 1, skip 2 dc instead of 4 dc, work 1 dc in top of turning ch.

Row 3—Ch 4, turn, skip 1 ch, work 1 dc in next dc, † ch 1, skip 3 dc, work 4 dc in next ch 1 space, ch 1, skip 1 dc and 1 ch, work 1 dc in next dc; repeat between *'s of row 2, 3 times, ch 1, skip 1 ch and 1 dc, work 4 dc in next ch 1 space, ch 1, skip 3 dc, work 1 dc in next dc, ch 1, skip 1 ch, work 1 dc in next dc; repeat from † across row, end ch 1, skip 1 st of turning ch, work 1 dc in next st.

Row 4—Ch 4, turn, † skip 1 ch, work 1 dc in next dc, ch 1, skip 1 ch, work 1 dc in next dc, ch 1, skip 3 dc, work 4 dc in next ch 1 space, ch 1, skip 1 dc and 1 ch, work 1 dc in next dc, ch 1, skip 1 ch, work 1 dc in next dc, ch 1, skip 1 ch and 1 dc, work 4 dc in next ch 1 space, ch 1, skip 3 dc, work 1 dc in next dc, ch 1, skip 1 ch, work 1 dc in next dc, ch 1; repeat from † across row, end ch 1, skip 1 st of turning ch, work 1 dc in next st.

Row 5—Ch 4, turn, skip 1 ch, work 1 dc in next dc, repeat between *'s of row 2 twice; † ch 1, skip 3 dc, work 4 dc in next ch 1 space, ch 1, skip dc, ch 1 and next dc, work 4 dc in next ch 1 space, ch 1, skip 3 dc, work 1

(Continued on Next Page)

dc in next dc, repeat between *'s of row 2, 5 times; repeat from † across row, end repeat between *'s of row 2 twice, ch 1, skip 1 st of turning ch, work 1 dc in next st.

Row 6—Ch 4, turn, skip 1 ch, work 1 dc in next dc; repeat between *'s of row 2, 3 times, † ch 1, skip 3 dc, work 4 dc in next ch 1 space, ch 1, skip 3 dc, work 1 dc in next dc; repeat between *'s of row 2, 7 times; repeat from † across row, end repeat between *'s of row 2, 3 times, ch 1, skip 1 st of turning ch, work 1 dc in next st.

Row 7—Ch 4, turn, skip 1 ch, work 1 dc in next dc, repeat between *'s of row 2 twice, † ch 1, skip 1 ch and 1 dc, work 4 dc in next ch 1 space, ch 1, skip 4 dc, work 4 dc in next ch 1 space, ch 1, skip 1 dc and 1 ch, work 1 dc in next dc, repeat between *'s of row 2, 5 times; repeat from † across row, end repeat between *'s of row 2 twice, ch 1, skip 1 st of turning ch, work 1 dc in next st.

Row 8—Ch 4, turn, skip 1 ch, work 1 dc in next dc, ch 1, skip 1 ch, work 1 dc in next dc, † ch 1, skip 1 ch and 1 dc, work 4 dc in next ch 1 space, ch 1, skip 3 dc, work 1 dc in next dc, ch 1, skip 1 ch, work 1 dc in next dc, ch 1, skip 3 dc, work 4 dc in next ch 1 space, ch 1, skip 1 dc and 1 ch, work 1 dc in next dc, repeat between *'s of row 2, 3 times; repeat from † across row, end repeat between *'s of row 2 once, ch 1, skip 1 st of turning ch, work 1 dc in next st.

Row 9—Ch 4, turn, skip 1 ch, work 1 dc in next dc, † ch 1, skip 1 ch and 1 dc, work 4 dc in next ch 1 space, ch 1, skip 3 dc, work 1 dc in next dc, repeat between *'s of row 2, 3 times, ch 1, skip 3 dc, work 4 dc in next ch 1 space, ch 1, skip 1 dc and 1 ch, work 1 dc in next dc, ch 1, skip 1 ch, work 1 dc in next dc; repeat from † across row, end work 4 dc in next ch 1 space, ch 1, skip 1 dc and 1 ch, work 1 dc in next dc, ch 1, skip 1 st of turning ch, work 1 dc in next st.

Row 10—Ch 4, turn, skip 1 ch and 1 dc, work 4 dc in next ch 1 space, † ch 1, skip 3 dc, work 1 dc in next dc, repeat between *'s of row 2, 5 times, ch 1, skip 3 dc, work 4 dc in next ch 1 space, ch 1, skip 1 dc, 1 ch and 1 dc, work 4 dc in next ch 1 space; repeat from † across row, end work 4 dc in next ch 1 space, ch 1, skip 1 dc and 1 st of turning ch, work 1 dc in next st.

Row 11—Ch 3, turn, work 2 dc in first ch 1 space, † ch 1, skip 3 dc, work 1 dc in next dc, repeat between *'s of row 2, 7 times, ch 1, skip 3 dc, work 4 dc in next ch 1 space; repeat from † across row, end work 2 dc under first st of turning ch, 1 dc in next st. Repeat last 10 rows—rows 2 to 11 inclusive—for pat. Work even in pat. until 29 rows—about 14½ (16) ins.—above sc row, end on wrong side with pat. row 9. Mark for underarm.

Armholes—Row 1—Ch 1, turn, work 1 sl st in each of first 8 sts, leaving off 2 spaces and 1 shell for underarm; ch 3, skip 1 ch, work 1 dc in next dc, continue in pat. to within 9 sts of end, skip 1 ch before shell, work 1 dc in first dc of shell; leaving off 1 shell and 2 spaces for underarm.

Row 2—Ch 3, turn, skip 2 dc and 1 ch, work 1 dc in next dc, continue in pat. to within 3 sts of end, skip 1 ch and 1 dc, work 1 dc in top of turning ch.

Row 3—Ch 4, turn, skip first 2 dc and 1 ch, work 1 dc in next dc, continue even in pat. to within 1 space and ch 3 of end, ch 1, skip 1 ch and 1 dc, work 1 dc in top of turning ch. There should be 4 spaces before and after a shell on last row.

Beg. with pat. row 8, work even until 12 rows above underarm marker, end on wrong side with row worked same as pat. row 6.

Divide for Neck—First Side—Row 1—Work pat. until there are 3 spaces after 2nd shell, end with dc; omitting ch 1, skip 1 ch of row below, work 1 dc in next dc.

Row 2—Ch 3, turn, skip first 2 dc and 1 ch, work 1 dc in next dc, finish row in pat.

Row 3—Ch 4, turn, work pat. across row, end work 3 dc in last ch 1 space, 1 dc in top of turning ch.

Row 4—Ch 4, turn, skip 3 dc, work 1 dc in next dc, finish row in pat., having 7 spaces, 1 shell and 1 space for shoulder. Fasten off.

Second Side—Row 1—From right side, skip 4 spaces, 1 shell and 4 spaces from neck edge of first side, with loop on hook, work 1 dc in next dc—4th dc from center shell, then omitting ch 1, skip 1 ch of row below, work 1 dc in next dc, finish row in pat.

Row 2—Ch 4, turn, work pat. to within 1 full space of end, omitting ch 1, skip 1 ch of row below, work 1 dc in next dc.

Row 3—Ch 3, turn, skip first 2 dc, work 3 dc in next ch 1 space, finish row in pat.

Row 4—Work even in pat., having 1 space, 1 shell and 7 spaces for shoulder. Fasten off.

FRONT—Same as Back.

SLEEVES—With size F (G) hook, ch 38, work 37 sc on ch.

Pattern—Work as for back until 5 rows above sc row.

Row 6—inc. row—Ch 3, turn, work 1 dc in first dc—an inc.—, ch 1, skip 1 ch, work 1 dc in next dc, continue even in pat., end ch 1, skip 1 st of turning ch, work **2 dc** in next st—an inc.

Row 7—inc. row—Ch 4, turn, work 1 dc in 2nd dc, ch 1, skip 1 ch, work 1 dc in next dc, continue even in pat., end 1 dc in last dc, ch 1, work 1 dc in top of turning ch; 1 space increased each side.

Work 3 rows even, with care to keep pat.

Row 11—Ch 4, turn, skip 1 ch and 1 dc, work 4 dc in next ch 1 space, ch 1, skip 3 dc, work 1 dc in next dc, continue pat., end work 4 dc in ch 1 space after last shell below, ch 1, skip 1 st of turning ch, work 1 dc in next st.

Row 12—inc. row—Ch 3, turn, work 1 dc in first dc, ch 1, skip 1 ch, work 1 dc in next dc, ch 1, skip 3 dc, work 4 dc in next ch 1 space, continue in pat., end work 4 dc in ch 1 space before last shell below, ch 1, skip 3 dc, work 1 dc in next dc, ch 1, skip 1 st of turning ch, work 2 dc in next st.

Row 13—inc. row—Ch 4, turn, work 1 dc in 2nd dc, work in pat., end 1 dc in last dc, ch 1, work 1 dc in top of turning ch; 1 space increased each side.

† Continuing 2 diamonds only in center as established, work 4 rows even. Inc. each side of next 2 rows as for rows 6 and 7, having 1 more space each side †. Repeat between †'s once. Work even until 31 rows—about 15½ (17) ins.—above sc row, end on wrong side with 4 spaces before first shell and after last shell.

Sleeve Cap—Row 1—Ch 1, turn, work 1 sl st in each of first 7 sts, ch 3, skip 1 ch, work 1 dc in next dc, ch 1, skip 3 dc, work 4 dc in next ch 1 space, work even in pat. to within 4 spaces of end, ending with 1 dc in last dc of shell, omit ch 1, skip 1 ch, work 1 dc in next dc.

Row 2—Ch 3, turn, work 1 dc in 2nd dc, ch 1, work even in pat., end with ch 1, work 1 dc in last dc, 1 dc in top of turning ch.

(Continued on Next Page)

Style No. 9422 (Continued from Page 35)

Row 3—dec. row—Ch 3, turn, skip 2nd dc and 1 ch, work 1 dc in next dc, work even in pat. to within 1 full space of end, omitting ch 1, skip 1 ch and 1 dc, work 1 dc in top of turning ch. Repeat last 2 rows once. Repeat row 2 again.

Row 7—Ch 3, turn, skip 2 dc, 1 ch and 1 dc, work 4 dc in next ch 1 space, work pat. across, end 4 dc in ch 1 space, skip 1 dc, 1 ch and 1 dc, work 1 dc in top of turning ch.

Row 8—Ch 3, turn, work 1 dc in first dc of shell, ch 1, skip 2 dc, work 1 dc in next dc, work pat. across, end work 1 dc in first dc of shell, ch 1, skip 2 dc, work 1 dc in next dc and 1 dc in top of turning ch.

Repeat row 3, 4 times, leaving 2 spaces, 1 shell, 3 spaces, 1 shell and 2 spaces for top.
Fasten off.

FINISHING—Sew underarm and sleeve seams, matching rows. Sew shoulder seams. Sew in sleeves with sleeve seam at center underarm.

NECK BORDER—With size F (G) hook, beg. at shoulder seam, from right side, work about 75 sc evenly spaced around neck, or work to desired size; join with sl st in first sc.

Row 2—Ch 1, from same side as last row, work 1 sc in each sc, join as before.

Row 3—Same as row 2.

Row 4—Ch 1, do not turn, from right side, **working from left to right,** * with loop on hook, insert hook in next st to right of hook, yo and draw up a loop, yo and draw through 2 loops on hook; repeat from * around, join. Fasten off.

SLEEVE BORDER—With size F (G) hook, beg. at seam, from right side, work about 33 sc evenly spaced around sleeve edge, or work to desired size, join. Work rows 2, 3 and 4 as for Neck Border.

BORDER FOR LOWER EDGE—With size F (G) hook, beg. at seam, from right side, work about 131 sc evenly spaced around lower edge, or work to desired size, join. Work rows 2, 3, and 4 as for Neck Border. Steam lightly, see page 55.

Style No. 9408
(Continued from Page 29)

Shoulders—With care to keep pat., bind off 8 sts at beg. of next 2 rows; 2 sts at beg. of next 2 rows. Bind off 53 (61) sts for neck.

FRONT—Work same as back.

SLEEVES—Cast on 49 (57) sts. Work lace pat. for 6 rows. Mark. Working st. st, inc. 1 st each side of the 2nd row and repeat inc. each side every 6th row 7 times; 65 (73) sts. Work lace pat. until 16¾ ins. above marker. Place marker on each side for underarm. Continue pat. for 2 ins., end with pat. row 4. Continuing pat. bind off 8 sts at beg. of next 6 rows; 6 (8) sts at beg. of next 2 rows. Bind off 5 (9) sts.

FINISHING—Sew shoulder and side seams. Sew sleeve seams from lower edge to markers for underarm. Sew in sleeves sewing 2 ins. left free above markers to sts bound off for underarm. From right side, at lower edge of sleeve, with loop on hook, skip first st from seam, * work 1 sc in each of next 2 sts, 2 sc in each of next 2 sts—at point—1 sc in each of next 2 sts, draw up a loop in each of next 2 sts, yo hook, draw through all 3 loops—a dec.—; repeat from *, working last dec. each side of seam, join with sl st to first st. Fasten off.
Work sc on lower edge of sweater as on sleeves. With a loop on hook, join yarn at neck at seam, from right side, work 1 sc in each st around neck. Join with sl st. Fasten off. Soufflé requires no blocking, see page 55.

Style No. 9417
(Continued from Page 24)

Repeat these 2 rows twice. Bind off 6 sts.

Left Half—From wrong side, take up 24 sts, join yarn at neck edge, k 2 tog., k to end. Work to correspond to right half of back, reversing shaping.

BACK NECK BORDER—Join B on neck edge at right shoulder, with size 6 needles, pick up and k 8 sts on shaped neck edge, **for size 12-14,** take up and k 18 sts (**for size 16-18,** take up 26 sts and work as follows: k 2 tog., * k 6, k 2 tog.; repeat from * twice) **for both sizes,** pick up and k 8 sts on left side; 34 (38) sts.

Row 1—With B, p.

Row 2—With B, k decreasing 1 st each side.
Carry color not in use loosely along edge.
With A, repeat rows 1 and 2 twice. With B, repeat rows 1 and 2 once; 26 (30) sts.

Row 9—With B, p.

Row 10—right side—With B, p for turning ridge of hem.

Row 11—With B, p.

Row 12—With B, k increasing 1 st each side.
With A, repeat rows 11 and 12 twice. Break A. With B, repeat rows 11 and 12 once; 34 (38) sts. P 1 row. Bind off loosely.

LEFT FRONT—With size 6 needles and A, cast on 50 (58) sts. Work same as back until cable border is completed. Work ribbed pat. for 7 rows, end with row worked on wrong side at armhole edge.

Next row—Work ribbed pat. to within 8 sts of end, work cable twist on 6 sts for front border cable, p 2.
Continue to work one cable rib for front border for remainder of front, working even until 2 rows less than back to underarm, end with row worked on wrong side.

(Continued on Next Page)

Style No. 9417 (Continued from Page 36)

Neck dec. row—Work to within 12 sts of end, k 2 tog., work to end. Work 1 row even. Mark for underarm.

Armhole—Bind off 4 (8) sts, work to end repeating neck dec. With care to keep pat., dec. at armhole edge every 2nd row 4 (8) times and repeat dec. at inner edge of front border every 2nd row 22 times; 18 sts.
Shape shoulder as on right side of back when armhole is same length.

RIGHT FRONT—Work same as for left front until 7 rows above cable border.

Next row—P 2, work cable twist on 6 sts, work to end.
Work to correspond to left front until same length to beg. of neck shaping, end with row worked on wrong side at front edge.

Neck dec. row—Work 10 sts for front border, skp, work to end. Work 1 row even and repeat dec. Finish to correspond to left front.

LEFT FRONT BORDER—Join B on front edge at shoulder. With size 6 needles, pick up and k 110 (112) sts evenly spaced on front edge to top of ribbing, 5 sts on ribbing; 115 (117) sts. Work same as back neck border, decreasing and increasing at neck only at beg. of k rows.

RIGHT FRONT BORDER—Join B at lower front edge. Pick up and k 115 (117) sts to correspond to left border. Work 2 rows with B, decreasing at neck only at end of k rows. With A, p 1 row.

Buttonhole rows—With A, k 3, * bind off 2 sts, sl last st worked to left needle, k 2 tog., 3 sts bound off for buttonhole, k 13; repeat from * 4 times, k to end decreasing as before.

Next row—With A, p and cast on 3 sts over each buttonhole. Finish to correspond to left border, repeating buttonhole rows in 2nd and 3rd rows of the A stripe.

SLEEVES—With size 6 needles and A, cast on 48 sts. Work k 2, p 2 ribbing for 2½ ins., end with row worked on right side, having an even number of rows, increasing 1 st each side of last row; 50 sts. Break A.

Stripes—With size 8 needles and B, p 1 row, k 1 row, p 1 row. With A, k 1 row, p 1 row for 4 rows; break A. With B, k 1 row, p 1 row, k 1 row; break B. With A, p 1 row.

Next row—right side—P 2, * k 6, p 2; repeat from * to end.
Continue ribbed pat. as for back for 5 rows more. Inc. 1 st each side of next row.
Repeat incs. every 8th (6th) row 7 (10) times, keeping pat.; 66 (72) sts. Work even until 14½ ins. above ribbing, end with row worked on wrong side. Bind off 4 (5) sts at beg. of next 2 rows. Dec. 1 st each side of next row. Repeat decs. every 2nd row 11 (13) times; every row 8 times; 18 sts. Bind off.

FINISHING—Sew shoulder seams weaving edges of border tog. Sew underarm and sleeve seams. Turn back border facing and hem to wrong side. Weave ends of border tog. Finish buttonholes in blanket st, working through both thicknesses. Sew in sleeves with sleeve seam at center underarm. Block, see page 55.

Style No. 9419
(Continued from Page 16)

3rd dec. row—Sl 1 st, k 2 tog., pass sl st over the k 2 tog.—a dec.—yo, k 1, work as for pat. row 2 to within 3 sts of end, end last repeat yo, sl 1 st, k 2 tog., pass sl st over the k 2 tog.—a dec.

4th dec. row—K 2 tog., work as for pat. row 4 to within 2 sts of end, skp.

5th dec. row—K 2 tog., work as for pat. row 2 to within 2 sts of end, skp.

6th dec. row—P 2 tog., work as for pat. row 4 to within 2 sts of end, p 2 tog. Work 1 row even on 79 (91-103) sts.
(**For size 20-22 only**—Repeat these 12 rows of armhole shaping once; 91 sts).
Work even until 8 (8½-9) ins. above marker, end with pat. row 3.

Shoulders—Bind off 6 sts at beg. of next 6 rows; 6 (12-12) sts at beg. of next 2 rows. Sl remaining 31 sts to holder for neck ribbing.

LEFT FRONT—With size 3 needles, cast on 61 (67-73) sts. Work ribbing and pat. as for back until same length to underarm, end with pat. row 3 at underarm edge. Mark for underarm.

Armhole—Bind off 12 sts at beg. of next row, work to end keeping pat. Dec. 1 st at armhole edge every 2nd row 12 times, decreasing as for right side of back; 37 (43-49) sts. Work even until 6¼ ins. above marker, end with pat. row 3 at armhole edge.

Neck and Shoulder—Next row—Work to within 6 (6-12) sts of end, sl remaining 6 (6-12) sts to holder for neck. Dec. 1 st at neck edge every 2nd row 7 times, decreasing as for left back armhole, shaping shoulder as on back when armhole is same length.

RIGHT FRONT—Work same as left front until same length up to neck, shaping armhole on opposite side, as for left back armhole, end with pat. row 3 at front edge.

Neck and Shoulder—Next row—Work 6 (6-12) sts and sl to holder for neck, work to end. Finish to correspond to left front.

SLEEVES—With size 3 needles, cast on 67 (73-79) sts. Work ribbing as for back for 1¼ ins., end with row 2. With size 5 needles, work pat. until 2½ ins. above ribbing, end with pat. row 3. Inc. 1 st each side of next row. Repeat inc. each side every 8th row 4 times; working increased sts in st. st; 77 (83-89) sts. Work 7 rows even, working increased sts in pat. Inc. 1 st each side of next row; 79 (85-91) sts. Continuing pat. on these sts, repeat incs. every 8th row 3 times, working new increased sts in st. st; 85 (91-97) sts. Work even until 11 ins. above ribbing, end with pat. row 3. Bind off 9 sts at beg. of next 2 rows. Dec. 1 st each side every 2nd row 23 (25-27) times, decreasing as for back armhole; 21 (23-25) sts. Bind off. Block, see page 55. Sew seams, matching pat.

NECK RIBBING—Beg. at right front edge, sl sts from holder to size 3 needle. Join yarn. Pick up and k 20 (22-22) sts on right neck edge; sl 31 sts of back to free needle and work these sts in pat.; pick up and k 20 (22-22) sts on left edge, sl 6 (6-12) sts from holder to free needle and work these sts; 83 (87-99) sts. Work ribbing as for back for 1 in. Bind off in ribbing.

CROCHET BORDERS—Join yarn on right front edge in row above cast-on. From right side, work 13 sc in ribbing, 88 sc to neck ribbing, 5 sc on neck ribbing; 106 sc—about 3 sc in every 5 rows.

Row 2—Ch 1, turn, 1 sc in each st of row below.
Repeat row 2 once.

Buttonhole row—Ch 1, turn, 1 sc in each of 2 sts, * ch 3, skip 3 sts, 1 sc in each of 13 sts; repeat from *, end last repeat 1 sc in each of last 5 sts.
Repeat row 2 twice. Fasten off.
Join yarn on lower edge of border in first row. From right side, work sc on end of border, 2 sc at corner, continue sc to top of border, 2 sc at corner, sc on top of border. Fasten off.
Join yarn on left front edge at neck. Work border to correspond to right border, omitting buttonholes. Sew in sleeves with seam at center underarm.

Style No. 9404 *(Shown on Front Cover)*

Sizes 34, 36, 38, 40, 42, 44

Instructions are for size 34, changes for sizes 36, 38, 40, 42 and 44 are in parentheses, *see measurement chart*, page 55.

MATERIALS: BEAR BRAND or FLEISHER'S EVER-MATCH ULTRA-KNIT

	Size 34	Size 36	Size 38	Size 40	Size 42	Size 44
1 oz. balls	14	15	16	16	17	18

9 Plastic Rings ⅝ in. diameter for buttons.

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 8—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles, Size 5.
"Boye" Hook, Size G (5) to twist cable.
"Boye" Steel Hook, Size 2 for buttons.

GAUGE: Size 8 Needles—Pattern—5 sts = 1 inch 15 rows = 2 inches
Double Cable twist—14 sts = 2 inches

To check gauge, see page 55.

MEASUREMENTS FOR BLOCKING:

To fit....	34 in. Bust	36 in. Bust	38 in. Bust	40 in. Bust	42 in. Bust	44 in. Bust
At bustline, buttoned ..... inches	38	40	42	44	46	48
Width of back at underarm ..... inches	18½	19½	20½	21½	22½	23½
Width of sleeves at underarm ..... inches	13½	14	14½	15	15½	15½

SLEEVES—With size 5 needles, cast on 41 (43-43-45-45-47) sts.

Ribbing—Row 1—wrong side—P 1, * k 1, p 1; repeat from * to end.

Row 2—K 1, * p 1, k 1; repeat from * to end.

Repeat last 2 rows until 2½ ins. from beg., end on wrong side.

Inc. row—K, increasing 13 (11-11-17-17-15) sts evenly spaced across row; 54 (54-54-62-62-62) sts. P 1 row.

Pattern—Row 1—right side—With size 8 needles, * k 2, p 2 *; repeat between *'s 4 (4-4-5-5-5) times; k 6, p 2, k 6, repeat between *'s 5 (5-5-6-6-6) times.

Row 2—* K 2, p 2 *; repeat between *'s 4 (4-4-5-5-5) times, p 6, k 2, p 6, repeat between *'s 5 (5-5-6-6-6) times.

Row 3—double cable twist—* P 2, k 2 *; repeat between *'s 4 (4-4-5-5-5) times, sl next 3 sts to hook, hold at back of work, k next 3 sts, k 3 sts from hook, p 2, sl next 3 sts to hook, hold at front of work, k next 3 sts, k 3 sts from hook—a double cable twist; repeat between *'s 5 (5-5-6-6-6) times.

Row 4—* P 2, k 2 *; repeat between *'s 4 (4-4-5-5-5) times, p 6, k 2, p 6, repeat between *'s 5 (5-5-6-6-6) times.

Row 5—Same as row 1.

Row 6—Same as row 2.

Row 7—* P 2, k 2 *; repeat between *'s 4 (4-4-5-5-5) times, k 6, p 2, k 6, repeat between *'s 5 (5-5-6-6-6) times.

Row 8—Same as row 4. Repeat these 8 rows for pat.

Work in pat. until there are 22 (20-12-10-16-12) rows of pat., end on wrong side. Inc. 1 st each side of next row. With care to work inc. sts at sides in pat., continuing double cable twist on 14 center sts every 8th row as before, repeat inc. each side every 10th (8th-8th-10th-8th-8th) row 7 (9-10-8-9-9) times; 70 (74-76-80-82-82) sts. Work even until 13½ ins. above ribbing, end on wrong side. Bind off 4 (5-5-6-6-6) sts at beg. of next 2 rows. Dec. 1 st each side of next row. With care to keep pat., repeat dec. each side every 2nd row 16 (17-18-19-20-20) times; every row 4 times; 20 sts.

Final row—Work 3 sts, p 2 tog. 3 times, k 2, p 2 tog. 3 times, finish row. Bind off 14 sts.

BACK—With size 5 needles, cast on 89 (93-97-101-105-109) sts. Work ribbing as on sleeves for 12 rows for facing, end on right side. K 1 row from wrong side inserting needle in back of sts for turning ridge. Continue ribbing for 12 more rows, end on wrong side.

Inc. row—K, increasing 11 (13-13-15-15-17) sts evenly spaced across row; 100 (106-110-116-120-126) sts. P 1 row.

Pattern—Row 1—right side—With size 8 needles, **for size 34 only**, k 2, p 2 **(for size 36 only**, k 1, p 2—**for size 38 only**, p 1—**for size 40 only**, k 2, p 2—**for size 42 only**, p 2—**for size 44 only**, p 1), **for all sizes**, * k 2, p 2 *; repeat between *'s 3 (4-5-5-6-7) times, k 6, p 2, k 6, repeat between *'s 8 times, k 6, p 2, k 6, repeat between *'s across row, end p 2 (p 1—k 1—p 2—k 2—k 1).

Row 2—For size 34 only, k 2, p 2 **(for size 36 only**, k 1, p 2—**for size 38 only**, p 1—**for size 40 only**, k 2, p 2—**for size 42 only**, p 2—**for size 44 only**, p 1), **for all sizes**, * k 2, p 2 *; repeat between *'s 3 (4-5-5-6-7) times; work double cable twist on next 14 sts as on row 3 of sleeve, repeat between *'s 8 times, work double cable twist on next 14 sts, repeat between *'s across row, end k 2 (k 1—p 1—k 2—p 2—p 1).

Row 3—For size 34 only—P 2, k 2 **(for size 36 only**, p 1, k 2—**for size 38 only**, k 1—**for size 40 only**, p 2, k 2—**for size 42 only**, k 2—**for size 44 only**, k 1), **for all sizes**, * p 2, k 2 *; repeat between *'s 3 (4-5-5-6-7) times, p 6, k 2, p 6, repeat between *'s 8 times, p 6, k 2, p 6; repeat between *'s across row, end k 2 (k 1—p 1—k 2—p 2—p 1).

Row 4—For size 34 only, p 2, k 2 **(for size 36**, p 1, k 2—**for size 38**, k 1—**for size 40**—p 2, k 2—**for size 42**, k 2—**for size 44**, k 1), **for all sizes**, * p 2, k 2 *; repeat between *'s 3 (4-5-5-6-7) times, p 6, k 2, p 6, repeat between *'s 8 times, p 6, k 2, p 6; repeat between *'s across row, end k 2 (k 1—p 1—k 2—p 2—p 1).

Row 5—Same as row 1.

Row 6—Same as row 2.

Row 7—For size 34 only, p 2, k 2 **(for size 36**, p 1, k 2—**for size 38**, k 1—**for size 40**—p 2, k 2—**for size 42**, k 2—**for size 44**, k 1), **for all sizes**, * p 2, k 2 *; repeat between *'s 3 (4-5-5-6-7) times, k 6, p 2, k 6, repeat between *'s 8 times, k 6, p 2, k 6; repeat between *'s across row, end k 2 (k 1—p 1—k 2—p 2—p 1).

Row 8—Same as row 4. Repeat last 8 rows for pat.

Work even in pat. until there are 68 (66-64-62-60-60) rows of pat.—about 9 (8¾-8½-8¼-8-8) ins. above ribbing, end on wrong side with pat. row 4 (2-8-6-4-4). Mark for underarm.

Note: Difference in length to underarm is compensated for in depth of armhole. All sizes are same length to neck edge so that buttonholes can be spaced evenly.

(Continued on Next Page)

Armholes—Bind off 4 (5-5-6-6-6) sts at beg. of next 2 rows. Dec. 1 st each side of next row. With care to keep pat., repeat dec. each side every 2nd row 5 (6-7-8-9-11) times; 80 (82-84-86-88-90) sts. Work even until armholes measure 7½ (7¾-8-8¼-8½-8½) ins. above underarm marker, end on wrong side.

Shoulders—Bind off 7 (8-8-9-9-10) sts at beg. of next 4 rows; 12 (11-12-11-12-11) sts at beg. of next 2 rows. Break yarn. Sl remaining 28 sts to holder for neck ribbing.

LEFT FRONT—With size 5 needles, cast on 51 (53-55-57-59-61) sts. Work facing and ribbing as for back, end on wrong side.

Inc. row—K, increasing 5 (6-6-7-7-8) sts evenly spaced across row; cast on 6 sts at end of row for front facing; 62 (65-67-70-72-75) sts.

Next row—K 6 for facing, p to end.

Pattern—Row 1—With size 8 needles, **for size 34**, k 2, p 2 **(for size 36**, k 1, p 2—**for size 38**, p 1—**for size 40**, k 2, p 2—**for size 42**, p 2—**for size 44**, p 1), **for all sizes**, * k 2, p 2 *; repeat between *'s 3 (4-5-5-6-7) times, k 6, p 2, k 6, repeat between *'s 4 times, k 6, p 6 for front border and facing.

Row 2—K 6, p 6 for front border and facing, * k 2, p 2 *; repeat between *'s 3 times, p 6, k 2, p 6, repeat between *'s across row, end p 2 (p 1—k 1—p 2—k 2—k 1).

Row 3—cable twist row—For size 34, p 2, k 2 **(for size 36**, p 1, k 2—**for size 38**, k 1—**for size 40**, p 2, k 2—**for size 42**, k 2—**for size 44**, k 1), **for all sizes**, * p 2, k 2 *; repeat between *'s 3 (4-5-5-6-7) times, work double cable twist on next 14 sts as on sleeve, repeat between *'s 4 times, sl next 3 sts to hook and hold at back of work, k next 3 sts, k 3 sts from hook—a right cable twist —, p 6.

Continue pat. in this way, repeating cable twists as for last row every 8th row and continuing 6 sts of facing in reverse st. st, work even until there are 68 (66-64-62-60-60) rows of pat., end on wrong side with pat. row 4 (2-8-6-4-4). Mark for underarm.

Armhole—Bind off 4 (5-5-6-6-6) sts, finish row. Dec. 1 st at armhole edge every 2nd row 6 (7-8-9-10-12) times; 52 (53-54-55-56-57) sts. Work even until about 5½ (5¾-6-6¼-6½-6½) ins. above underarm marker, end at front edge with 2nd row above 14th cable twist from beg.

Neck and Shoulder—Bind off 6 sts of facing, work until there are 14 sts on right needle and sl to holder for neck ribbing, work to end. Dec. 1 st at end of next row—neck edge. Repeat dec. at neck edge every 2nd row 5 times; 26 (27-28-29-30-31) sts. Work even until armhole measures same as right armhole of back, end at armhole edge. * Bind off 7 (8-8-9-9-10) sts at beg. of next row, finish row. Work 1 row even *. Repeat between *'s once. Bind off 12 (11-12-11-12-11) sts to complete shoulder.

RIGHT FRONT—With size 5 needles, cast on 51 (53-55-57-59-61) sts. Work ribbing as for sleeves for 5 rows.

Row 6—buttonhole row—right side—K 1, p 1, k 1, bind off 1 st, sl last st on right needle to left needle and p tog. with next st—2 sts bound off for buttonhole, finish row.

Row 7—Work in ribbing, casting on 2 sts over buttonhole.

Work 5 more rows ribbing, end on right side. K 1 row from wrong side inserting needle in back of each st for turning ridge. Continue ribbing for 4 rows. Repeat buttonhole on next 2 rows. Work ribbing for 6 rows, end at front edge; cast on 6 sts for front facing.

Inc. row—P 6 cast-on sts for front facing, k to end increasing 5 (6-6-7-7-8) sts evenly spaced across row; 62 (65-67-70-72-75) sts.

Next row—P to within 6 sts of end, k 6 for front facing.

Pattern—Row 1—With size 8 needles, p 6, k 6; * k 2, p 2 *; repeat between *'s 3 times, k 6, p 2, k 6; repeat between *'s across row, end p 2 (p 1—k 1—p 2—k 2—k 1).

Row 2—For size 34, k 2, p 2 **(for size 36**, k 1, p 2—**for size 38**, p 1—**for size 40**, k 2, p 2—**for size 42**, p 2—**for size 44**, p 1), **for all sizes**, * k 2, p 2 *, repeat between *'s 3 (4-5-6-6-7) times, p 6, k 2, p 6, repeat between *'s 4 times, p 6, k 6.

Row 3—cable twist row—P 6, sl next 3 sts to hook, hold at front of work, k next 3 sts, k 3 sts from hook—a left cable twist—; * p 2, k 2 *; repeat between *'s 3 times, work double cable twist on next 14 sts as on sleeve, repeat between *'s across, end k 2 (k 1—p 1—k 2—p 2—p 1).

With care to keep pat., work 3 rows even.

First set of buttonholes—P 2, bind off next 2 sts for buttonhole, with 1 st on needle, p 1, k 2, bind off 1 st, sl last st on right needle to left needle and k it tog. with next st for 2nd buttonhole, finish row. On next row, cast on 2 sts over each buttonhole.

Continue to correspond to left front, repeating cable twist row every 8th row and repeating set of buttonholes every 15th and 16th row until there is 1 row more than on left front to armhole, end on right side. Mark for underarm.

Shape armhole as for left side of back; 52 (53-54-55-56-57) sts. Work even until about 5½ (5¾-6-6¼-6½-6½) ins. above underarm marker, end at front edge with 3rd row above 14th cable twist from beg.

Neck and Shoulder—Bind off 6 sts of facing, work until 14 sts on right needle, sl these 14 sts to holder for neck ribbing, dec. 1 st at neck edge, finish row. Finish to correspond to left front. Sew shoulder seams.

NECK RIBBING—From wrong side, sl 14 sts of left neck edge from holder to size 5 needle, sl 28 sts of back neck to same needle; then from right side, sl 14 sts of right neck edge from holder to free size 5 needle, join yarn and from right side with 2nd needle, pick up and k 10 (11-11-12-12-13) sts on right neck edge to shoulder seam, k across sts of back decreasing 5 (3-3-1-1-1) sts evenly spaced, pick up and k 10 (11-11-12-12-13) sts on left neck edge, work to end; 71 (75-75-79-79-81) sts.

Row 1—P 1, * k 1, p 1; repeat from * to end.

Row 2—K 1, * p 1, k 1; repeat from * to end.

Repeat rows 1 and 2 once. Repeat row 1 again.

Row 6—buttonhole row—K 1, p 1, k 1, bind off 1 st, sl last st on right needle to left needle and p it tog. with next st, finish row.

Row 7—Work ribbing, casting on 2 sts over buttonhole.

Work 4 rows of ribbing. Bind off in ribbing.

FINISHING—Sew underarm and sleeve seams. Turn back 6 sts of front facings to wrong side and hem. Turn facing at lower edge to wrong side at turning ridge and hem. Sew adjoining ends of front facings and facing at lower edge tog. Sew open ends of facing and border at lower edge tog. Sew in sleeves matching seams. Finish buttonholes in blanket st, working through both thicknesses. Block, see page 55.

BUTTONS: With size 2 steel hook, make loop on hook, work 18 sc in ring, join with sl st in first sc. Fasten off, leaving 12-in. end. Thread end in tapestry needle and draw through back loop of each sc; gather up tightly, sew securely and fasten off, leaving end to sew on button. Make 9 buttons.

Style No. 9431 (Continued from Page 18)

MEASUREMENTS FOR BLOCKING:	To fit.....	30-32 in. Bust	34-36 in. Bust
At bustline, buttoned	inches	36½	40½
Width of back at underarm	inches	17½	19½
Width of sleeves at underarm	inches	12½	13

BACK—With size 3 needles and A, cast on 116 (124) sts. Work k 2, p 2 ribbing for 25 rows, **(increasing 2 sts evenly spaced in last row on size 14-16 only)**; 116 (126) sts. With size 5 needles, work st. st—k 1 row, p 1 row—until 88 (84) rows—about 10½ (10) ins. — above ribbing, end on wrong side with p row. Mark for underarm.

Note — Size 10-12 is 4 rows longer than size 14-16 from lower edge to armhole, this difference is compensated for in depth of armhole.

Armholes—Bind off 3 (4) sts at beg. of next 4 rows. Dec. 1 st each side of next row.

Repeat dec. each side every 2nd row 5 (6) times; 92 (96) sts. Work even until 64 (68) rows—about 7½ (8) ins. — above underarm marker, end with p row.

Shoulders—Bind off 8 sts at beg. of next 4 rows; 7 (8) sts at beg. of next 4 rows.

Sl remaining 32 sts to holder for neck ribbing.

Note: There are 4 complete diamonds on each front and on each sleeve.

LEFT FRONT—Wind 2 bobbins with A; 2 bobbins with B; 2 bobbins with C. Use separate bobbin for each full diamond, each part diamond and each cross line, carrying color **over cross lines only** on wrong side.

With size 3 needles and A, cast on 72 (76) sts.

Row 1—wrong side—P 13, k 1, p 2, * k 2, p 2; repeat from * to end.

Row 2—K 2, * p 2, k 2; repeat from * to within 14 sts of end, p 1, k 6, with yarn at back, sl 1 as to p for turning st, k 6 for facing.

Repeat last 2 rows until 24 rows from beg.

Row 25—P 13, k 1, p 2, continue ribbing to end, decreasing 2 sts evenly spaced on size 10-12 only; 70 (76) sts.

Pattern—Row 1—right side—With size 5 needles and A, k 17 (23); place marker on needle, join C bobbin and k 1; join B bobbin and k 8; join A bobbin and k 1; join B bobbin and k 8; join C bobbin and k 1; place marker on needle; join separate skein of A and k 20, p 1, k 6, sl 1, k 6.

Note: When changing colors always bring next color to be used under last color used on wrong side of work to prevent a hole.

Row 2—With A, p 13, k 1, p 20; sl marker from left to right needle, p 1 C, 8 B, 1 A, 8 B, 1 C, sl marker; p 17 (23) A. Carry up markers.

Repeat last 2 rows following pat. on the 19 sts between markers as on chart, beg. with row 3, see page 53. Work until 88 (84) rows—about 10½ (10) ins.—above ribbing, end on wrong side with p row. Mark for underarm.

Armhole—Bind off 3 (4) sts at beg. of next row, finish row. Work 1 row even. Bind off 3 (4) sts at beg. of next row, finish row. Dec. 1 st at armhole edge every 2nd row 5 (7) times; 59 (61) sts. Work even continuing pat. between markers until 47 (51) rows—about 5½ (6) ins.—above underarm marker, end on right side.

Neck—Work 23 sts and sl to holder for neck ribbing, finish row.

Next row—Work across, dec. 1 st at end for neck shaping. Repeat dec. at neck edge every 2nd row 5 times; 30 (32) sts.

Work even until 64 (68) rows above underarm marker; this completes pat.

Shoulder—Row 1—With A only, bind off 8 sts at beg. of row, finish row. Work 1 row even. Repeat last 2 rows once.

Row 5—Bind off 7 (8) sts, finish row. Work 1 row even. Bind off remaining 7 (8) sts.

RIGHT FRONT—With size 3 needles and A, cast on 72 (76) sts.

Row 1—wrong side—P 2, * k 2, p 2; repeat from * to within 14 sts of end, k 1, p 13.

Row 2—K 6 for facing, sl 1, k 6, p 1, k 2, * p 2, k 2; repeat from * to end.

Repeat these 2 rows until 7 rows from beg.

Row 8—buttonhole row—K 2, bind off next 2 sts for buttonhole, k until 2 sts from buttonhole, sl 1, k 2, bind off next 2 sts, k until 2 sts from buttonhole, p 1, work ribbing to end.

Next row—Work as for row 1, casting on 2 sts over each buttonhole.

Repeat rows 2 and 1 until 24 rows from beg.

Row 25—Work ribbing to within 14 sts of end, decreasing 2 sts evenly spaced on size 10-12 only, k 1, p 13; 70 (76) sts.

Pattern—Row 1—right side—With size 5 needles and A, k 6, sl 1, k 6, p 1, k 20; place marker on needle, joining bobbins as before, k 1 C, 8 B, 1 A, 8 B, 1 C, place marker on needle; join separate skein A and k 17 (23).

Continue to correspond to left front until 24 rows above first set of buttonholes.

Repeat buttonholes on next 2 rows and every 25th and 26th row until 89 (85) rows above ribbing, end on right side. Mark for underarm.

Shape armhole to correspond to left front armhole, repeating buttonholes until 6 sets in all; 59 (61) sts. Work even until 47 (51) rows above underarm marker, end on wrong side.

Neck—Work 23 sts and sl to holder, finish row. Complete to correspond to left front.

SLEEVES—With size 3 needles and A, cast on 48 (52) sts. Work k 2, p 2 ribbing for 11 rows, increasing 13 sts evenly spaced across row; 61 (65) sts.

Pattern—Row 1—right side—With size 5 needles and A, k 21 (23); place marker on needle, joining bobbins as before, k 1 C, 8 B, 1 A, 8 B, 1 C; place marker on needle; join separate skein of A and k 21 (23).

Row 2—P 21 (23) A, 1 C, 8 B, 1 A, 8 B, 1 C, 21 (23) A.

Continue in st. st following pat. on 19 sts between markers as on chart, until 6 rows above ribbing. Continuing pat., inc. 1 st each side of next row. Repeat inc. each side every 10th row 9 times more; 81 (85) sts. Work even until 110 (106) rows — about 13 (12½) ins.—above ribbing, end with p row.

Bind off 4 sts at beg. of next 2 rows; 3 (4) sts at beg .of next 2 rows. Dec. 1 st each side of next row. Repeat dec. each side every 2nd row 5 times; every 4th row 2 (3) times; every 2nd row 5 times; every row 5 times. Bind off 3 sts at beg. of next 4 rows. This completes pat. Bind off 19 sts with A.

FINISHING—Fasten all ends securely on wrong side. Sew underarm, shoulder and sleeve seams. Sew in sleeves matching seams.

NECK RIBBING — From wrong side, starting at left front edge, sl to size 3 needle, 23 sts of left front and 32 sts of back; from right side, starting at right front edge, sl 23 sts of right front to free size 3 needle, from right side, with same needle, join A and pick up and k 12 sts on right neck edge, k across sts of back decreasing 2 sts evenly spaced, pick up and k 12 sts on left neck edge, k to within 7 sts of end, sl 1, k 6; 100 sts.

(Continued on Next Page)

Style No. 9431 (Continued from Page 40)

Row 1—P 13, k 2, * p 2, k 2; repeat from * to within 13 sts of end, p 13.

Row 2—K 2, bind off 2 sts for last buttonhole, work until 5 sts from buttonhole, bind off 2 sts, k until 2 sts from last buttonhole; p 2, * k 2, p 2; repeat from * to within 13 sts of end, k 6, sl 1, k 6.

Continue borders and ribbing in this way, casting on 2 sts over each buttonhole in next row. Work 5 more rows. Bind off knitting k and purling p sts. Turn front facings to wrong side at turning st and hem. Finish buttonholes in blanket st, working through both thicknesses. Sew open ends of fronts and facings tog. neatly at neck and lower edge. Block, see page 55.

BUTTONS—With size 2 steel hook and A, make loop on hook, work 24 sc over ring; join with sl st in first sc. Fasten off, leaving 12 in. end. Thread end in tapestry needle and from wrong side, draw through back loop of each sc and gather up tightly. Fasten off, leaving end to sew on button. Make 7 buttons and sew on left front opposite buttonholes.

Style No. 9420

(Continued from Page 9)

Next row—Bind off 4 sts for shoulder, p to within 2 sts of end, p 2 tog.

Next row—K 2 tog., k to end. Finish to correspond to right side.

LEFT FRONT—With size 7 needles and B, cast on 45 (49-51) sts. Work seed st border as for back. Break B.

With size 8 needles and C, work st. st—p 1 row, k 1 row—until 6 ins. above border, end with k row. Break C.

Seed St Stripe—With size 7 needles and B, p 1 row.

Next row—K 1, * p 1, k 1; repeat from * to end. Repeat this row for 6 rows more to complete seed st stripe, end on right side.

With size 8 needles and A, work st. st—p 1 row, k 1 row—until same length as right side of back to underarm, end with p row at underarm edge. Mark for underarm.

Armhole—Bind off 6 sts at beg. of next row, finish row. Break A. With size 7 needles and B, work seed st stripe, decreasing 1 st at armhole edge every 2nd row 4 times, end with dec. row; 35 (39-41) sts. Break B. With size 8 needles and C, working st. st, dec. 1 st at armhole edge every 2nd row 2 (4-4) times, end with dec. row; 33 (35-37) sts. **For size 12 only**—With C, work even for 4 more rows, end on right side.

For all sizes—Break C. With size 7 needles and B, working even, work seed st stripe, end on right side. With size 8 needles and A, work st. st until 6 ins. above underarm marker, end with p row at armhole edge.

Neck and Shoulder—Next row—K to within 6 (6-7) sts of end, bind off 6 (6-7) sts for neck. Break A and join in last st on needle. Dec. 1 st at neck edge every row 4 times; every 2nd row 4 times, shaping shoulder as for right side of back when armhole is same length.

RIGHT FRONT—With size 7 needles and B, cast on 45 (49-51) sts. Work seed st border as for left front. Break B. With size 8 needles and A, work st. st until 4 ins. above border, end with k row. Break A. With size 7 needles and B, work seed st stripe.

With size 8 needles and A, work st. st until same length as left side of back to underarm, end with k row. Mark for underarm.

Armhole—Bind off 6 sts at beg. of next row, finish row. Dec. 1 st at end of next row. Repeat dec. at armhole edge every 2nd row twice, end with dec. row; 36 (40-42) sts.

Break A. With size 7 needles and B, work seed st stripe, decreasing 1 st at armhole edge every 2nd row 3 (4-4) times, end with dec. row; 33 (36-38) sts. **For size 12 only**—With B, work 2 more rows even to complete seed st stripe. Break B on all sizes. With size 8 needles and C, p 1 row.

(For size 14 and 16 only—Dec. 1 st at end of next row; 35-37 sts).

For all sizes—With C, continue st. st until same length as left front up to neck, end at front edge with p row.

Neck and Shoulder—Bind off 6 (6-7) sts at beg. of next row, k to end. Work 1 row even. Dec. 1 st at beg. of next row. Finish to correspond to left front.

SLEEVES—With size 7 needles and B, cast on 49 (51-53) sts. Work seed st border as on back. Break B. With size 8 needles and C, work st. st—p 1 row, k 1 row—for 8 rows. Break C. With size 7 needles and B, p 1 row, work seed st for 7 rows, end with row worked on right side. Break B. With size 8 needles and A, work st. st, increasing 1 st each side every 8th row 8 times; 65 (67-69) sts. Work even until 12 ins. above cuff, end with p row. Bind off 5 sts at beg. of next 2 rows. Dec. 1 st each side of next row. Repeat decs. every 2nd row 15 (16-17) times; every row 4 times. Bind off 15 sts. Sew seams.

NECK BORDER—Join B on right neck edge at front edge. With size 7 needles, pick up and k 24 (26-28) sts on right neck edge to shoulder, 29 sts on back neck, 24 (26-28) sts on left neck edge; 77 (81-85) sts. Work seed st for 8 rows. Bind off firmly.

LEFT FRONT BORDER—Join B on front edge at corner of neck border. With size 7 needles, pick up and k 5 sts on neck border, 14 sts in A section, 4 sts in seed st stripe, 5 sts in C stripe, 4 sts in seed st stripe, 30 sts in next A section, 4 sts in seed st stripe, 28 sts in C section, 5 sts on border at lower edge; 99 sts. Work seed st for 8 rows. Bind off in pat.

RIGHT FRONT BORDER—Join B on front edge at lower corner. With size 7 needle, pick up and k 5 sts on border, 18 sts in A section, 4 sts in seed st stripe, 44 sts in next A section, 4 sts in seed st stripe, 19 sts in C section, 5 sts on neck border; 99 sts. Work seed st for 3 rows, end at lower edge.

Buttonhole rows—Work 4 sts, * bind off 1 st, sl last st worked to left needle, k 2 tog.,—2 sts bound off for buttonhole, work until 13 sts from buttonhole; repeat from * 6 times, end last repeat work until 3 sts from buttonhole. Cast on 2 sts over each buttonhole in next row. Work 3 rows. Bind off in pat.

FINISHING — Finish buttonholes in blanket st. Sew in sleeves with sleeve seam at center underarm. Block, see page 55.

Style No. 9412

(Continued from Page 29)

Repeat last 2 rows 2 (2-3) times more; 57 (61-65) sts, plus turning ch—28 (30-32) clusters, plus turning ch and 1 hdc. Work even until 18 (20-20) rows—about 7½ (8½-8½) ins. above underarm marker.

Shoulders—Row 1—Ch 1, turn, 1 sl st in each of first 6 (8-8) sts, ch 1, work even in pat. to within 7 (9-9) sts of end of last row, skip 1 st, 1 sc in next st.

Row 2—Ch 1, turn, 1 sl st in each of first 6 (6-8) sts, ch 1, work even in pat. to within 7 (7-9) sts of end of last row, skip 1 st, 1 sc in next st.

Row 3—Ch 1, turn, 1 sl st in each of first 6 sts, ch 1, work even in pat. to within 7 sts of end of last row, skip 1 st, 1 sc in next st.
Fasten off, leaving 10 clusters for neck, plus turning ch and 1 sc.

POCKET LINING—Ch 22. Work as for back until 11 pat. rows above sc row, end on wrong side; 21 sts plus turning ch—10 clusters, plus turning ch and 1 hdc. Fasten off. Make 4.

LEFT FRONT—Ch 38 (42-46). Work as for back until 11 pat. rows above sc row, end on wrong side; 37 (41-45) sts, plus turning ch—18 (20-22) clusters plus turning ch and 1 hdc.
Join pocket lining as follows:

Next row—Ch 2, turn, work 2 (3-4) clusters, † skip next st, 1 hdc in next st, then holding pocket lining at back of work with right side of lining to wrong side of front, yo, insert hook in same st as last hdc on front and in first hdc of lining, yo and draw loop through both sts, yo and through 3 loops, completing hdc, work 2 hdc in next st of lining, work 9 more clusters on lining only; skip 21 sts of front, yo, insert hook in next st of front and in last st of lining, yo and draw loop through both sts, complete hdc as before, work 1 more hdc in same place, †, work to end of left front—front edge. Work 17 rows even, end on wrong side. Join 2nd pocket lining on next row as before. Work even until same length as back to underarm, end on wrong side. Mark for underarm.

Armhole—Ch 1, turn, 1 sl st in each of first 2 (4-4) sts, ch 2, work pat. to end. Keeping front edge even, dec. 3 (3-4) clusters at armhole edge in next 6 (6-8) rows as for right armhole of back; 14 (15-16) clusters, plus 1 hdc and turning ch. Work even until 14 (16-16) rows above underarm marker, end on wrong side.

Neck and Shoulder—Row 1—Ch 2, turn, work 9 (10-11) clusters, skip 1 st, 1 hdc in next st, skip 1 st, 1 hdc in next st; leave remaining 7 sts free for neck.
Row 2—Ch 2, turn, skip first st, yo, draw up a loop in each of next 2 sts, yo and through all loops, 1 hdc in same st as last st, skip 1 st, work pat. to end.

Row 3—Ch 2, turn, work 8 (9-10) clusters, skip 1 st, 1 hdc in next st, 1 hdc in last st.

Row 4—Same as row 2.
Work 2 rows even, end at armhole edge.

Row 7—Ch 1, turn, 1 sl st in each of first 6 (8-8) sts, ch 1; work pat. to end.
Row 8—Ch 2, turn, work 2 clusters, skip 1 st, 1 hdc in next st, sl st in next st. Fasten off.

RIGHT FRONT—Ch 38 (42-46). Work as for back until 11 pat. rows above sc row, end on wrong side.
Join pocket lining as follows:

Next row—Ch 2, turn, work 4 (5-6) clusters, repeat between †'s of left front, finish row.
Work to correspond to left front, shaping armhole as for left armhole of back until 14 (16-16) rows above underarm, end on wrong side.

Neck and Shoulder—Row 1—Ch 1, turn, 1 sl st in each of first 8 sts, ch 2, skip 1 st, 1 hdc in next st, skip 1 st, work even to end.

Row 2—Work to within 4 sts of end, skip 1 st, 1 hdc in next st, yo, draw up a loop in same st as last st and in next st, yo and through all loops, 1 hdc in last st.
Keeping armhole edge even, dec. 1 more cluster at neck edge on next 2 rows. Work 2 rows even, end at neck edge.

Row 7—Ch 2, turn, work to within 7 (9-9) sts of end, skip 1 st, 1 sc in next st.

Row 8—Ch 1, turn, work 1 sl st in each of first 6 (6-8) sts, ch 1, work to end. Fasten off.

SLEEVES—For size 32-34 only, ch 40, work 1 sc in 2nd and each remaining st of ch; 39 sts.
(For sizes 36-38 and 40-42 only, ch 40 (44), work 1 sc in 2nd st from hook, * 1 sc in each of next 8 (9) sts, 2 sc in next st; repeat from * 3 times, 1 sc in each st to end; 43 (47) sts).
For all sizes—Work pat. as on back for 3 rows; 19 (21-23) clusters, plus turning ch and 1 hdc.

Row 4—First inc. row—Ch 2, turn, **1 hdc in first st**, 2 hdc in next st, work even in pat., end 2 hdc in last st.

Row 5—Ch 2, turn, 1 hdc in first st, skip 1 st, 2 hdc in next st, work even in pat., end 1 hdc in each of last 2 sts.
Repeat last row twice.

Row 8—2nd inc. row—Ch 2, turn, 2 hdc in first st, skip 1 st, 2 hdc in next st, work even in pat. to within 2 sts of end, 2 hdc in next st, 1 hdc in last st; 21 (23-25) clusters, plus turning ch and 1 hdc.
Alternating first and 2nd inc. row as before, continue to inc. 1 st each side every 4th row 6 (4-6) times; every 2nd row 0 (4-0) times; 27 (31-31) clusters, plus turning ch and 1 hdc. Work even until 35 rows above sc row, end on wrong side. Leave off 2 (4-4) sts each side of next row as for armholes of back. Repeat first and 2nd dec. rows of back 5 (6-6) times. Leave off 4 sts each side on next 2 rows; 15 sts plus turning ch. Fasten off.

FINISHING—Sew seams. Sew in sleeves with sleeve seam at center underarm. Sew side and lower edge of pocket linings on wrong side of fronts.

BORDER—Row 1—Beg. on lower edge at right underarm seam, from right side, work sc on lower edge, keeping work flat, work 2 sc in corner; 71 (74-74) sc up right front edge to neck, 2 sc in corner, work sc around neck, holding to about 16 ins. or desired size, 2 sc in corner; 71 (74-74) sc down left front to lower edge, 2 sc in corner, work sc on lower edge as before, join with sl st in first sc.

Row 2—Ch 1, do not turn, from right side, work 1 sc in each sc to corner, 2 sc in corner, 1 sc in each of 3 (5-5) sc, * ch 2, skip 2 sc for buttonhole, work 1 sc in each of next 11 sc; repeat from * 4 times, ch 2, skip 2, work sc to corner, 2 sc in corner, finish row working 1 sc in each sc, 2 sc in each corner, join.

Row 3—Ch 1, turn, work 1 sc in each sc, 2 sc in each corner, 1 sc in each of 2 ch sts over buttonholes, join.

Row 4—Ch 1, turn, from right side, work 1 sc in each sc, 2 sc in each corner, join.

Row 5—From right side, work 1 sl st in each st loosely, join. Fasten off.

(Continued on Next Page)

SLEEVE BORDER—Beg. at seam, from right side, work 1 row sc on lower edge of sleeve, join.
Row 2—Ch 1, turn, 1 sc in each sc; join.
Repeat last row once. Fasten off.
From right side, work 1 row sl st loosely. Fasten off.

POCKET BORDER—From right side, work 1 sc in each sc of pocket opening.
Row 2—Ch 1, turn, 1 sc in each sc.
Repeat last row once. Fasten off.
From right side, work 1 row sl st loosely. Fasten off.
Sew side edges of pocket borders to front. Soufflé requires no blocking, see page 55.

Style No. 9418

(Continued from Page 10)

Next row—Repeat dec. row; 86 sts.
Next row—P 12, work to within 12 sts of end, p 12.
Next row—Repeat dec. row, omitting cable twists in cable ribs at each side; 84 sts. Keeping pat., repeat dec. row every 2nd row 17 times; 50 sts. Break yarn. Slip sts to holder for neck ribbing.

RIGHT FRONT—With size 2 needles, cast on 70 (78) sts. Work ribbing as for back, end with row worked on right side at underarm edge.
Cable Pattern—Row 1—wrong side—With size 4 needles, p 30 (38), k 2, * p 10, k 2; repeat from * twice, p 2.
Row 2—K 2, p 2, * k 10, p 2; repeat from * twice, k 30 (38).
Row 3—Same as row 1.
Row 4—First cable twist row—K 2, p 2, k 10, p 2, work twist on next 10 sts, p 2, k 10, p 2, k 30 (38).
Repeat rows 1 and 2, 3 times. Repeat row 1 again.
Row 12—2nd cable twist row—K 2, p 2, work twist on next 10 sts, p 2, k 10, p 2, work twist on next 10 sts, p 2, k 30 (38).
Repeat rows 1 and 2 twice. Repeat these 16 rows for pat. with 3 cable ribs at front edge until same length as left side of back to underarm. Mark for underarm.
Raglan Shaping—Bind off 10 (13) sts at beg. of next row. Work 2 rows even.
Dec. row—Work to within 3 sts of end, k 2 tog., k 1.
Keeping pat., repeat dec. row every 2nd row 32 (37) times; 27 sts. Work 1 row even, end at front edge.
Neck dec. row—K 2, p 2, k 1, k 2 tog. 4 times, k 1, p 1, sl these 11 sts to holder for neck, work to within 3 sts of end, k 2 tog., k 1; 11 sts.
Keeping pat., dec. 1 st at neck edge every row 5 times, continuing to dec. at yoke edge every 2nd row 4 times. Break yarn. Slip remaining 2 sts to holder.

LEFT FRONT—With size 2 needles, cast on 70 (78) sts. Work ribbing as for back, end with row worked on right side at front edge.
Cable Pattern—Row 1—wrong side—With size 4 needles, p 2, k 2, * p 10, k 2; repeat from * twice, p 30 (38).
Row 2—K 30 (38), p 2, * k 10, p 2; repeat from * twice, k 2.
Work to correspond to right front with 3 cable ribs at front edge until same length to neck, shaping raglan yoke as for right side of back when same length to underarm, end with row worked on wrong side at yoke edge; 27 sts.
Neck—Work to within 15 sts of end, sl remaining 15 sts to holder for neck; 12 sts. Finish to correspond to right front.

SLEEVES—With size 2 needles, cast on 82 (90) sts. Work ribbing as for back for 3 ins., end with row 2 on right side.
Cable Pattern—Row 1—wrong side—With size 4 needles, p 10 (14), k 2, * p 10, k 2; repeat from * 4 times, p 10 (14).
Row 2—K 10 (14), p 2, * k 10, p 2; repeat from * 4 times, k 10 (14).
Row 3—Same as row 1.
Row 4—First cable twist row—K 10 (14), p 2, k 10, p 2, * work twist on next 10 sts, p 2, k 10, p 2; repeat from * once, k 10 (14).
Repeat rows 1 and 2, 3 times. Repeat row 1 again.
Row 12—2nd cable twist row—K 10 (14), p 2, work twist on next 10 sts, p 2, * k 10, p 2, work twist on next 10 sts, p 2; repeat from * once, k 10 (14).
Repeat rows 1 and 2 twice, increasing 1 st each side of last row; 84 (92) sts. Repeat these 16 rows for pat., increasing 1 st each side every 8th row 12 (6) times, working increased sts in st. st; 108 (104) sts.
(For size 16-18 only—Inc. 1 st each side every 4th row 10 times; 124 sts).
For both sizes—Work even until 13 (12) ins. above cuff ribbing, end with pat. row 5 (11). Inc. 1 st each side of next row, repeat incs. every 2nd row 4 times; 118 (134) sts.
Work 2 rows even. Bind off 8 (11) sts at beg. of next 2 rows. Work 1 row even. Shape top of sleeve as for raglan yoke of back; 26 sts. Break yarn. Sl sts to holder for neck ribbing.
Sew raglan seams, joining sleeves to back and fronts. Sew underarm and sleeve seams. Block, see page 55.

NECK RIBBING—With size 2 needles, beg. at right front edge, sl 11 sts to needle. Join yarn at side of neck. Pick up and k 7 sts on side edge of neck; beg. at left side of neck, sl to free needle 2 sts of left front, 26 sleeve sts, 50 back sts, 26 sleeve sts, 2 right front sts and work these sts as follows: * Sl 1 st, k 2 tog., pass sl st over the k 2 tog., k 1, k 2 tog. twice, p 2, k 1, k 2 tog. 4 times, k 1, p 2, skp twice, sl 1 st, k 2 tog., pass sl st over the k 2 tog., k 1 *; k 2 tog. twice, p 2, k 1, k 2 tog. 4 times, k 1, p 2, k 10, p 2, k 1, k 2 tog. 4 times, k 1, p 2, skp twice; repeat between *'s once; pick up and k 7 sts on left side of neck, sl 15 sts to free needle and work as follows: p 1, k 1, k 2 tog. 4 times, k 1, p 2, k 2; 106 sts. Work ribbing as on lower edge of back for 11 rows. Bind off firmly in ribbing.

RIGHT FRONT BORDER—Join yarn on right front edge in first row at lower edge. Work 11 sc on edge of ribbing, 118 sc to neck ribbing—about 2 sc in every 3 rows, 6 sc on neck ribbing; 135 sc.
Row 2—Ch 1, turn, work 1 sc in each st. Repeat row 2 once, end at neck edge.
Row 4—buttonhole row—Work 2 sc, * ch 3, skip next 3 sts, work 18 sc; repeat from * 6 times, end last repeat 4 sc.
Repeat row 2, 4 times more, end at lower edge. Fasten off.
Join yarn on lower edge of border in first row sc, work sc on lower edge of border, ch 1 at corner, work sc to neck edge, ch 1, work sc on top edge of border. Join with sl st to bound-off row of ribbing. Fasten off.

LEFT FRONT BORDER—Join yarn on left front edge in last row of ribbing. Work to correspond to right border, omitting buttonholes. Block, see page 55.

Style No. 9415

(Continued from Page 22)

With size 8 needles and B, p 1, * k 1, p 1; repeat from * twice for front border, drop B; with A, k to end.

Next row—With A, p to within 7 sts of end, drop A; with B, k 1, * p 1, k 1; repeat from * to end for front border. Keeping 7 sts in ribbing for front border and remaining sts in st. st, repeating buttonhole rows every 23rd and 24th row, work until same length as back to underarm, end on right side at underarm edge.

Armhole—Bind off 4 sts at beg. of next row, finish row; 51 (57) sts. **(For size 16-18 only**—Dec. 1 st at end of next row. Repeat dec. at end of 2nd row once; 55 sts. Work 1 row even).

For both sizes—Slip these 51 (55) sts to holder for yoke. Do not break yarns.

SLEEVES — With size 5 needles and B, cast on 40 (44) sts for cuff. Work k 1, p 1 ribbing for 7 rows, increasing 9 sts evenly spaced across last row of ribbing; 49 (53) sts. Break B. With size 8 needles and A, work st. st—k 1 row, p 1 row—for 12 rows. Inc. 1 st each side of next row. Repeat inc. each side every 8th row 10 times; 71 (75) sts. Work even until 15 (14½) ins. above ribbing, end on wrong side. Bind off 4 sts at beg. of next 2 rows; 63 (67) sts. **(For size 16-18 only**—Dec. 1 st each side of next row. Repeat dec. each side on 2nd row once; 63 sts. Work 1 row even). **For both sizes**—Slip these 63 sts to holder for yoke. Break yarn.

LEFT FRONT—With size 5 needles and B, cast on 54 (60) sts. Work k 1, p 1 ribbing for 7 rows, increasing 1 st at end of last row of ribbing; 55 (61) sts. Break B.
With size 8 needles and A, k to within 7 sts of end, join B, with B, p 1 * k 1, p 1; repeat from * to end for front border.

Next row — With B, k 1, * p 1, k 1; repeat from * twice for front border, drop B; with A, p to end.
Keeping 7 sts in ribbing for front border and remaining sts in st. st, work until same length as back to underarm, end on wrong side at underarm edge.

Armhole—Bind off 4 sts at beg. of next row, finish row; 51 (57) sts. Work 1 row even. **(For size 16-18 only**—Dec. 1 st at beg. of next row, finish row. Repeat dec. at beg. of 2nd row once; 55 sts. Work 1 row even.

For both sizes—Leave sts on needle. Fasten off A.

YOKE—Slip sts of left front, one sleeve, back, 2nd sleeve and right front to circular needle.

Row 1—dec. row—Beg. at right front edge, from right side, with B, work 7 border sts in ribbing, drop B; with A, k 41 (45), k 2 tog., k 1, place marker on right needle, k 1, skp, k 57, k 2 tog., k 1, place marker on needle, k 1, skp, k 81 (85), k 2 tog., k 1, place marker on needle, k 1, skp, k 57, k 2 tog., k 1, place marker on needle, k 1, skp, finish row; 307 (319) sts.

Row 2—With B, work 7 border sts, with A, p to within 7 sts of end, slipping markers, drop A; with B, work border to end.

Row 3 — * Work to within 3 sts of marker, k 2 tog., k 2, slipping marker, skp; repeat from * 3 times, finish row; 299 (311) sts.
Repeat row 2 and 3 once; repeat row 2 once more; 291 (303) sts. Remove markers in next row.

Pattern—Row 1—right side—With B, work 7 border sts; with A, k 3, * k 1 B, 5 A; repeat from * to within 7 sts of end, end last repeat k 3 A instead of k 5 A, drop A; with B, work border to end. Carry color not in use loosely across on wrong side.

Row 2—With B, work 7 border sts, p 2 A, * p 1 B, 1 A, 1 B, 3 A; repeat from * to within 7 sts of end, end last repeat p 2 A, drop A; with B, work border to end.
Note: When yarn is carried across more than 3 sts, catch on wrong side every 3rd st. Beg. with row 3 on chart, continue working 7 sts at each end for front borders with B, repeating buttonholes as before, work even until 10 rows of pat. are completed, end on wrong side.

First dec. row—With B, work 7 border sts; with C, k 1 (7), k 2 tog., * k 5, k 2 tog.; repeat from * 38 times, finish row; 251 (263) sts.
Following chart for pat., work even in pat. for 14 rows, end on right side.

2nd dec. row—Work 7 border sts, with A, p 12 (6), p 2 tog., * p 4, p 2 tog.; repeat from * 34 (38) times, finish row; 215 (223) sts.
Following chart, work even for 15 rows, 5 rows above 6th buttonhole. 7th buttonhole will be on neck ribbing.

3rd dec. row—Work 7 border sts; with A, p 1 (6), * p 2 tog., p 3; repeat from * 39 times, **(for size 16-18 only,** end last repeat p 6), work 7 border sts; 175 (183) sts. Continuing border, following chart for pat., work 7 rows even.

4th dec. row—Work 7 border sts; with A, p 1 (5), * p 2 tog., p 2; repeat from * 39 times, **(for size 16-18 only,** end last repeat p 4), work 7 border sts; 135 (143) sts. Following chart for pat., work 7 rows even, end on wrong side. Break A, C and D.

5th dec. row—With size 5 needles and B, work 7 border sts, k 1 (5), * k 2 tog., k 1; repeat from * 39 times, **(for size 16-18 only,** end last repeat k 4), work 7 border sts; 95 (103) sts.

NECK RIBBING — With size 5 needles, work 7 border sts, continue to work ribbing decreasing 8 sts evenly spaced across to other border, work 7 border sts; 87 (95) sts.
Continue ribbing, working 7th buttonhole on next 2 rows. Work 4 rows even. Bind off in ribbing.

FINISHING—Sew seams. Finish buttonholes in blanket st. Block, see page 55.



Style No. 9427

(Continued from Page 13)

FRONT—With size 9 needles, cast on 61 (69) sts.
Row 1—wrong side—P 1, * k 1, p 1; repeat from * to end.
Row 2—K 1, * p 1, k 1; repeat from * to end.
Repeat these 2 rows until 5 rows from beg., end with row 1.
With size 11 needles, k 1 row, p 1 row.
Pattern—Row 1—right side—K 30 (34) sts, work popcorn in next st as follows: work 3 sts in next st by knitting loosely in front, back and front of next st, sl these 3 sts to left needle and k them tog., k to end.
Row 2—P.
Row 3—K 27 (31) sts, work popcorn as before in next st, k 5, work popcorn in next st, k to end.
Row 4 and all even numbered rows—P. Beg. with row 5 on chart, see below, follow chart until 31 rows—about 7½ ins.—above ribbing, end on right side. Continue to work as follows:
Row 1—wrong side—P.
Row 2—K 15 (19), work popcorn, k 29, work popcorn, k to end.
Row 3—P.
Row 4—K 6 (10), work popcorn, k 2, work popcorn, k 2, work popcorn, k 5, work popcorn, k 23, work popcorn, k 5, work popcorn, k 2, work popcorn, k 2, work popcorn, k to end. Work these 4 rows for pat. until 38 rows—about 9 ins.—above ribbing, end on wrong side with row 3 (1).
Divide for Front Opening—Working as for pat. row 4 (2), work pat. on 29 (33) sts, k 2 tog., place remaining 30 (34) sts on holder for right side of front.
Continue pat. on 30 (34) sts of left side until 13 ins. above ribbing, end with p row. Mark for underarm.
Armhole—Bind off 4 (5) sts at beg. of next row, finish row. Work 1 row even.
Dec. row—K 1, skp, work pat. to end. Repeat dec. at armhole edge every 2nd row 2 (3) times; 23 (25) sts. Work pat. until 29 (31) rows—about 7 (7½) ins. —above marker, end on right side at front opening.

Neck and Shoulder—Bind off 5 sts at beg. of next row for neck, finish row. Dec. 1 st at neck edge every row 3 times. Work 1 row even. Bind off 5 (6) sts at armhole edge twice for shoulder. Bind off 5 sts to complete shoulder.
Right Side—From wrong side, sl 30 (34) sts to needle. Join yarn at opening and work as follows: **For size 12-14**—K 11, work popcorn, k 5, work popcorn, k 2, work popcorn, k 2, work popcorn, k to end. **(For size 16-18**—K 14, work popcorn, k to end).
For both sizes—Continue in pat. until 13 ins. above ribbing, end on right side. Mark for underarm.
Armhole—Bind off 4 (5) sts at beg. of next row, p to end.
Dec. row—Work pat. to within 3 sts of end, k 2 tog., k 1.
Repeat dec. row every 2nd row 2 (3) times; 23 (25) sts. Work pat. until 28 (30) rows—about 7 (7½) ins.—above marker, end on right side.
Next row—P to within 5 sts of end, bind off 5 sts. Break yarn.
Join yarn in first st on needle at neck edge. Dec. 1 st at neck edge every row 3 times. Work 2 rows even. Shape shoulder as for left side. Fasten off.

BACK—With size 9 needles, cast on 61 (69) sts. Work ribbing as for front. With size 11 needles, work st. st—k 1 row, p 1 row—until 13 ins. above ribbing, end on wrong side. Mark for underarm.
Armholes—Bind off 4 (5) sts at beg. of next 2 rows.
Dec. row—K 1, skp, k to within 3 sts of end, k 2 tog., k 1.
Repeat dec. each side every 2nd row 2 (3) times; 47 (51) sts. Work even until about 8 (8½) ins. above marker, end on wrong side.
Shoulders—Bind off 5 (6) sts at beg. of next 4 rows; 5 sts at beg. of next 2 rows. Bind off 17 sts for neck edge.

SLEEVES—With size 9 needles, cast on 31 (35) sts. Work ribbing as for front until 2 ins. from beg., end on wrong side. With size 11 needles, work st. st —k 1 row, p 1 row—for 8 rows, end on wrong side. Inc. 1 st each side on next row. Repeat inc. each side every 8th row 6 times; 45 (49) sts. Work even until 14½ ins. above ribbing, end on wrong side. Bind off 4 (5) sts at beg. of next 2 rows.
First dec. row—K 1, skp, k to within 3 sts of end, k 2 tog., k 1.
P 1 row. Repeat last 2 rows twice; 31 (33) sts.
4th dec. row—K 2 tog., k to within 2 sts of end, k 2 tog.
Repeat 4th dec. row every 2nd row 5 (6) times; every row 5 times. Work 1 row even.
Bind off 9 sts.

COLLAR—With size 11 needles, cast on 69 (71) sts loosely.
Row 1—wrong side—P 1, * k next st by inserting needle in back of loop, p 1 *; repeat between *'s to end.
Row 2—K 1, p 1; repeat between *'s of row 1 to within 1 st of end, k 1.
Repeat last 2 rows until 7 ins. from beg., Bind off.

FINISHING—Sew seams. Sew in sleeves matching underarm seams. Sew bound-off edges of collar to neck edge with ends of collar at front edges. From right side, beg. on left side of front opening at neck edge, with care to keep work flat, work 1 row sc down left front and up right front opening to neck edge. Block, see page 55.

CORD—Cut 5½ yds. of yarn, fold in half, twist into a cord; fold in half and allow to retwist. Knot loose ends. Lace cord in front opening under sc —about ½ in. apart as illustrated.

TASSELS—Wind yarn 25 times around a 3 in. cardboard, tie at one end, cut other end. Wind yarn around top to form tassel and fasten off. Trim ends. Make 2 and sew to ends of cord.



Style No. 9403

(Continued from Page 20)

Next row—P to within 6 sts of end, work ribbing on 6 sts for front border. With size 10 needles, work 6 sts in ribbing, k to end. Repeat these 2 rows until same length as back to underarm, repeating buttonhole every 3 ins., end on right side at underarm edge. Mark for underarm. Continue buttonholes as before.

Armhole—Bind off 5 (5-6) sts at beg. of next row. Work 2 rows even. Dec. 1 st at end of next row; repeat dec. every 2nd row 5 (6-7) times; 30 (31-31) sts. Work even until 5¼ (5½-5½) ins. above marker, end at front edge, about 2 ins. above 6th buttonhole.

Neck and Shoulder—Work 7 sts, place on holder for neck ribbing. k to end. Dec. 1 st at neck edge every row 4 times; every 2nd row 3 times, shaping shoulder as on left side of back when armhole is same length.

LEFT FRONT—With size 5 needles, cast on 37 (39-41) sts. Work ribbing as on back for 27 rows, end at underarm edge.

Inc. row—Work 8 (10-12) sts, * inc. 1 st in next st, work 5; repeat from * 3 times, end last repeat work 10 sts; 41 (43-45) sts.

Next row—Work 6 sts in ribbing, p to end.

With size 10 needles, k to within 6 sts of end, work ribbing on 6 sts for front border. Work to correspond to right front up to neck, shaping armhole as on right side of back, end at armhole edge; 30 (31-31) sts.

Neck and Shoulder—Work to within 7 sts of end, place last 7 sts on holder for neck ribbing. Turn, p 1 row. Dec. 1 st at end of next row. Complete to correspond to right front.

SLEEVES—With size 5 needles, cast on 36 (36-38) sts. Work ribbing for 3 ins. With size 10 needles, p 1 row; continue st. st, increasing 1 st each side every 8th row 7 (8-8) times; 50 (52-54) sts. Work even until 14 ins. above cuff. Bind off 4 sts at beg. of next 2 rows. Dec. 1 st each side every 2nd row 10 (11-12) times; every row 4 times. Bind off 14 sts.

Sew seams.

NECK RIBBING—With size 5 needles, beg. at right front edge, take up 7 sts from holder; join yarn, pick up and k 14 (14-15) sts on right front edge to shoulder; take up and k 21 sts of back of neck; pick up and k 14 (14-15) sts on left side of neck; take up and work 7 sts of band; 63 (63-65) sts. Work ribbing as on back for 3 rows, end at right front edge. Work 7th buttonhole in next 2 rows. Work 2 rows more. Bind off in ribbing. Do not break yarn. Work 56 (56-60) sc on left front edge. Fasten off.

LEFT FRONT BORDER—From right side, beg. at neck edge, work 1 sc in first sc, * skip 1 sc, 5 dc in next sc, skip 1 sc, 1 sc in next sc; repeat from * to lower edge. Fasten off. Beg. at lower edge of right front, work to correspond to left front.

FINISHING — Finish buttonholes in blanket st. Sew in sleeves with sleeve seam at center underarm. Steam lightly, see page 55.

BUTTONS—With size 2 hook, work 18 sc over ring, join with sl st in first sc. Fasten off, leaving 12-in. end. Thread end in tapestry needle, from wrong side, draw through back loop of each sc, gather up tightly. Fasten securely, leave end to sew on button. Make 7.

Style No. 9429

(Continued from Page 16)

Row 3—With A, working from same side as last row, draw up a loop in first ch 3 space, ch 1, work 1 sc and 1 dc in same space, 4 dc in next space, continue even in pat. to within 1 space of end, 1 dc in last space, draw up a loop in same space, drop A, draw B through last 2 loops to complete sc and change color.

Row 4—With B, ch 1, turn, skip 1 sc and 1 dc, work 1 sc in space before next dc, ch 3, continue in pat., end 1 sc after last full shell, sl st in top of next dc, fasten B as before; 20 (22-24) spaces.

Repeat rows 3 and 4, 1 (2-2) times; 18 (18-20) spaces. Work even until 20 (20-22) rows—about 7½ (7½-8¼) ins.—above underarm marker, end with B row. Break A and B.

Shoulders—Row 1—With A loop on hook, working from same side as last row, skip first 2 (2-3) spaces, work 1 sc and 1 dc in next space, 4 dc in next space, work pat. even to within 3 (3-4) spaces of end, 1 dc and 1 sc in next space. Fasten off; break A.

Row 2—With B loop on hook, turn, skip first sc and first dc, work 1 sc in space before next dc, ch 3, continue pat., end 1 sc after last full shell. Fasten off; break B.

Row 3—With A loop on hook, working from same side as last row, skip first space, work 1 sc and 1 dc in next space, 4 dc in next space, continue pat. to within 2 spaces of end, work 1 dc and 1 sc in next space, sl st in next sc. Fasten off. 6 center shells are for back neck.

LEFT FRONT—With size G hook and A, ch 41 (44-47), drop A; draw B through last ch st. Work pat. as for back on 13 (14-15) shells until same number of rows as back to armholes, end on right side with B row. Mark for underarm.

Armhole—Row 1—right side—With A, draw up a loop in first space, ch 1, work 2 sc in same space, 1 sc in next sc, 2 dc in next space; 4 dc in next space, continue even in pat. to end. Keeping front edge even, shape armhole edge as for right armhole of back; 10 (10-11) spaces. Work even until 15 rows above underarm marker, end at underarm edge with A row.

Neck—With B, work until 6 (6-7) spaces are made, leaving last 4 shells free for neck. Work even on 6 (6-7) shells until armhole is same length as back.

Shoulder—Keeping neck edge even, shape to correspond to back shoulder.

RIGHT FRONT—Work same as left front to armhole, end on right side with B row. Mark for underarm.

Armhole—Row 1—right side—With A, work even in pat. to within 2 spaces of end, 2 dc in next space, 1 dc in next sc, working off last 2 loops with B.

Keeping front edge even, shape armhole edge as for left armhole of back; 10 (10-11) spaces. Work even until 15 rows above underarm marker, end at front edge with A row. Break off A and B.

Neck—With B loop on hook, from right side, skip first 4 shells for neck, work 1 sc in space before next dc, ch

(Continued on Next Page)

3, finish row.

Complete to correspond to left front.

SLEEVES—With size G hook and A, ch 38 (38-44), drop A; draw B through last ch st.

Work pat. as for back on 12 (12-14) shells until 7 rows from beg., end on wrong side with B row.

First inc. row—With A, working from same side as last row, draw up a loop in first space, ch 3, work **5 dc** in same space, work even in pat., end work **6 dc** in last space, working off last 2 loops of last dc with B.

2nd inc. row—With B, ch 4, turn, skip 2 dc, work 1 sc in space before next dc, * ch 3, skip 4 dc, 1 sc in space before next dc; repeat from *, end ch 3, skip 1 dc, work sc in top of turning ch; 14 (14-16) spaces.

Work 6 rows even. Repeat last 8 rows twice; 18 (18-20) spaces. Work even until 33 rows—about 12 ins.—from beg., end on right side with B row.

Sleeve cap—Repeat rows 1, 2, 3 and 4 of armholes of back; 14 (14-16) spaces. Repeat rows 3 and 4, 5 (5-6) times; 4 spaces. Fasten off A and B.

FINISHING—Sew underarm and sleeve seams. Sew shoulder seams, leaving 6 shells free for back of neck. Sew in sleeves matching seams.

BORDER—With size F hook and A, beg. at lower edge of right front, from right side, work 79 sc to neck edge, working about 1 sc in end of each B row, 2 sc in end of each A row; continue sc around neck edge, holding in to desired size, work 79 sc to lower edge of left front.

Row 2—Ch 2, turn, 1 sc in each sc to corner, 2 sc in corner, 1 sc in each sc around neck, 2 sc in corner, continue down right front as follows: 1 sc in next sc, * ch 4, skip 4 sc for buttonhole, 1 sc in each of next 14 sc; repeat from * until 5 buttonholes in all, work 1 sc in each sc to lower edge.

Row 3—Ch 1, turn, work 1 sc in each sc and each st of ch over buttonholes; working 2 sc in each corner, continue sc around neck and to lower edge of left front, 2 sc in corner, work 1 sc in each st of ch on lower edge, end with 1 sc in same st as first sc for corner, join with sl st in first sc.

Row 4—Ch 1, do not turn, work 1 sc in each sc around, increasing 1 st in each corner, join.

Row 5—Same as row 4. Fasten off. Steam lightly, see page 55.

BUTTONS—With size F hook and B, ch 3, join with sl st in first st, forming ring. Work 6 sc in ring.

Round 2—Continue around working 2 sc in each sc.

Round 3—* 1 sc in next sc, 2 sc in next sc; repeat from * 5 times; 18 sc. Work 4 rounds even.

Dec. round—* Draw up a loop in each of next 2 sc, yo and through all loops; repeat from * 8 times; 9 sc.

Work 1 round even. Fasten off leaving 10-in. end.

Stuff button with yarn. Thread 10-in. end in needle and run gathering thread around last row, draw up and fasten securely. Leave end to sew on button.

Make 5 buttons and sew on left front opposite buttonholes.

Style No. 9410

(Continued from Page 10)

Row 2—P 7, * p 1, k 1; repeat from * 9 times, p 24 (26-28).

Repeat last 2 rows twice; repeat row 1 once more, end on right side.

Row 8—Bind off 27 sts in pat. and ribbing for neck edge, p to end; 24 (26-28) sts.

Work even until armhole measures 7½ (8-8½) ins. above underarm marker, end on wrong side at shoulder edge.

Shoulder Shaping—Next row—Bind off 8 (9-10) sts, finish row. Work 1 row even.

Repeat last 2 rows once. Bind off 8 sts. Mark position of 5 buttons on left front edge, having bottom button 1 in. above turning ridge, top button ½ in. below neck edge, remaining buttons evenly spaced between.

RIGHT FRONT—With size 5 needles, cast on 48 (53-58) sts. Work 8 rows for hem facing as on back, end with k row.

Next row—K inserting needle in back of each st for turning ridge; with separate end of yarn, cast 13 sts on to free size 5 needle, break yarn, with first needle, work across cast-on sts as follows: k 6, p 7; 61 (66-71) sts.

Row 1—right side—With size 8 needles, k 6 for facing, with yarn at back, sl next st as to p for turning st, k to end.

Row 2—P.

Repeat these 2 rows until opposite marker for first button, end on wrong side.

Buttonhole rows—K 2, bind off next 2 sts for buttonhole, k until 2 sts from buttonhole, sl turning st, k 2, bind off next 2 sts for buttonhole, k to end.

P 1 row, casting on 2 sts over each buttonhole. Continue to correspond to left front, repeating set of buttonholes opposite markers for buttons, until 5 (5½-6) ins. above underarm marker, end on wrong side; 51 (53-55) sts.

Neck Shaping—Row 1—K 6, sl turning st, * k 1, p 1; repeat from * 9 times, k 24 (26-28).

Row 2—P 24 (26-28), * k 1, p 1; repeat from * 9 times, p 7.

Continuing as for last 2 rows, repeat buttonholes on next 2 rows, work 3 rows even, end on right side.

Row 8—P 24 (26-28), bind off 27 sts in ribbing and pat. for neck edge.

Join yarn at neck edge and finish to correspond to left front.

SLEEVES — Cuff—With size 5 needles, cast on 49 (51-53) sts. Work 8 rows of hem facing and turning ridge as for back. K 1 row, p 1 row and continue in st. st until 8 rows above turning ridge, end with p row.

Ribbing—Row 1—right side—K 1, * p 1, k 1; repeat from * to end.

Row 2—P 1, * k 1, p 1; repeat from * to end.

Repeat last 2 rows until there are 13 rows ribbing in all, end on right side. This completes cuff.

Next row—right side of sleeve—With size 8 needles, k increasing 1 st each side.

Continue in st. st repeating inc. each side every 8th (8th-6th) row 5 (5-6) times; every 10th (8th-8th) row 7 (9-9) times; 75 (81-85) sts. Work even until 17 ins. above cuff ribbing, end with p row. Mark each side for end of sleeve. Repeat rows 1 and 2 of cuff ribbing until there are 12 (15-17) rows ribbing. Bind off in ribbing.

COLLAR—With size 5 needles, cast on 61 (61-63) sts. P 1 row, k 1 row and continue st. st until 8 rows from beg. for hem facing, end with k row; cast on 11 sts at end of last row.

Next row—P 6, k to end inserting needle in back of each st for turning ridge; with separate end of yarn, cast 11 sts

(Continued on Page 48)

Style No. 9410 (Continued from Page 47)

on to free size 5 needle, break yarn; with first needle, work across cast-on sts as follows: k 5, p 6: 83 (83-85) sts.

Row 1—right side—With size 8 needles, k 5 for facing, sl 1 as before for turning st, k to within 6 sts of end, sl 1 for turning st, k 5 for facing.

Row 2—P.

Repeat last 2 rows until there are 7 rows above turning ridge, end with row 1.

Ribbing—Row 1—wrong side—P 11, k 1, * p 1, k 1; repeat from * to within 11 sts of end, p 11.

Row 2—K 5, sl 1, k 5, p 1, * k 1, p 1; repeat from * to within 11 sts of end, k 5, sl 1, k 5.

Repeat last 2 rows 8 times; repeat row 1 once more. Bind off in pat. and ribbing.

FINISHING—Sew underarm and shoulder seams. Sew sleeve seams to markers for end of sleeve, leaving ribbing free. Sew in sleeves, sewing bound-off sts to armhole edge and side edges of ribbing left free to sts bound off for underarm. Turn front facings to wrong side at turning st and hem. Turn hem facing at lower edge of cardigan and cuffs to wrong side at turning ridge and hem. Turn collar hem and facings to wrong side and hem. Sew open ends of collar and facing tog. Sew on collar with center back of bound-off edge of collar at center back of neck and front edges at inner edge of neck as illustrated, holding in extra fulness of collar. Sew open ends of fronts and facing tog. neatly at neck and lower edge. Turn cuffs to right side as illustrated. Block, see page 55.

BUTTONS—Row 1 — right side — With size 2 steel hook, make loop on hook, work 18 sc over ring, join with slip st in first sc; fasten off leaving 12-in. end. Thread end into tapestry needle and from wrong side draw through back loop of each sc and gather up tightly. Fasten securely, leaving end to sew on button. Make 5 buttons and sew on left front opposite buttonholes.

Style No. 9414

(Continued from Page 30)

Shoulders—Bind off 6 (7-7) sts at beg. of next 6 (8-6) rows; 8 (0-9) sts at beg. of next 2 (0-2) rows. Bind off remaining 31 sts for back of neck.

RIGHT FRONT—With size 3 needles, cast on 71 (77-83) sts.

Ribbing—Row 1—wrong side—* P 1, k 1; repeat from * to within 13 sts of end; p 13 for border and facing.

Row 2—K 6, sl 1, k 6; * p 1, k 1; repeat from * to end.

Row 3—Same as row 1.

Row 4—buttonhole row—K 2, bind off 2 sts, k to sl st, sl 1, k 2, bind off 2 sts, work to end.

Row 5—Work ribbing to border; p to end, casting on 2 sts over each buttonhole. Repeat rows 2 and 3 once, decreasing 1 st at beg. of last row; 70 (76-82) sts.

Pattern—Row 1—right side—With size 5 needles, k 6, sl 1, k 6; * p 5, yo, k 1; repeat from * 8 (9-10) times, p 3.

Row 2—K 3, * p 2, k 5; repeat from * 8 (9-10) times, p 13.

Row 3—K 6, sl 1, k 6; * p 5, yo, k 2; repeat from * 8 (9-10) times, p 3.

Row 4—K 3, * p 3, k 5; repeat from * 8 (9-10) times, p 13.

Row 5—K 6, sl 1, k 6; * p 5, yo, k 3; repeat from * 8 (9-10) times, p 3.

Row 6—K 3, * p 4, k 5; repeat from * 8 (9-10) times, p 13.

Row 7—K 6, sl 1, k 6; * p 5, k 2, k 2 tog.; repeat from * 8 (9-10) times, p 3.

Row 8—Same as row 4.

Row 9—K 6, sl 1, k 6; * p 5, k 1, k 2 tog.; repeat from * 8 (9-10) times, p 3.

Row 10—Same as row 2.

Row 11—K 6, sl 1, k 6; * p 5, k 2 tog.; repeat from * 8 (9-10) times, p 3.

Row 12—K 3, * p 1, k 5; repeat from * 8 (9-10) times, p 13.

Repeat last 12 rows once, repeating buttonholes on 25th and 26th row above first set of buttonholes, end on wrong side.

Next row—K 6, sl 1, k 6; * p 5, yo, k 1; repeat from * once, p 5, k to end.

Next row—P 40 (46-52); k 5, * p 2, k 5; repeat from * once, p to end.

Continue in this way repeating buttonholes every 25th and 26th row, working 40 (46-52) sts in st. st, 13 sts at front edge for border and facing and continuing pat. at inside edge of border until same number of rows as on back to armhole, end at armhole edge. Shape armhole as on left side of back and work until there are 132 rows of pat. from beg., end at front edge. There will be 6 sets of buttonholes.

Neck Shaping—Work facing, border and pat. stripe; skp, k to end.

Continue as before, repeating neck dec. every 2nd row 17 times. Work even until armhole is same length as on back, end at armhole edge with pat. row 3.

Shoulder—Row 1—Bind off 8 (10-13) sts at beg. of next row, work to end. Work 1 row even.

Row 3—Bind off 6 sts at beg. of next row, work to end.

Work 1 row.

Row 5—K 2 tog. twice, sl first st on right needle over 2nd st, bind off 5 more sts, work to end, 21 sts.

Row 6—Work 13 border sts, p 5, k 1, k 2 tog.

Row 7—Bind off 7 sts, p to end.

Continue on 13 sts for 25 rows—2¼ ins. Place on strand of yarn.

LEFT FRONT—With size 3 needles, cast on 71 (77-83) sts.

Ribbing—Row 1—wrong side—P 13 sts for border and facing; * k 1, p 1; repeat from * to end.

Row 2—* K 1, p 1; repeat from * to within 13 sts of end; k 6, sl 1, k 6.

Repeat last 2 rows once. Repeat row 1 once more, decreasing 1 st at end of row; 70 (76-82) sts.

Pattern—Row 1—right side—With size 5 needles, p 3, * yo, k 1, p 5; repeat from * 8 (9-10) times; k 6, sl 1, k 6.

Row 2—P 13; k 5, * p 2, k 5; repeat from * 7 (8-9) times, p 2, k 3.

Row 3—P 3, * yo, k 2, p 5; repeat from * 8 (9-10) times; k 6, sl 1, k 6.

Row 4—P 13; k 5, * p 3, k 5; repeat from * 7 (8-9) times, p 2, k 3.

Row 5—P 3, * yo, k 3, p 5; repeat from * 8 (9-10) times; k 6, sl 1, k 6.

Row 6—P 13; k 5, * p 4, k 5; repeat from * 7 (8-9) times, p 4, k 3.

Row 7—P 3, * k 2, k 2 tog., p 5; repeat from * 8 (9-10) times; k 6, sl 1, k 6.

Row 8—Same as row 4.

Row 9—P 3, * k 1, k 2 tog., p 5; repeat from * 8 (9-10) times; k 6, sl 1, k 6.

Row 10—Same as row 2.

Row 11—P 3, * k 2 tog., p 5; repeat from * 8 (9-10) times; k 6, sl 1, k 6.

Row 12—P 13; k 5, * p 1, k 5; repeat from * 7 (8-9) times, p 1, k 3.

Repeat last 12 rows once, end on wrong side.

Next row—K 40 (46-52); p 5, * yo, k 1, p 5; repeat from * once; k 6, sl 1, k 6.

(Continued on Next Page)

Style No. 9414 (Continued from Page 48)

Continue to correspond to right front, shaping armhole as on right armhole of back until there are 132 rows of pat. from beg., end at underarm edge.

Neck Shaping—K 25 (27-29), k 2 tog., work to end. Complete to correspond to right front.

SLEEVES—With size 3 needles, cast on 48 (50-54) sts. Work ribbing as on back for 15 rows, increasing 1 (5-7) sts on last row; 49 (55-61) sts. With size 5 needles, work pat. as on back for 24 rows.

Inc. row—K 3 (6-9), * inc. 1 st in next st, k 2; repeat from * 14 times, end last repeat k 3; 64 (70-76) sts. Work st. st —p 1 row, k 1 row for 7 rows. Inc. 1 st each side on next row; repeat incs. every 8th row 8 times; 82 (88-94) sts. Work 13 rows even. Bind off 6 (7-9) sts at beg. of next 2 rows. Dec. 1 st each side on next row; repeat decs. every 2nd row 17 (18-19) times. Work 1 row even. Bind off 2 sts at beg. of next 6 rows. Bind off.

FINISHING—Sew seams matching pat. Sew in sleeves with sleeve seam at center underarm. Weave ends of neck border tog. Sew inner edge of border to back neck edge. Turn back facing on sl st and hem to wrong side. Finish buttonholes in blanket st. Block, see page 55.

Style No. 9426

(Continued from Page 20)

Repeat row 2 until 28 rows—about 12 ins.—from beg., end on wrong side. Mark for underarm.

Armholes—Leave off 4 sts each side as follows: Ch 1, turn, work 1 sl st in each of first 5 dc, ch 3, 1 dc in next and each dc to within 4 dc of end; 68 dc.

Work 2 rows even.

First dec. row—Ch 3, turn, * yo, draw up a loop in next dc, yo and through 2 loops on hook, yo, draw up a loop in next dc, yo and through 2 loops, yo and through remaining 3 loops on hook —a dec. *, 1 dc in each dc to within 3 dc of end, repeat between *'s once, 1 dc in top of turning ch; 66 dc.

Repeat dec. each side every 3rd row twice more; 62 dc. Work even until 15 rows—about 6½ ins.—above underarm marker, end on right side.

Shoulders—Row 1—Ch 1, turn, work 1 sl st in each of first 7 dc, ch 3, 1 dc in each of next 49 dc, sl st in next st.

Row 2—Ch 1, turn, skip sl st, work 1 sl st in each of next 7 dc, ch 3, 1 dc in each of next 37 dc, sl st in next st.

Row 3—Ch 1, turn, skip sl st, work 1 sl st in each of next 7 dc, ch 3, 1 dc in each of next 25 dc, sl st in next st. Fasten off.

SLEEVES—Ch 42, work 1 dc in 4th ch from hook, 1 dc in each remaining st of ch; 40 dc. Work 3 rows even as for back.

Row 5—inc. row—right side—Ch 3, turn, 1 dc in first dc, 1 dc in each remaining dc, 2 dc in top of turning ch; 42 dc.

Repeat inc. each side every 3rd row 5 times; 52 sts. Work even until 10½ ins. from beg., end on wrong side.

Sleeve Cap—Next row—Ch 1, turn, work 1 sl st in each of first 5 dc, ch 3, dec. 1 st in next 2 sts, 1 dc in each of next 38 dc, dec. 1 st in next 2 sts, 1 dc in next dc, leaving remaining 4 sts free. Dec. 1 st each side of each of next 8 rows; 2 sts each side of each of next 3 rows. Fasten off.

FINISHING—Sew shoulder seams only.

Row 1—From right side, work 66 sc evenly spaced across lower edge of back, beg. at underarm edge, continue across lower edge of right front as follows: work 1 dc in last ch 2 space at lower edge of right front, see "A" on chart; * skip next dc, work 1 sc in each of next 5 dc, skip 1 dc, 1 sc in ch 2 space, skip 1 dc, 1 sc in each of next 5 dc, skip 1 dc, † yo, draw up a loop in next ch 2 space, yo and through 2 loops, yo, draw up a loop in next ch 2 space, yo and through 2 loops, yo and through 3 loops †, *; repeat between *'s once, skip 1 dc, 1 sc in each of next 5 dc, skip 1 dc, 1 sc in ch 2 space, skip 1 dc, 1 sc in each of next 5 dc, skip 1 dc, 3 dc in ch 2 space for corner; work 65 sc evenly spaced on right front edge, 3 sc for corner in ch 2 space at beg. of neck edge, see "B" on chart, skip next dc, 1 sc in each of 5 dc, skip 1 dc, repeat between †'s once, skip 1 dc, 1 sc in each of 5 dc, skip 1 dc, 1 sc in ch 2 space, skip 1 dc, 1 sc in each of 5 dc, skip 1 dc, 1 dc in next ch 2 space, work sc on back of neck, holding to desired size; continue down left neck edge and around left front to correspond, working same number of sts as on right side, end with 1 dc in ch 2 space at lower edge of left front, join with sl st in first st.

Row 2—Ch 1, do not turn, work 1 sc in each st to corner, 3 sc in corner st, continue up right front edge as follows: * ch 2, skip 2 sts for buttonhole, 1 sc in each of next 11 sts; repeat from * 4 times, ch 2, skip 2 sts for 6th buttonhole, 3 sc in corner, continue around working 1 sc in each st, 3 sc in each corner, join.

Row 3—Ch 1, do not turn, 1 sc in each sc and each ch st over buttonholes, 3 sc in each corner, join.

Row 4—Ch 1, do not turn, 1 sc in each sc, 3 sc in each corner, join. Fasten off.

SLEEVE BORDER—Sew sleeve seam. Beg. at seam, from right side, work 1 sc in each st on lower edge, join.

Row 2—Ch 1, do not turn, work 1 sc in each sc, join.

Repeat row 2 twice. Fasten off.

Sew underarm seams. Sew in sleeves. Block, see page 55.

BUTTONS—Make loop on hook, work 18 sc in ring, join with sl st in first st. Fasten off, leaving 12-in. end. Thread end in tapestry needle and from wrong side draw through back loop of each sc and gather up tightly. Fasten off, leaving end to sew on button. Make 6 buttons and sew on left front opposite buttonholes.



RIGHT FRONT

Style No. 9416

(Continued from Page 7)

BACK—With size 3 needles, cast on 126 (140-154) sts. Work k 1, p 1 ribbing for 9 rows. With size 4 needles, work st. st—k 1 row, p 1 row—until about 11 (10½-10) ins. above ribbing, end with p row. Mark for underarm .
Note—Difference in length to underarm is compensated for in depth of armholes.

Armholes—Bind off 6 (8-9) sts at beg. of next 2 rows.

Dec. row—K 1, skp, k to within 3 sts of end, k 2 tog., k 1.
P 1 row. Repeat last 2 rows 1 (3-6) times; repeat dec. row once more; 108 (114-120) sts. Place these sts on holder for yoke.

LEFT FRONT—With size 3 needles, cast on 79 (87-93) sts.

Row 1—wrong side—P 13 for front border and facing; * k 1, p 1; repeat from * to end.

Row 2—* K 1, p 1; repeat from * to within 13 sts of end; k 6, with yarn at back, sl 1 st as to p for turning st, k 6 for front border and facing.
Repeat these 2 rows until 9 rows from beg., end on wrong side.

Next row—right side—With size 4 needles, k to within 7 sts of end, sl 1 st as before, k 6.
P 1 row. Repeat last 2 rows until same length as right side of back to underarm, end on wrong side. Mark for underarm.

Armhole—Bind off 6 (8-9) sts at beg. of row, finish row. Work 1 row even.

Dec. row—K 1, skp, finish row.
Repeat last 2 rows 2 (4-7) times, end with dec. row; 70 (74-76) sts. Do not break yarn. Place sts on holder for yoke.

RIGHT FRONT—With size 3 needles, cast on 79 (87-93) sts.

Row 1—wrong side—* P 1, k 1; repeat from * to within 13 sts of end, p 13 for front border and facing.

Row 2—K 6, sl 1 st as before for turning st, k 6 for front border and facing; * p 1, k 1; repeat from * to end.
Repeat last 2 rows twice; repeat row 1 once more, end at front edge.

Buttonhole rows—* K 2, bind off next 2 sts for buttonhole *, k 1, sl 1 as before, repeat between *'s once, k 1, finish row in ribbing. Cast on 2 sts over each buttonhole on next row, end on wrong side.

Next row—With size 4 needles, k 6, sl 1 as before, k 6; k to end.

Next row—P.
Work even, repeating buttonholes every 27th and 28th row, until same length as left side of back to underarm, end on right side. Mark for underarm.

Armhole—Bind off 6 (8-9) sts at beg. of row, finish row.

Dec. row—K 6, sl 1, k 6; k to within 3 sts of end, k 2 tog., k 1.
P 1 row. Finish shaping armhole as for left side of back, end with dec. row; 70 (74-76) sts. Place sts on holder for yoke. Break yarn.

SLEEVES—With size 3 needles, cast on 58 (62-66) sts. Work k 1, p 1 ribbing for 2 ins., increasing 14 (16-20) sts evenly spaced across last row of ribbing; 72 (78-86) sts. With size 4 needles, work st. st—k 1 row, p 1 row—for 10 rows. Inc. 1 st each side of next row. Repeat inc. each side every 10th row 11 (11-10) times; 96 (102-108) sts. Work even for 9 (5-9) rows—about 13 (12½-12) ins. above ribbing, end on wrong side. Bind off 6 (8-9) sts at beg. of next 2 rows. Dec. 1 st each side as for back 3 (5-8) times, end with dec. row; 78 (76-74) sts. Break yarn. Place sts on holder for yoke.

Joining row—With size 4 circular needle, from right side, take up from holders 70 (74-76) sts of right front; 78 (76-74) sts of right sleeve; 108 (114-120) sts of back; 78 (76-74) sts of left sleeve; 70 (74-76) sts of left front; 404 (414-420) sts

Next row—wrong side—With attached yarn, p 13, k to within 13 sts of end, p 13.

Next row—K 6, sl 1, k 6; k to within 13 sts of end, decreasing 0 (10-16) sts evenly spaced, k 6, sl 1, k 6; 404 (404-404) sts.

Next row—P 13, k to within 13 sts of end, p 13.

YOKE PATTERN—† **Row 1**—right side—K 6, sl 1, k 6; * k 2 tog., yo; repeat from * to within 13 sts of end, k 6, sl 1, k 6.

Row 2—P.

Row 3—K 6, sl 1, k 6; * yo, k 2 tog., repeat from * to within 13 sts of end, k 6, sl 1, k 6.

Row 4—P.
Repeat last 4 rows once.

Row 9—Same as row 1.

Row 10—P 13, k to within 13 sts of end, p 13 †.

First dec. row—K 6, sl 1, k 6; k 8, * k 2 tog., k 6; repeat from * 45 times, end last repeat k 8 instead of k 6; k 6, sl 1, k 6; 358 sts—46 sts decreased.

Next row—Same as row 10.
Repeat between †'s once.

2nd dec. row—K 6, sl 1, k 6; k 7, * k 2 tog., k 5; repeat from * 45 times, end last repeat k 8 instead of k 5; 312 sts.

Next row—Same as row 10.
Repeat between †'s once.

3rd dec. row—K 6, sl 1, k 6; k 1, k 2 tog., * k 4, k 2 tog.; repeat from * 46 times, k 1; k 6, sl 1, k 6; 264 sts—48 sts decreased.

Next row—Same as row 10.
Repeat between †'s once.

4th dec. row—K 6, sl 1, k 6; k 1, k 2 tog., * k 3, k 2 tog.; repeat from * 46 times, k 6, sl 1, k 6; 216 sts.

Next row—Same as row 10.
Repeat between †'s once.

5th dec. row—K 6, sl 1, k 6; k 2 tog., * k 2, k 2 tog.; repeat from * 46 times, k 6, sl 1, k 6; 168 sts.
Repeat between †'s once.

Next row—Same as row 10.

6th dec. row—K 6, sl 1, k 6; k 2, * k 2 tog., k 1 *; repeat between *'s 8 times; k 2 tog. 42 times; k 1; repeat between *'s 9 times, end last repeat k 2 instead of k 1; k 6, sl 1, k 6; 108 sts—60 sts decreased.

Next row—P 13; k to within 15 sts of end, k 2 tog.; p 13; 107 sts.

NECK RIBBING—With size 4 needles, * k 2, bind off next 2 sts for 8th buttonhole *, k 1, sl 1, repeat between *'s once, k 1; p 1, † k 1, p 1; repeat from † to within 13 sts of end, k 6, sl 1, k 6.

Next row—P 13, k 1, * p 1, k 1; repeat from * to within 13 sts of end, p to end casting on 2 sts over each buttonhole. Work 4 more rows even. Bind off in pat.

FINISHING—Sew side edges left free at armhole tog. Sew underarm and sleeve seams. Turn back front facings along turning st and sew to wrong side. Finish buttonholes in blanket st, working through double thickness. Block, see page 55.

Style No. 9425

(Continued from Page 30)

2nd dec. row—K 1, skp, k 6 (10); repeat from * of row 2, 4 times; k to within 3 sts of end, k 2 tog., k 1.
P 1 row.

3rd dec. row—K 1, skp, k 4 (8); repeat from * of row 4, 4 times, k to within 3 sts of end, k 2 tog., k 1.
P 1 row.

4th dec. row—K 1, skp, k 2 (6); repeat from * of row 6, 4 times, k to within 3 sts of end, k 2 tog., k 1. P 1 row.

5th dec. row—K 1, skp, k 6 (10); repeat from * of row 8, 4 times; k to within 3 sts of end, k 2 tog., k 1.
P 1 row.

6th dec. row—K 1, skp, k 4 (8); repeat from * of row 10, 4 times; k to within 3 sts of end, k 2 tog., k 1.
P 1 row.

(For size 16-18 only—K 1, skp, k 6; repeat from * of row 12, 4 times; k to within 3 sts of end, k 2 tog., k 1.)
With care to keep pat., work even on 70 (76) sts until 52 (56) rows—about 7½ (8) ins. above underarm marker, end with pat. row 1.

Shoulders—Bind off 8 (9) sts at beg. of next 2 rows; 7 (8) sts at beg. of next 4 rows. Bind off 26 sts.

RIGHT FRONT—Cast on 48 (53) sts. P 1 row.

Next row—K 7, * k 2 tog., k 2, yo, k 2, skp, k 1, yo, k 8; repeat from * once, end k 15 (20). Begin pat.

Pattern—Row 1 and all uneven numbered rows—P.

Row 2—K 6, * k 2 tog., k 2, yo, k 1, yo, k 2, skp, k 8; repeat from * once, end k 16 (21).

Row 4—K 5, * k 2 tog., k 2, yo, k 3, yo, k 2, skp, k 6; repeat from * once, end k 15 (20).

Row 6—K 4, * k 2 tog., k 2, yo, k 5, yo, k 2, skp, k 4; repeat from * once, end k 14 (19).

Row 8—K 9, * k 2 tog., k 2, yo, k 1, yo, k 2, skp, k 8; repeat from * once, end k 13 (18).

Row 10—K 8, * k 2 tog., k 2, yo, k 3, yo, k 2, skp, k 6; repeat from * once, end k 12 (17).

Row 12—K 7, * k 2 tog., k 2, yo, k 5, yo, k 2, skp, k 4; repeat from * once, end k 11 (16). Repeat last 12 rows for pat.
Work even until 84 (80) rows from beg., end on right side with pat. row 10 (6). Mark for underarm.

Armhole—Bind off 4 (5) sts, p to end.

First dec. row—Work as for row 12 (8) to within 3 sts of end, k 2 tog., k 1.
Continue pat. repeating dec. at armhole edge every 2nd row 5 (6) times; 38 (41) sts. Work even until 45 (49) rows above underarm marker, end on wrong side with pat. row 7.

Neck and Shoulder—Bind off 9 sts at beg. of row, sl k st from right needle to left needle; repeat from * of row 8 twice, k to end.
P 1 row, decreasing 1 st at end of row. With care to keep pat., dec. 1 st at neck edge on each of next 3 rows. Work 1 row even. Dec. 1 st at beg. of next row. Work 1 row even. Dec. 1 st at beg. of next row, finish row. Dec. 1 st at beg. of next row. Bind off 7 sts at beg. of next row, finish row. Work 1 row even. Bind off remaining sts.

LEFT FRONT—Cast on 48 (53) sts. P 1 row.

Next row—K 15 (20), * k 2 tog., k 2, yo, k 2, skp, k 1, yo, k 8; repeat from * once, end k 7. Begin pat.

Pattern—Row 1 and all uneven numbered rows—P.

Row 2—K 16 (21), * k 2 tog., k 2, yo, k 1, yo, k 2, skp, k 8; repeat from * once, end k 6.

Row 4—K 15 (20), * k 2 tog., k 2, yo, k 3, yo, k 2, skp, k 6; repeat from * once, end k 5.
Complete to correspond to right front, reversing shaping.

SLEEVES—Cast on 53 (59) sts. P 1 row.

Next row—K 1 (4), * k 2 tog., k 2, yo, k 2, skp, k 1, yo, k 8; repeat from * twice, end last repeat k 9 (12) instead of k 8. Begin pat.

Pattern—Row 1 and all uneven numbered rows—P.

Row 2—K 0 (3), * k 2 tog., k 2, yo, k 1, yo, k 2, skp, k 8; repeat from * twice, end last repeat k 10 (13).

Row 4—For size 12-14—K 2 tog., k 1, yo, k 3, yo, k 2, skp, k 6, continue pat., end last repeat k 9.

(Row 4—For size 16-18—K 2, * k 2 tog., k 2, yo, k 3, yo, k 2, skp, k 6, continue pat., end k 12).

P 1 row. Inc. 1 st each side on next row. Repeat inc. each side every 10th row 6 times, working inc. sts in st. st, having 3 pats. at center of sleeve; 67 (73) sts. Work 15 rows even, end on wrong side. Bind off 4 (5) sts at beg. of next 2 rows. Dec. as for raglan on back, 6 (7) decs.; 47 (49) sts. Dec. 1 st each side every 2nd row 8 more times. Dec. 1 st each side **every row** 2 (3) times. Work 1 row even. Bind off 2 sts at beg. of next 4 rows. Bind off 19 sts.

FINISHING—Sew seams, being careful to match pat. Sew in sleeves with sleeve seam at center underarm.

CROCHET BORDER—Row 1—Beg. at lower edge of right front, work 1 row sc on right front, around neck and down left front to lower edge keeping work flat. Fasten off.
Mark position of 6 buttonholes on right front, with top buttonhole at neck edge, bottom buttonhole at lower edge and remaining 4 buttonholes evenly spaced. Beg. on lower edge at right underarm seam, work sc to corner, 3 sc in corner, ch 2, skip 2 sc on front edge, work 1 sc in next sc and in each sc to next marker for buttonhole; continue up right front, repeating buttonholes at markers and working around entire garment with 3 sc in each corner. Join with sl st, ch 1, work 1 more row sc around entire garment, increasing at corners and working 1 sc in each ch of buttonhole. Join; fasten off.
Block, see page 55.

BUTTONS—With loop on hook, work 20 sc over ring, join with sl st in first sc; fasten off leaving end. Thread end in tapestry needle and from wrong side, draw through back loop of each sc, gather up tightly. Sew securely; fasten off. Make 6 buttons.

WEAVING STOCKINETTE STITCH—Thread a tapestry needle and bring pieces to be joined close together. Draw up yarn in first st on upper piece, inserting needle from wrong side; insert needle from right side in first st on lower piece and bring up through next st from wrong side—draw up yarn; * insert needle from right side in same st as before on upper piece and bring up through next st from wrong side—draw up yarn; insert needle from right side in same st as before on lower piece and bring up through next st—draw up yarn; repeat from * until all sts are joined, and fasten yarn well before breaking off.



Style No. 9411

(Continued from Page 6)

MEASUREMENTS FOR BLOCKING:
At bustline, buttoned 43 inches
Width of back at underarm 20½ inches
Width of sleeve at underarm 15½ inches

Wind 8 bobbins with B.

BACK—With size 8 needles and A, cast on 71 sts.

Ribbing—Row 1—wrong side—P 1, * k 1, p 1; repeat from * to end.

Row 2—K 1, * p 1, k 1; repeat from * to end.

Repeat these 2 rows until 7 rows from beg., increasing 1 st at end of last row of ribbing; 72 sts.

Note: When changing color always pass color to be used under last color used on wrong side to prevent a hole.

Pattern—Row 1—right side—With size 10½ needles and A, k 8, * join B, k 2 B, 16 A; repeat from *, end last repeat k 8 A.

Row 2—P 8 A, * p 2 B, 16 A; repeat from *, end last repeat p 8 A.

Row 3—K 7 A, * 4 B, 14 A; repeat from *, end last repeat k 7 A.

Row 4—P 7 A, * 4 B, 14 A; repeat from *, end last repeat p 7 A.

Row 5—K 6 A, * 2 B, 2 A, join another bobbin of B, k 2 B, 12 A; repeat from *, end last repeat k 6 A.

Beg. with row 6 of chart No. 1, page 53, work pat. following chart to armhole.

Mark for underarm.

Armholes—Continuing pat. as on chart, bind off 3 sts at beg. of next 2 rows.

Dec. row—K 1, skp, work to within 3 sts of end, k 2 tog., k 1; 64 sts.

Following chart, repeat dec. each side every 2nd row 20 times, end on right side; 24 sts. Work 1 row even. With A only, bind off firmly as to k.

LEFT FRONT—Wind 4 bobbins with B. With size 8 needles and A, cast on 49 sts.

Row 1—wrong side—P 13 for front border and facing, work k 1, p 1 ribbing to end.

Row 2—K 1, p 1 to within 13 sts of end; k 6, sl 1 st as to p for turning st, k 6 for front border and facing.

Repeat last 2 rows until 7 rows from beg., increasing 1 st at end of last row of ribbing; 50 sts.

Pattern—Row 1—right side—With size 10½ needles, k 8 A, join B, k 2 B, 16 A, join another bobbin of B, k 2 B, 8 A; with A, p 1, k 6, sl 1 as before, k 6.

Row 2—P 13 A, k 1 A, p 8 A, 2 B, 16 A, 2 B, 8 A.

Row 3—K 7 A, 4 B, 14 A, 4 B, 7 A, p 1 A, k 6, sl 1 as before, k 6.

Row 4—P 13 A, k 1 A, p 7 A, 4 B, 14 A, 4 B, 7 A.

Row 5—K 6 A, 2 B, 2 A, join another bobbin of B, k 2 B, 12 A, 2 B, 2 A, join another bobbin of B, k 2 B, 6 A; p 1 A, k 6, sl 1, k 6.

Beg. with row 6 of chart No. 2, page 53, working front border and facing and p st with A, continue to work pat. following chart to armhole, end on wrong side. Mark for underarm.

Armhole—Continuing to follow chart, bind off 3 sts at beg. of next row, finish row. Work 1 row even.

Dec. row—K 1, skp, following chart, finish row.
Work 1 row even.

Next row—Dec. for raglan as before, follow pat. on chart to within 16 sts of end, k 2 tog. for neck dec., with A, p 1, finish row.

Continue pat. as on chart, repeating raglan dec. every 2nd row and neck dec. every 4th row until 17 sts remain on needle. Break B. With A, work 1 row even.

Next row—K 1, p 3 tog., finish row; 15 sts.
Work 1 row even.

Next row—P 2 tog., finish row; 14 sts.

Continue to work on 14 sts for about 3 ins., end on right side. Sl sts to holder.

RIGHT FRONT—Wind 4 bobbins with B. With size 8 needles and A, cast on 49 sts.

Row 1—wrong side—Work p 1, k 1 ribbing to within 13 sts of end, p 13 for front border and facing.

Row 2—K 6, sl 1 as before, k 6 for front border and facing, work p 1, k 1 ribbing to end.

Row 3—Same as row 1.

Row 4—buttonhole row—* K 2, bind off 1 st, sl st from right needle to left needle, k 2 tog. thus binding off 2nd st for buttonhole, k 1 *, sl 1, repeat between *'s once, finish row.

Next row—Work ribbing to within 13 sts of end, p to end casting on 2 sts over each buttonhole.
Work 2 rows even, increasing 1 st at end of last row of ribbing; 50 sts.

Pattern—Row 1—right side—With size 10½ needles and A, k 6, sl 1 st as before, k 6, p 1, k 8 A, join B, k 2 B, 16 A, join another bobbin of B, k 2 B, 8 A.

Row 2—P 8 A, 2 B, 16 A, 2 B, 8 A, with A, k 1, work border and facing to end.

Row 3—With A, work border and facing, p 1, k 7 A, 4 B, 14 A, 4 B, 7 A.

Row 4—P 7 A, 4 B, 14 A, 4 B, 7 A; with A, k 1, work border and facing to end.

Row 5—With A, work border and facing, p 1, k 6 A, 2 B, 2 A, join another bobbin of B, k 2 B, 12 A, 2 B, 2 A, join another bobbin of B, k 2 B, 6 A.

Beg. with row 6 of chart No. 3, page 53, continue pat. following chart to armhole, repeating buttonholes as indicated, end on right side. Mark for underarm.

Armhole—Continuing to follow chart, bind off 3 sts at beg. of row, finish row.

Dec. row—Work to within 3 sts of end, k 2 tog., k 1.
Work 1 row even.

Next row—Work facing and border, p 1, skp, work pat. to within 3 sts of end, dec. for raglan as before.

Continue pat. as on chart, work to correspond to left front until 17 sts remain on needle. Work 1 row even. Break B.

Next row—Work facing and border, p 1, sl 1, k 2 tog., pass sl st over k 2 tog.; 15 sts. Work 1 row even.

Next row—K 6, sl 1, k 6, p 2 tog.; 14 sts.

Continue to work on 14 sts for about 3 ins., end on right side. Sl sts to holder.

SLEEVES—Wind 6 bobbins with B.
With size 8 needles and A, cast on 29 sts. Work ribbing as for back for 4 ins., end on right side. Work 1 more row of ribbing, increasing 9 sts evenly spaced across row; 38 sts.

Pattern—Row 1—right side—With size 10½ needles, k 2 B, 16 A, join another bobbin of B, k 2 B, 16 A, join another bobbin of B, k 2 B.

Row 2—P 2 B, 16 A, 2 B, 16 A, 2 B.

Row 3—K 3 B, 14 A, 4 B, 14 A, 3 B.

Row 4—P 3 B, 14 A, 4 B, 14 A, 3 B.

Row 5—K 2 A, 2 B, 12 A, 2 B, 2 A, join another bobbin of B, k 2 B, 12 A, 2 B, 2 A.

Beg. with pat. row 6 of chart No. 4, page 53, continue pat. following chart until there are 14 rows of pat. above ribbing, end on wrong side. Inc. 1 st each side of next row.

With care to keep pat., repeat inc. each side every 10th row 4 times; every 2nd row 3 times; 54 sts. Work 1 row even.

Bind off 3 sts at beg. of next 2 rows.

Continue to follow pat. on chart, shape raglan as for back until 6 sts remain. P 1 row. Bind off.

FINISHING—Sew seams with care to match pat. Turn back front facings along turning st and sew to wrong side. Weave edges of neckband tog. at center back. Sew neckband neatly to back of neck. Sew in sleeves with sleeve seam at center underarm, matching pat.

Finish buttonholes in blanket st, working through double thickness. Block, see page 55.

Charts for Style No. 9411 *(Shown on Page 6)*

CHART NO. 4



SLEEVE

CHART NO. 1



BACK

CHART NO. 3



RIGHT FRONT

CHART NO. 2



LEFT FRONT

Chart for Style No. 9431 *(Shown on Page 18)*



E-Z REFERENCE GAUGE AND INTERCHANGEABLE YARN CHART

HOW TO USE THIS CHART: — This is a new type of interchangeable yarn and stitch gauge chart.* It will help you to quickly and easily select interchangeable yarns by stitch gauge as follows: —

Step 1. Choose garment you wish to make.

Step 2. Refer to the stitch gauge given in the instructions for the garment selected.

Step 3. Then refer to the same stitch gauge in this chart.

Step 4. Garment can be made of any yarn listed for that same stitch gauge on this chart. Check quantities required as yardages may vary in different types of yarns. The numbers in parentheses ( ) indicate approximate yardage per unit.

In some instances the row gauge may differ though stitch gauge is the same. Where row gauge differs, this is overcome by knitting more or less rows to obtain required length designated in the instructions. For Raglans, however, you must get row gauge.

*** Gauges listed are based on stockinette stitch before blocking.**

GROUP	STITCHES ROWS	NEEDLE SIZE	BEAR BRAND YARNS	FLEISHER YARNS	BOTANY YARNS	LAINES DU PINGOUIN
G	7 sts = 2" 9 rows = 2"	10½	Supra Mohair (80) or Bucilla Mohara (100) or Bucilla Mist-Aire (100)			
H	7 sts = 2" 19 rows = 4"	10½	Four Seasons (71) Supra Mohair (80) or Bucilla Mohara (100) or Bucilla Mist-Aire (100) worked with: "Wool & Shetland Wool" (Shetland & Wool), Spice, Heather Fleece or Scottie (170)	Four Seasons (71)	Jiffy'(71)	
K	4 sts = 1" 5 rows = 1"	10	Supra Mohair (80) or Bucilla Mohara (100) or Bucilla Mist-Aire (100)			Pingouin Tweed (120)
N	9 sts = 2" 6 rows = 1"	10	"Jiffy" Nylon 'n Wool (150) Mannikin (125) Bambino (75)	"Jiffy" Nylon 'n Wool (150) Mannikin (125) Bambino (75)	Mannikin (125) Bambino (75)	
		9	Winsom (180)† "Wool & Shetland Wool" (Shetland & Wool) (170) Spice, Heather Fleece E-M G'twn Knitting (120)	Winsom (180)† "Wool & Shetland Wool" (Shetland & Wool) (170) Spice, Heather Fleece E-M G'twn Knitting (120)	Winsom (180)† Scottie (170) Spice, Heather Fleece G'twn Knitting (120)	Promenade (110)
		8	Supra Mohair (80) or Bucilla Mohara (100) or Bucilla Mist-Aire (100)			
		7				Sport Crylor (108)
P	9 sts = 2" 13 rows = 2"	8	Win-Knit (140)† Knitting Worsted (270) Heather Ktg. Worsted (200) 4-Ply Orlon Sayelle (140)	Win-Knit (140)† Knitting Worsted (270) Heather Ktg. Worsted (200) 4-Ply Orlon Sayelle (140)	Win-Knit (140)† Knitting Worsted (270) Heather Ktg. Worsted (200) 4-Ply Orlon Sayelle (140)	Fantasque (85)
S	5 sts = 1" 7 rows = 1"	8	E-M Ultra-Knit (81) Winsom (180)† "Wool & Shetland Wool" (Shetland & Wool) (170) Spice, Heather Fleece E-M G'twn Knitting (120) Bucilla Angora (39)	E-M Ultra-Knit (81) Winsom (180)† "Wool & Shetland Wool" (Shetland & Wool) (170) Spice, Heather Fleece E-M G'twn Knitting (120) Angora (39)	Ultra-Knit (81) Winsom (180)† Scottie (170) Spice, Heather Fleece G'twn Knitting (120)	Promenade (110)
		7	E-M Angel Fleece (83) or Bucilla Alpaca-Mist (115) or Fleecy Down (83)			Fantasque (85)
		6	Win-Knit (140)† Knitting Worsted (270) Heather Ktg. Worsted (200) 4-Ply Orlon Sayelle (140)	Win-Knit (140)† Knitting Worsted (270) Heather Ktg. Worsted (200) 4-Ply Orlon Sayelle (140)	Win-Knit (140)† Knitting Worsted (270) Heather Ktg. Worsted (200) 4-Ply Orlon Sayelle (140)	Pingouin Tweed (120)
		5	Soufflé (175)	Soufflé (175)	Soufflé (175)	Classique Crylor (175)

(Continued on Next Page)

† — 100% du Pont Orlon Acrylic

E-Z REFERENCE GAUGE AND INTERCHANGEABLE YARN CHART

GROUP	STITCHES ROWS	NEEDLE SIZE	BEAR BRAND YARNS	FLEISHER YARNS	BOTANY YARNS	LAINES DU PINGOUIN
AA	7 sts = 1" 9 rows = 1"	4	Win-Sport (225)† Casa-Laine (250) E-M Sport & Sweater (116)	Win-Sport (225)† Casa-Laine (250) E-M Sport & Sweater (116)	Win-Sport (225)† Classic Sport (116)	
BB	7 sts = 1" 10 rows = 1"	4	Crepe Velaine (90)	Crepe Velaine (90)	Crepe Velaine (90)	Crepe Crylor (175)
		3				Zephir Crylor (318)

HELPFUL INFORMATION

STITCH GAUGE—*Important*—Knitted garments are planned on the basis of working to a specified number of stitches and rows to 1 inch; this is referred to as the GAUGE. Required gauge is given at beginning of instructions. If this gauge is not obtained the finished garment will not be the correct size. The size needles recommended will give the average knitter the correct gauge. However, if you do not obtain the gauge required, change the size needles to conform to the tension of your individual knitting; if your knitting is too loose use smaller size needles to tighten gauge; if your knitting is too tight, use larger size needles to loosen gauge. You MUST get gauge given to insure proper size of finished garment.

COMPLETE ABBREVIATIONS

k—knit	beg.—beginning	yo—yarn over
p—purl	pat.(s.)—pattern(s)	ch—chain
st(s)—stitch(es)	in.(s.)—inch(es)	sc—single crochet
inc.(s.)—increase(s)	sl—slip	dc—double crochet
dec.(s.)—decrease(s)	tog.—together	tr—treble crochet

st. st—stockinette st

skp—sl 1, k 1, pass sl st over k st.

sl st—slip st—pass st from one needle to another without working it. Unless otherwise specified, always slip st as to p, except when dec.—as in slip, k and pass—, then slip as to k.

An asterisk (*) indicates that the instructions immediately following are to be repeated the given number of times in addition to the original.

Double Star (**) and Dagger (†) are used in same way.

MARKERS—Make a small loop of contrasting color yarn and place on needle at point or points indicated in instructions. Slip loop from left to right needle without knitting.

MEASUREMENTS OF GARMENTS—The sizes of garments in this book are based on the standard body measurements given below. In the instructions an allowance has been made over the body measurements to give sufficient ease and insure correct fit. This allowance varies according to the style of garment, stitch, type of yarn, and gauge of knitting. To determine which size garment you should make, take your own accurate body measurements. Then use instructions for size with body measurements nearest to your own body measurements. If adjustment is necessary be sure to allow the same number of inches over body measurements as allowed on garment you intend to make. See standard body measurement chart below.

WOMAN'S STANDARD BODY MEASUREMENTS

Sizes	10	12	14	16	18	20	40	42	44
			(32)	(34)	(36)	(38)			
Bust	30 ins.	32 ins.	34 ins.	36 ins.	38 ins.	40 ins.	42 ins.	44 ins.	46 ins.
Waist	24 ins.	25 ins.	26 ins.	28 ins.	30 ins.	32 ins.	34 ins.	36 ins.	38½ ins.
Hip (7 ins. below waist)	32 ins.	34 ins.	36 ins.	38 ins.	40 ins.	42 ins.	44 ins.	46 ins.	48 ins.

FOR SOUFFLÉ GARMENTS ONLY

SOUFFLÉ is:

1. **MACHINE WASHABLE**—Set washing machine for "delicate fabrics" with warm water.
2. **HAND WASHABLE**—Easy and quick to wash. Use any mild detergent or mild soap in warm or cool water. Rinse well and thoroughly at least twice; squeeze out excess water, roll in towel.
   Lay garment flat on smooth surface, shape and pin to original size. Allow to dry. DO NOT HANG TO DRY.
3. **DRIES QUICKLY**—If washed by machine, lay garment flat and dry as for hand washing (see No. 2). *Machine drying is not recommended.*
4. **NEEDS NO BLOCKING**—Soufflé actually needs no blocking when properly dried. If desired, place damp cloth on wrong side of garment then pat lightly (do NOT press) with warm (not hot) iron.
5. **PERMANENTLY MOTH PROOF**—Store it anywhere in perfect safety. Soufflé is permanently moth proof.
6. DO NOT DRY CLEAN.

FOR ALL OTHER GARMENTS

BLOCKING OR STEAMING—To give a more tailored finish to knitted garments it is preferable to steam each piece separately. Care should be taken to block pieces to knitted shape. If the garment is sewn together first and blocked carefully after assembling, the result will also be satisfactory.

TO BLOCK OR STEAM SEPARATE PIECES—Lay pieces flat on pressing board, wrong side up, pin edges to board. Steam with moderately hot iron over a wet cloth, taking care not to let weight of iron rest upon any one spot. After blocking leave pinned until thoroughly dry. Do not steam ribbing.

TO BLOCK OR STEAM FINISHED GARMENT—Lay flat on pressing board, wrong side out. Pin to board. Steam first one side and when dry, steam other side.
After blocking leave pinned until thoroughly dry, then steam all seams and crocheted edges. *Do not steam ribbing.*
Note: Be sure to buy sufficient yarn of each color *in the same dye lot number* to complete the article. This is not necessary if you are buying Ever-Match Yarn.

"BOYE" Products are used exclusively by our design staff in creating the fashions illustrated in this book and are specified herein in accordance with an agreement whereby the publishers receive consideration for such specification.

Printed in U.S.A.



New Out-of-This-World Yarns for Making Heavenly Hand Knits

by BEAR BRAND and FLEISHER

CREPE VELAINE

Like magic, your fingers will fashion richly elegant, lustrous suits, dresses and sweaters with new Crepe Velaine. It knits swiftly and smoothly into such clear, crisp patterns and stitches that your hand-knits will draw envious and admiring glances wherever you go, and you can wash them without fear of dimming their lustre. Your favorite store has it in a range of mouth-watering colors. Surprise: you'll find Crepe Velaine economically priced too.

Instructions for making this 2 Pc. Suit as well as a host of other stunning styles in new Bear Brand-Fleisher Vol. 95 — $1.00 copy

EVER-MATCH ULTRA-KNIT

The ultimate in superb quality hand knitting yarns. Ultra soft, ultra luxurious. Shrink resistant too. Because it's an "Ever-Match" yarn you need never worry about dye lots. Exact color-match everytime is guaranteed. Knit women's, children's and men's fashions quickly and easily on large size 7 or 8 needles. Complete range of gorgeous fashion colors in good stores everywhere.

Instructions for making this smart sweater on page 38.